Journal of the American College of Cardiology
© 2003 by the American College of Cardiology Foundation
Published by Elsevier Inc.

Vol. 41, No. 12, 2003
ISSN 0735-1097/03/$30.00
PII S0735-1097(03)00569-2

Author Index: Volume 41

Aaronson KD, 879
Abbas AE, 1021
Abbate A, 753, 1071
Abdel-Massih T, 1399
Abdul-Baki T, 1115
Abe Y, 737
Abergel E, 1078
Abernethy WB III, 280
Abeyratne A, 73
Abidov A, 1125
Abraham WT, 2010
Abramson JL, 307
Adams KF Jr, 1452
Adamson PB, 565
Adler J, 1445
Adnot S, 1198
Ager J, 1387
Aggoun Y, 1399
Agmon Y, 1482
Agnoletti G, 1399
Agoston I, 211
Ahlberg AW, 452
Ahmed A, 1851
Aihara N, 633
Airaksinen KEJ, 460
Ajani AE, 551
Ajmere NK, 1008
Akasaka T, 1554
Akiyama M, 1554
Akkus NI, 1115
Aklog L, 849
Akosah KO, 1475
Akowuah E, 1421
Al Badr W, 718
Al-Attar I, 1598
Alboni P, 93
Alerci M, 409
Alexander M, 62
Alfieri O, 239
Allada V, 618
Almendral J, 81
Alpert JS, 659
Alsheikh-Ali A, 2084
Alter DA, 1573
Amann-Vesti B, 409
Amanullah AM, 1125
Ambati S, 300
AMIOVIRT Investigators, 1707
Ammann P, 2004
Anand SX, 394
Andersen RV, 1972
Anderson JL, 1990
Anderson TJ, 420
Anderson V, 611
Andersson M, 557
Ando K, 1056
Andrade JL, 1583
Angiolillo DJ, 546
Ankri A, 8
Ansari M, 62
Ansell J, 1633
Antman EM, 891
Antzelevitch C, 1665
Appleton CP, 1021
Arakawa K, 2197
Araki M, 737
Arampatzis CA, 2093
Aranki SF, 795
Arbique D, 1358
Arenal A, 81
Aretz TH, 879
Armstrong P, 916
Armstrong PW, 371
Arnesen KE, 1460
Arneson C, 2119
Arnold K, 2237
Aronovitz MJ, 2084
Arranda-Carrero M, 2266
Arsenault M, 1211
Arthur M, 1159
Asai M, 231
Asano K, 1
Asayama J, 870
Aschwanden M, 409
Ashby DT, 749
Ashton RC Jr, 1414
Athero*Gene* Investigators, 1983
Atkinson SW, 1529
ATTEST Investigators, 1926
Auer J, 1848
Aukrust P, 275, 1460
Aumont MC, 2010
Aurigemma G, 1805
Aymong EA, 749
Azar RR, 452

Badesch D, 2119
Badimon JJ, 603
Baffour R, 1721
Bagga RS, 394
Bailey KR, 322, 1036, 1848
Bain H, 1786
Baker CSR, 2114
Baker LRI, 2114
Balcells E, 827
Baldi A, 753
Baldi F, 753
Balghith MA, 1739
Ballew JD, 2185
Barac I, 974
Barak C, 1554
Baran KW, 1251
Barash E, 1066
Barnathan E, 916
Baró I, 643
Baroncini LA, 136
Barrett M, 1529
Barron MJ, 1786
Barsness GW, 1761, 1918
Barst R, 1380
Barst RJ, 2119
Bartlett TG, 1707
Bartram CR, 2237
Bates E, 1273
Bauer WR, 834
Baumgartner I, 409
Bayna E, 482
Beattie WS, 1496
Beau SL, 1707
Becker RC, 2143
Bedogni F, 1672
Beek AM, 1341
Bel A, 1078
Belcik T, 827
Belhassen L, 1198
Bell RM, 508
Bella JN, 2022
Bello D, 62
Belloni AS, 666
Belmann R, 518
Belsley S, 1414
Belton O, 1820
Benbunan M, 1078
Bendall JK, 2164
Benditt DG, 791
Ben-Haim SA, 802
Bennett T, 565
Benowitz NL, 497
Benson LN, 285
Ben-Yehuda O, 1156
Benza RL, 997
Beraprost Study Group, 2119
Berent R, 1848
Berga SL, 413
Berger P, 1420
Berger PB, 1289
Bergmark C, 360
Berman DS, 1125, 1329, 1547
Bermejo J, 142
Bernardi G, 1488
Berruezo A, 2036
Berry GJ, 322
Bertel O, 2004
Berthold HK, 105
Betocchi S, 2102
Beyer RW, 360
Beyzade S, 2130
Bhatt DL, 20
Bholasingh R, 596
Biasucci LM, 546, 753, 1071
Bickel C, 1983
Bidaoui N, 765
Bijnens B, 810
Bijsterveld NR, 2147
Bilo HJG, 2300
Biondi-Zoccai GGL, 753, 1071
Bitar C, 1707
Bittl JA, 386
Bittner V, 413
Blair E, 1776
Blamire AM, 1776
Blanchard DG, 1066
Blankenberg S, 1983
Blaxall BC, 1096
Bleyer AJ, 1364
Block M, 627
Bloomfield D, 2220
Boccalandro F, 263
Bocchi EA, 2175
Bodi I, 1611
Boehm EA, 1776
Bohlmeyer TJ, 771
Böhm M, 565
Boland J, 1273
Bolli GB, 1013
Bolli R, 1115, 1183
Bonanomi G, 170
Bonetti PO, 1761, 1918
Bonhoeffer P, 1399
Bonnet D, 1399
Bontempi L, 1805
Bonvini R, 409
Borggrefe M, 627
Bornemeier RA, 329
Boscaro M, 2275
Bosch RF, 858
Botella S, 787
Bøtker HE, 843
Böttiger C, 1957
Bottoni N, 93
Boucek MM, 771
Boudjemline Y, 1399
Bourassa MG, 351
Bovenkerk JE, 1408
Bowker TJ, 1004
Bowman ME, 227
Bozkurt B, 211
Bradley TD, 227, 2182
Braith RW, 426
Braunschweig F, 565
Braunstein GD, 413
Braunwald E, 891, 1251, 1264
Breall JA, 20
Breathing Not Properly Multinational Study Investigators, 2010
Brechtken J, 1739
Breithardt OA, 765
Brignole M, 93, 791
Bristow MR, 771, 1107
Brodsky GL, 771
Brown S, 1468
Brucks S, 1590
Brugada J, 1665, 2036
Brugada P, 1665
Brugada R, 1665
Brunckhorst CB, 802
Bruneval P, 1078
Brutel de la Rivière A, 711
Bucknall C, 1067
Bucknall CA, 1174
Buda T, 381
Buell U, 1523
Buettner HJ, 969
Büller HR, 2147
Bulsara M, 1697
Burnett MS, 1812
Burri HK, 255
Busch AE, 858
Bussani R, 753
Butnaru A, 351
Byrne JG, 849

Caforio ALP, 169, 709
Calabrò R, 1438
Caldwell JH, 2077
Califf R, 916
Califf RM, 371, 997, 1251
Callans DJ, 2046
Cambien F, 1983
Cameron VA, 729
Camilot D, 753
Campbell R, 2102
Campolo L, 1488
Cannon CP, 1264
Capomolla S, 1850
Cardoso LF, 1316
Carlier SG, 184
Carlquist JF, 1990
Carlsson J, 1690
Carney KP, 974
Carniel E, 771
Carozza JP Jr, 1493
Casaburi C, 2154
Casali C, 1786
Case C, 611
Casey SA, 974
Caspi A, 204
Castagna M, 551
Casterella PJ, 20
Castiglioni P, 1167
Cavallin M, 930, 938
Cave AC, 2164
Cecchi F, 315
Celermajer DS, 1429
Celestin F, 2084
Ceravolo R, 1753
Cerqueira M, 1721
Cesari M, 930
Cha D-H, 551
Champagne S, 1841
Chan RC, 551
Chandar S, 2072
Chandler AB, 997
Chandler B, 1452
Chandrasekaran K, 1848
Chang JY, 1964
Channick R, 1380, 2119
Chao A, 197
Chazaud B, 1841
Chen H, 1048
Chen RJ-C, 197
Chen Y-S, 197
Cheneau E, 551
Cheng C-P, 1590
Cheng H-J, 1590
Chen-Scarabelli C, 1065
Chesebro J, 603
Chevalier P, 255
Chia S, 333
Chizola PR, 2175
Choo JK, 280
Choussat R, 8
Christenson JT, 1940
Christenson RH, 371
Christianson TJH, 1482
Christott P, 532
Chubuchny V, 136
Chueca E, 2036
Chugh A, 446
Ciabattoni G, 1013
Ciampi Q, 2102
Cice G, 1438
Ciferri S, 1013
Cinca J, 627
Ciofetta M, 1013
Cittadini A, 1438, 2154
Clarke K, 1776
Clemmensen P, 905
Clemo HF, 73
Clopton P, 2010
Cogbill C, 1475
Cohen I, 1125, 1329
Cohen M, 20, 1940
Cohen RJ, 2220
Cohn LH, 849
Colangelo LA, 955
Cole JH, 521
Coller B, 603
Collet J-P, 8
Colonna S, 930
Cominacini L, 499
Committee on the Management of Patients With Chronic Stable Angina, 159
Conraads V, 2104
Considine RV, 1408
Cooke JP, 489

Cooper G, 1421
Cooper JV, 718
Cooper LT, 322, 1687
Coral M, 1725
Coresh J, 47
Cornel JH, 596
Corretti MC, 1744
Corrigan VE, 20
Cortigiani L, 589
Cosín-Sales J, 1468
Costa MC, 1753
Costantini CO, 1725
Coste P, 653
Cotter G, 204
Couet J, 1211
Courtault C, 653
Covezzoli A, 2245
Crabbe DL, 300
Crea F, 546
Cremers B, 565
Crilley JG, 1776
Croci F, 93
Crouse LJ, 1305
Crump C, 1364
Cucherat M, 255
Cuesta A, 2036
Cuffe MS, 997
Cuneo A, 1690
Cuocolo A, 2102
Cusack MR, 1174
Cyr G, 452

da Luz PL, 1316
Dabbous O, 2220
Dalby M, 8
Dalle Molle E, 482
D'Aloia A, 1805
Damås JK, 1460
d'Amati G, 1786
D'Andrea A, 1438
Dangas G, 749, 1725
Darbar D, 2185
Dargie HJ, 113
Daubert J-C, 582
Davì G, 1013
Davidoff R, 1273
Davidson MM, 1786
Daviglus M, 1008
Daviglus ML, 955
Davis GL, 426
Davis M, 1697
Davoli A, 499
Dawn B, 1183
Day INM, 2130
De Angelis M, 1013
De Candia E, 546
De Caterina R, 1067
de Divitiis M, 2259
de Feyter P, 184, 2093
de Freitas HFG, 2175
de Lemos JA, 1264
De Palma R, 2114
De Rosa M, 2245
De Simone A, 1232
de Swart H, 1218
de Winter RJ, 596
Deanfield J, 2259
Dec GW, 322
Degertekin M, 184, 2093
Dei Cas L, 1805
del Castillo S, 81
del Nido PJ, 852
Del Rosso A, 93
Delacretaz E, 802
Delano DG, 293
DeMaria A, 653
DeMaria AN, 157, 516, 889, 1227, 1631, 1823, 2100
Demolombe S, 643
Demopoulos LA, 1264
Dence C, 293
Department of Veterans Affairs Angina With Extremely Serious Operative Mortality (AWESOME) Investigators, 1732
DeRose JJ Jr, 1414
DerSimonian H, 879
Desnos M, 1078
Detrano R, 45
Devereux RB, 2022
D'hooge J, 810
Di Benedetto A, 1438
Di Carli MF, 1387
Di Lenarda A, 771
Di Mario C, 1672
Di Rienzo M, 1167
Dias BF, 285
Diaz S, 1066
DiBattiste PM, 1264
Dibra A, 925
DiMauro S, 1786
Dinelli M, 93
Dinsmore JH, 879
Dipla K, 300
Dirschinger J, 925, 1283
D'Isa S, 1438
Dixit S, 2046
Do DD, 409
Dobrina A, 753
Doevendans PA, 711, 981
Dohyama K, 737
Donald A, 2259
Donateo P, 93
Dorian P, 1573
Dotzer F, 1283
Dow M, 73
Drexler H, 1962
Drolet M-C, 1211
Duboc D, 1078
Dubois-Rande J-L, 1198
Duc P, 2010
Duffy ME, 33
Dujardin K, 1380
Dumaine R, 8
Dumesnil JG, 435
Duncan AM, 121
Durand L-G, 435
Durand-Dubief A, 255

Eagle KA, 69, 718
East MA, 949
Eaton GM, 20
Eber B, 1848
Echigo S, 633
Echo Dobutamine International Cooperative (EDIC) Study Group, 589
Echo Persantine International Cooperative (EPIC) Study Group, 589
Echt D, 1623
Edge ASB, 879
Edwards RJ, 1174
Ehlert F, 1414
Ehsani A, 293
Eikelboom JW, 966
Eisen HJ, 433, 879
Eisenberg M, 2298
Eisenberg MJ, 173
El Jamal B, 1232
Elg S, 557
Elhendy A, 129
Ellenbogen KA, 73
Ellerbeck EF, 1653
Elliott DA, 2072
Elliott PM, 1561
Enrique-Sarano M, 1848
Epstein LM, 795
Epstein SE, 1721, 1812
Eriksson P, 2130
Eriksson UG, 557
Ertl G, 834
Escande D, 643
Espinola-Zavaleta N, 1380
Esquivias GB, 627
Essebag V, 249
Estes NAM III, 99
Ettori F, 1672
Euler DE, 1926
European Powerheart Investigators, 627
Every NR, 1653
Exil V, 1598

Fabsitz R, 2022
Fager G, 557
Faggiano P, 1805
Fahy M, 1725
Fain PR, 771
Falcinelli E, 1013
Fallo F, 2275
Familial Dilated Cardiomyopathy Registry Research Group, 771
Fang J, 2029
Fang JC, 1797
Fang ZY, 611
Fareed J, 394
Fatkin D, 2072
Faul JL, 2126
Favilla S, 938
Fdez-Portales J, 81
Fedele F, 627
Fehr T, 2004
Feijoo J, 142
Felker GM, 997
Feneley M, 2072
Ferguson DA, 771
Ferguson JJ III, 1940
Ferguson L, 1697
Feroce F, 753
Ferrara L, 1438
Feuerstein I, 39
Ficaro E, 452
Filardo SD, 1539
Fine E, 8
Fioette A, 2205
Firoozi S, 582
Fish RH, 217
Fishbein MC, 618, 1623
Fitzgerald D, 1820
Fitzgerald PJ, 1539
Flack JM, 1148
Flameng W, 1087
Flather M, 1233
Fleckenstein M, 1283
Flinchbaugh R, 2119
Fliss H, 870
Foley DP, 184
Fonarow GC, 1529
Fontanelli A, 1672
Forman R, 1273
Förstermann U, 471
Fortuin FD, 1021
Fosch X, 2036
Fourme T, 1380
Fox KAA, 333
Fram DB, 452
Frampton CM, 729
Francis DP, 121
Francis GS, 215, 1394, 1606
Franke A, 765
Frantz R, 1380
Franzén A-C, 1004
Freedman JE, 1750
Freedman RJ, 1940
Freeman RV, 718
Frenneaux M, 2102
Frey A, 204, 1452
Fried LF, 1364
Friedman JD, 1125, 1329, 1547
Friedman PL, 802
Frøland SS, 275, 1460
Frumin HI, 1707
Fu Y, 371
Fuchs S, 1721
Fujii K, 1
Fujita N, 1823
Fukunami M, 231
Fukushima H, 539
Fukuyama N, 1056
Fushiki S, 870
Fuster V, 603, 1633
Fye WB, 346, 1237

Gaasch WH, 1325
Gabrielli G, 1672
Gaenzer H, 1849
Galiè N, 1380, 2245
Gallagher A, 1547
Gallina S, 1067
Gallino A, 409
Gandhi S, 1008
Garbin U, 499
Garcia D, 435
Garcia LA, 1493
Garcia-Civera R, 787
García-Fernández MA, 142
Gardin JM, 955
Garot J, 1841
Garside DB, 1008
Garthwaite S, 1148
Gattis WA, 1452
Gaughan JP, 300
Gauvreau K, 852
Geddes JS, 891
Geraedts JP, 981
Gerber IL, 2280
Germano G, 1125, 1329
Gersh BJ, 2185
Gerstenfeld EP, 2046
Geva T, 852
Gheorghiade M, 997, 1452
Gherardi R, 1841
Ghiadoni L, 938
Giachero C, 1488, 1672
Gianni AD, 2154
Gibbons RJ, 159
Gibson CM, 1251, 1264
Gibson DG, 121
Gidding SS, 955
Gillam LD, 452
Giordano C, 1786
Gistri R, 315
Giugliano RP, 1251
Givertz M, 2029
Glez-Torrecilla E, 81
Gokce N, 1769
Gold HK, 1964
Goldhaber SZ, 2245
Goldman ME, 603
Goldstein JA, 1280
Golino P, 1438
Golmard J-L, 8
Gómez-Moreno P, 142
Gondo N, 2197
Gostyla K, 2084
Gottdiener JS, 1364
Gottlieb SS, 1458
Gotto AM Jr, 1205
Gould KL, 263
Gowda MS, 1305
Grande P, 905
Grant FC, 1573
Green LD, 1573
Greenberg B, 1529
Greenberg S, 1251
Greiner R, 409
Gresele P, 1013
Griffith JL, 47
Grigoletto C, 2275
Grimes CL, 518
Grinberg M, 1316
Grind M, 1445
Groehn H, 661
Grohe C, 2084
Gropler RJ, 293, 468
Grossfeld P, 2072
Grunberger G, 1387
Grünig E, 2237
Gruppo Italiano di Studio sullo Stent nelle Occlusioni Coronariche (GISSOC) Investigators, 1488
Gudbjartsson T, 849
Guéret P, 1841
Guglielmini G, 1013
Guida P, 1167
Gullestad L, 275, 1460
Gulletta S, 239
Gum PA, 961
Gustafsson D, 557
GUSTO-IV–ACS Investigators, 916

Haager P, 532
Haasdijk AP, 2138
Haase H, 858
Hachamovitch R, 1125, 1329, 1547
Hadjis T, 249
Haenseler E, 2004
Hagège AA, 1078
Hahn HS, 1611
Halperin JL, 1633
Hämäläinen H, 460
Hammill SC, 2185
Hankey GJ, 966
Hannan KL, 1251
Hanrath P, 532, 1523
Hansen JE, 1028
Hansten PD, 519
Hare JM, 322
Harnick DJ, 603

Harrington RA, 371, 386, 1251, 1948
Hartlep AW, 834
Harvey RP, 2072
Hasegawa H, 1590
Hasenfuss G, 2164
Hassan SA, 446
Hasselblad V, 371, 1452
Hassink RJ, 711
Hatle L, 810
Haun S, 1690
Hausleiter J, 1283
Haverkamp W, 627
Havranek EP, 217
Hayashi K, 781
Hayashi T, 781
Hayes CM, 1786
Hayes P, 2072
Hayes S, 1329, 1547
Hayes SW, 1125
Haynie M, 263
Heaven D, 1004
Heddle W, 1697
Heeschen C, 489
Heidenreich PA, 1529
Heise R, 2266
Heller GV, 452
Henderson W, 1732
Hendler AL, 2252
Henein MY, 121
Henriques JPS, 2138
Herbots L, 810
Herity NA, 1539
Hermansen F, 843
Hernandez-Pampaloni M, 618
Herrero P, 293
Herrmann HC, 2010
Herrmann J, 1759
Herron KJ, 2185
Hess J, 2266
Hess MJ, 263
Hesslink R Jr, 1744
Heusch G, 195, 1195
Heussen N, 532, 1341
Heymes C, 2164
Hiatt WR, 1679
Higano ST, 1761
Hill JA, 426
Hillegass WB, 386
Hillel Z, 1414
Hinderliter AL, 1380
Hindricks G, 170
Hirakawa Y, 15
Hirano M, 1786
Hirata A, 231
Hirsch AT, 1679
Hirsh J, 1633
Hirst JA, 452
Hittinger L, 1841
Hlatky M, 1732
Ho PY, 820
Hobbach H-P, 1251
Hobbs RE, 1739
Hochman J, 1948
Hochman JS, 1273
Hodgson TK, 413
Hoeper MM, 2237
Hoff JA, 1008
Hoffer EP, 1142
Hoffman SN, 1293
Hoffmann R, 532
Hofman MBM, 1341
Hohnloser SH, 2220
Hoki N, 231
Holland CK, 1628
Hollander JE, 2010
Holloman K, 73
Holm AM, 1460
Holmes DR Jr, 1761, 1918
Holmvang L, 905
Honda O, 539
Honda Y, 1623
Hongo RH, 1422
Hoogwerf BJ, 1394
Hori M, 1, 231
Horie H, 1373
Horie M, 1373
Horowitz JD, 2001
Horzewski M, 1623
Houser S, 1964
Houser SR, 300
Howard BV, 2022
Hoye A, 2093
Hu BS, 1134
Huang S-C, 197
Hubacek J, 420
Hummel JD, 1707
Humpl T, 2068
Hunt SA, 1539
Hunter LM, 1769
Hunziker P, 969
Hurst JW, 1838
Hurwitz S, 2029
Hussin A, 2212
Hutter AM Jr, 280

Iaccarino G, 2154
Iacoviello M, 1167
Iakovou I, 749
Ibrahim H, 47
Ichikawa S, 574
ICOPER Study Group, 2245
Igoumenidis NE, 674
Iida H, 1109
Ikeda T, 2207
Ikeno F, 1623
Ikushima M, 1
Ino H, 781
Inoue I, 743
Inoue M, 781
INTEGRITI Investigators, 1251
Ioannidis JPA, 26
Iseki H, 1056
Isgaard J, 2154
Ishihara M, 743
Ito H, 1
Itty S, 1004
Iwakura K, 1, 2300
Iwami T, 1109, 1623

Jacobs AK, 1273
Jacobsen SJ, 1036
Jacobson A, 2077
Jacoby DB, 879
Jaff MR, 1312
Jäger K, 409
Jahangir A, 2185
Jaïs C, 653
Jamal F, 810
Jambrik Z, 136
James SK, 916
Janisse J, 1387
Janssen B, 2237
Januzzi JL, 1065
Jarcho J, 2029
Jarcho JA, 1797
Jayachandran JV, 1713
Jeffs R, 1679, 2119
Jeon D-S, 1623
Jessup M, 224
Jialal I, 1358
Jiang X-C, 1983
Jimenez J, 81
Johnson BD, 413
Johnson LJ, 1926
Joller-Jemelka HI, 2004
Jollis JG, 949
Jones O, 2072
Jones RM, 1408
Jongbloed RJ, 981
Joseph DL, 1940
Josephson ME, 2225
Joyner CD, 1233
Judd RM, 1568
Jukema JW, 2105
Juliano J, 360

Kadem L, 435
Kaiser H-J, 1523
Kaji S, 1134
Kallikazaros I, 403
Kalliokoski KK, 460
Kalman JM, 2212
Kaltoft A, 843
Kaluski E, 204
Kamakura S, 633
Kamin R, 2010
Kamiyama N, 1554
Kamp O, 596
Kanaan N, 627
Kanagaratnam L, 1697
Kaneda T, 781
Kang S-H, 1066
Kang X, 1125
Kannan T, 1115
Kanno S, 681
Kao PN, 2126
Kapadia SR, 1739
Kaplan S, 204
Karas RH, 2084, 2288
Karch MR, 2054
Karhunen PJ, 190
Karski J, 1496
Karvouni E, 26
Kasahara H, 1056
Kasama S, 574
Kaski JC, 1468
Kasl SV, 307
Kastelein JJP, 275
Kastrati A, 925, 1283, 1957
Kates AM, 293
Katritsis DG, 26
Kattenhorn M, 2259
Katus HA, 2237
Kaul P, 371, 1948
Kaushik V, 1066
Kawagoe T, 743
Kawano S, 1
Kazanegra R, 2010
Kazmers A, 661
Keaney JF Jr, 1769
Keelan PC, 1761
Keira N, 870
Kelsey SF, 413
Kemppainen J, 460
Kent KM, 551
Kerr AJ, 2280
Khandheria BK, 129, 1482, 1583
Khot UN, 381, 1234
Kiernan FJ, 452
Kim RJ, 1568
Kim WY, 843
Kimura K, 1056
Kinder J, 1159
Kini AS, 33
Kinney LM, 1159
Kinoshita M, 1373
Kioka H, 231
Kirk EP, 2072
Kirkorian G, 255
Kistler PM, 2212
Kitsis RN, 761
Kitt MM, 1251
Kittleson M, 2029
Kiyama M, 781
Kleiman JH, 1148
Kleiman NS, 1261
Klein AL, 1243
Klein GJ, 245
Klein HU, 2205
Klein LW, 529
Kline-Rogers E, 718
Klingenheben T, 2220
Klocke FJ, 841
Knabel T, 1529
Knight BP, 446
Knight CJ, 2114
Knowlton AA, 211
Knudsen CW, 2010
Knudtson ML, 420
Knuuti J, 460
Ko W-J, 197
Kobal S, 1623
Kobrin I, 204, 1452
Koch K-C, 1523
Koch SE, 1611
Koch W, 1957
Koch WJ, 1096
Kochiadakis GE, 674
Kodama M, 322
Kodani E, 1183
Koehler R, 2237
Koelling TM, 69
Kofflard MJM, 987
Kohno M, 1823, 2060
Koide S, 1056
Koide S-i, 539
Kojda G, 1994
Kolb C, 2054
Kondo I, 1823, 2060
Kondo M, 737
Kondos GT, 1008
Konno T, 781
Konstam MA, 1529
Koplan BA, 795
Körfer R, 105
Kornowski R, 1721
Kottkamp H, 170
Kottke-Marchant K, 961
Kovacs A, 681
Kowatsch I, 1583
Koyama Y, 1554
Krahn AD, 245
Krakov O, 204
Krakover R, 204
Kramer PH, 1305
Krause SL, 1148
Kremers MS, 1926
Kreutz R, 666
Krishnaswamy P, 2010
Kronenberg A, 1380
Kronmal RA, 1364
Krumholz HM, 217, 307, 1510, 1653
Krusell L, 843
Kübler W, 2237
Kuepper F, 749
Kugiyama K, 539
Kühl HP, 1341
Kühl U, 169
Kühlkamp V, 858
Kukulski T, 810
Kuller LH, 1364
Kumagai K, 231, 2197
Kumakura H, 574
Kumar K, 1831
Kumar S, 2114
Kupfer YY, 709
Kurabayashi M, 574
Kurbaan AS, 1004
Kurisu S, 743
Kurita T, 633
Kuroda T, 1
Kurzyna M, 1380
Kusuoka H, 231
Kuvin JT, 1761
Kuwabara E, 1056
Kyndt F, 643

Laber U, 1994
Lackner KJ, 1983
Lacomis J, 1349
Lafitte S, 653
Lagerqvist B, 905
Lalli C, 1013
Lam PKW, 820
Lambiase PD, 1174
Lammertsma AA, 1341
Lamson T, 1964
Lancellotti P, 1142
Landi P, 589
Landolfi R, 546
Lansky AJ, 1725
Lascor J, 771
Lattimore J-DL, 1429
Laurindo F, 1316
LaVeist TA, 1159
Le Bihan C, 1399
Le Marec H, 643
Leal SMB, 1583
Leconte I, 1380
Lee BI, 20
Lee C-h, 2093
Lee DP, 1539
Lee DS, 1573
Lee ET, 2022
Lee MA, 1926
Lee P, 33
Lee TC, 39
Lee-Lewandrowski E, 1065
Leesar MA, 1115
Leffler J, 73
Lehikoinen P, 460
Lehmann G, 2054
Leimberger JD, 997
Leitch J, 1697
Leite JJ, 2175
Lemos PA, 1583, 2093
Leon MB, 749, 1721, 1725
Leonard H, 1786
Leopold JA, 1273
Lepper W, 532, 827
Lerman A, 1759, 1761, 1918
Lespérance J, 351
Lester SJ, 1021

JACC Vol. 41, No. 12, 2003
June 18, 2003:2301–6

Lesty C, 8
Leunens V, 1087
Leung DYC, 1421
Leung RST, 227
Lever HM, 974
Levey AS, 47
Levine G, 386
Levine RA, 443
Levy WC, 1933, 2077
Lew WYW, 482
Lewandrowski K, 1065
Lewis E, 2029
Lewis EF, 1797
Lewis JF, 974
Ley J, 1422
Li D, 841, 1048
Li H, 471
Li J, 1408
Li W-LP, 771
Liem A, 2105
Lightowlers RN, 1786
Ligthart JMR, 184
Lin F-Y, 197
Lin ZQ, 307
Lincoff AM, 20, 1948
Lindahl B, 905, 916
Linde C, 565, 709
Lindner JR, 827
Lindsay J, 551
Link MS, 99
Lip GYH, 1847
Lipshultz SE, 1598
Lipton RB, 1008
Little WC, 1590
Liu JE, 2022
Liu K, 955
Liu L, 1048
Liu PP, 1573
Liuzzo G, 546, 1071
LLacer A, 787
Lo Cascio V, 499
Lo S, 1539
Loeb AL, 1305
Lorber R, 955
Lorenzi-Filho G, 2175
Loscalzo J, 946
Low R, 1946
Lu Q, 2288
Luby A, 565
Ludlam CA, 333
Luo H, 1623
Luotolahti M, 460
Lupia M, 2275

Mabuchi H, 781
Mabuchi T, 781
MacGillivray TE, 1065
Mackie AS, 852
MacLeod B, 47
Macovski A, 1134
Madden K, 2077
Magalski A, 565
Maggiorini M, 2004
Magid DJ, 1732
Maglione M, 1529
Mahaffey KW, 371
Mahler F, 409
Mahmud E, 1066
Mahon NG, 169, 709
Mahoney DW, 129, 1036
Maio R, 1753
Maiolino G, 930
Maiolino P, 930
Maisel AS, 2010
Maisel WH, 795, 802
Mäkijärvi M, 627
Makino N, 231
Makower J, 1964
Malouf JF, 1848
Malzone A, 2288
Manes A, 1380
Manguso F, 239
Mani K, 761
Manjunath G, 47
Mano A, 870
Mansur AJ, 2175
Mantero F, 2275
Manyari DF, 2102
Marber M, 1067
Marber MS, 1174
Marcelis CL, 981
March KL, 1408
Marchlinski FE, 2046
Margulies KB, 300
Marian AJ, 994, 1783
Marin-Garcia J, 2299
Mark DB, 1948
Marks D, 949
Markus KU, 765
Marmor A, 204
Marmur JD, 394
Marolleau J-P, 1078
Maron BJ, 99, 974
Marrouche NF, 1232
Marsch S, 969
Martínez-Rubio A, 627
Martínez-Sellés M, 1420
Martuscelli E, 1488
Marwick TH, 611
Maseri A, 546
Masoudi FA, 217, 1510
Massari F, 1167
Massie BM, 62, 2018
Mastropasqua F, 1167
Masugata H, 1823
Masumoto A, 15
Masuyama T, 1
Maté I, 152
Mather JF, 452
Mathias W Jr, 1583
Mathur M, 849
Matoba S, 870
Matsumori A, 340
Matsumoto T, 1373
Matsuo S, 1373
Matsuoka D, 2077
Matsuoka R, 737
Matsuyama T, 781
Mattera JA, 307
Matthews KA, 413
Mattsson C, 557
May J, 2077
Maynard C, 1955
Mazzone P, 239
McCabe CH, 1251, 1264
McCarthy PM, 381
McConnell MV, 1134
McCord J, 2010
McCrindle BW, 329, 2068
McCrohon JA, 1561
McCullough PA, 725, 2010
McDonagh TA, 113
McGarry M, 1964
McGlynn S, 551
McGoon M, 2119
McKenna CJ, 709
McKenna WJ, 169, 582, 709, 1561, 1776, 2102
McKenzie F, 2072
McLaughlin PR, 285
McLaughlin V, 2119
McPherson DD, 1628
Mehilli J, 925, 1283, 1957
Mehra MR, 1606, 2104
Mehrad B, 1358
Mehran R, 749, 1725
Mehta JL, 1048
Mehta RH, 718
Meissner I, 1482
Menasché P, 1078
Mendelsohn ME, 2084
Mendes LA, 1273
Menozzi C, 93
Menzoian JO, 1769
Mereles D, 2237
Merino JL, 152, 627
Merz CNB, 413, 1855
Mestroni L, 771, 2193
Metra M, 1805
Meyer CH, 1134
Meyer J, 1983
Meyer W, 1994
Meyns B, 1087
Mialet G, 643
Michels KJ, 1218
Micus S, 1690
Mihaljevic T, 849
Miketic S, 1690
Mikkelsson J, 190
Milano CA, 1096
Miller E, 360
Miller J, 1251
Miller JI III, 521
Miller MF, 1940
Mills RM, 426
Milo O, 204
Miltenberger-Miltenyi G, 2237
Minai K, 1373
Minami E, 1084
Minder EI, 2004
Mintz GS, 1725
Miranda-Peats L, 1547
Mirocha JM, 1623
Mishra M, 381
Mitchel JF, 452
Mitre CA, 33
Mitropoulos I, 403
Miyamoto T, 1623
Mizushige K, 1823, 2060
Mochizuki M, 1109
Modesto KM, 129
Modur S, 1273
Mohler ER III, 1679
Mohr F-W, 170
Mohri M, 15
Mont L, 2036
Montalescot G, 8
Monti MG, 2154
Moon JCC, 1561
Moons AHM, 2147
Morady F, 446, 1707
Morell-Cabedo S, 787
Moreno CA, 1021
Moreno MM, 142
Morgan A, 1159
Mori H, 1056
Morimoto A, 1590
Morrison DA, 1732
Morrow DA, 891, 1264
Morton JB, 2212
Morton SC, 1529
Moses J, 1725
Moses JW, 20, 749
Moshenyat R, 709
Moss AC, 771
Moustapha A, 1066
Mozaffarian D, 1933
Mudge G, 2029
Mudge GH, 1797
Mueller C, 969
Muiesan ML, 2275
Mullani N, 263
Mullany CJ, 1848
Mullen MJ, 285
Müllenheim J, 1994
Müller M, 1283
Müller S, 1994
Multisite Stimulation in Cardiomyopathy (MUSTIC) Study Group, 582
Mummery CL, 711
Muntoni F, 771
Munzel T, 2172
Murphy SA, 1264
Murry CE, 1084
Muth JN, 1611

Nadar S, 1847
Nademanee K, 1665
Nagaya N, 633
Nagueh SF, 1380
Naik AM, 1926
Nakagawa K, 263
Nakagawa M, 870
Nakagawa Y, 263
Nakamura K, 633
Nakamura S, 743
Nakamura S-i, 539
Nakashima H, 2197
Nakazawa H, 1056
Napolitano C, 633
Nardi S, 239
Nasseri BA, 1964
Natale A, 1232
Nathan S, 529
Nava C, 499
Navarro A, 787
Nearing BD, 1831
Nedeljkovic ZS, 1769
Neder JA, 2175
Neishi Y, 1554
Nelson CL, 949
Neuman Y, 1623
Neumann F-J, 969, 1283
Neuzil P, 2228
Neverve J, 925
Newby DE, 333
Newby LK, 371, 1948
Newman AB, 1364
Newman DM, 1573
Newton GE, 227
Nguyen K, 1831
Niccoli L, 1488
Nicholls MG, 729
Nichols W, 2237
Nickerson M, 2288
Nielsen OW, 113
Nishimura DG, 1134
Nishio R, 340
Nishioka K, 743
Nissen SE, 1234, 1739
Noda T, 633
Nodari S, 1805
Nohria A, 1797, 2029
Nordestgaard BG, 1972
Noutsias M, 169
Nowak B, 1523
Nowak RM, 2010
Nussdorfer GG, 666
Nuutila P, 460
Nye R, 1933

O'Connor CM, 997, 1452
Oddone D, 93
Odreman R, 142
Oechslin E, 2004
Oesterle SN, 1964
O'Fallon WM, 1482
Ogawa H, 539, 1109
Ogita H, 231
Ogunmakinwa J, 1812
Oh JK, 1848
Ohe T, 633
Ohira N, 1373
Ohman EM, 371, 1940
Ohmori K, 1823, 2060
Ohno M, 1590
Okamura A, 1
Okubagzi P, 1721
Okura Y, 322
Olin JW, 1679
Olivari Z, 1672
Olivotto I, 315
Olschewski H, 2237
Olson TM, 2185
O'Malley PG, 39
Omland T, 2010
Oparil S, 1148
Opie LH, 1506
Opolski G, 1716
OPTIME-CHF Investigators, 997
Oral H, 446
Orav EJ, 1598
Ordin DL, 217
Oreto G, 239
Ortiz M, 81
Osca J, 2036
O'Shea JC, 386
Oshita A, 2060
Östman-Smith I, 1776
Oudiz R, 2119
Oudiz RJ, 1028
Ozawa T, 1373

Pache J, 925, 1283
Packer DL, 2185
Pagani FD, 879
Paganini E, 381
Palmer BR, 729
Palmieri V, 2022
Pan C-M, 394
Pappone A, 239
Pappone C, 239, 627
PARAGON-B Investigators, 371
Parati G, 1167
Parker JD, 227
Parmley WW, 273
Pasanisi E, 589
Pashkow FJ, 1480
Pasini AF, 499
Pastorino A, 499
Patel R, 360
Patten RD, 2084

Pattison J, 360
Pauciulo M, 2237
Pauker SG, 1293
Paul M, 666
Paul NS, 2252
Pauly JM, 1134
Pauschinger M, 169
Pechlaner C, 518
Pedemonte E, 315
Pedersen TR, 275, 1460
Pedon L, 930
Pelika PA, 1848
Pelle G, 1198
Pelliccioni S, 546
Pellikka PA, 129
Pelosi F, 446
Pennell DJ, 1561
Penttilä A, 190
Pepine CJ, 413, 1229
Perez A, 2010
Perez de Isla L, 81
Perez-Alcala F, 787
Perks A, 1697
Perola M, 190
Perron J-M, 653
Perruchoud A, 969
Perry SB, 852
Perticone F, 1753
Peschar M, 1218
Pessina AC, 666, 930, 938
Peters B, 1823
Peters RJG, 2147
Petersen P, 1445
Peterson ED, 949, 1653, 1948
Petrashevskaya NN, 1611
Petrone P, 315
Petterson TM, 1482
Pfleger S, 834
Pibarot P, 435
Picano E, 136, 589, 1069
Pichard AD, 551
Piechaud JF, 1399
Piek JJ, 2147
Piérard LA, 1142
Pijls NHJ, 1122
Pilbrow AP, 729
Pilla C, 2259
Pillois X, 653
Pilote L, 249
Pini R, 1847
Pinnow E, 551
Piscione F, 1672
Pitsavos C, 403
Pitzalis M, 1167
Pizzi C, 1468
Plancha E, 787
Plantholt S, 1159
Platt RW, 249
Plewan A, 2054
Plomondon ME, 1732
Plotnick GD, 1744
Poggianti E, 136
Pohost GM, 413
Poirier O, 1983
Poleo D, 471
Polk D, 1547
Pollak S, 1926
Pomerantseva I, 1964
Pomerantzeff P, 1316
Popma JJ, 184
Potet F, 643
Pouzet B, 1078
Powell A, 1697
Powers ER, 827
Pratt JH, 1148
Prins MH, 2147
Prinzen FW, 1218
Priori SG, 633
Pritchett AM, 1036
Probst V, 643
Przyklenk K, 1195
Puggioni E, 93
Pujia A, 1753
Pulido T, 1380
Pulsipher M, 20
Pumper GM, 1761

Qing M, 2266
Quinn L, 1008
Quiñones MA, 687

Radford MJ, 1510, 1653
Radley DC, 56
Ragosta M, 827
Rahimtoola SH, 893, 1847
Rahmouni A, 1841
Rainisio M, 1380, 1452
Raisinhani A, 1066
Rajagopalan B, 1776
Rajawat Y, 2046
Ramasubbu K, 1739
Rämet M, 2288
Rämet ME, 2288
Ramires JAF, 1316
Ramires JF, 1583
Rao SV, 1948
Rao V, 1496
Rastegar R, 603
Ratajczak P, 2164
Rayburn BK, 2119
Reaven G, 1044
Reddy RC, 1940
Reddy VY, 2228
Redfield MM, 1036
Redington A, 2259
Redwood S, 1067
Redwood SR, 1174
Regar E, 184
Rehman J, 1408
Reichek N, 413
Reinecke H, 1084
Reis SE, 413
Reneman RS, 1218
Reynierse-Buitenwerf GH, 2105
Reynolds D, 565
Rho R, 2046
Rhodes S, 1529
Rich MW, 1529
Richard MF, 394
Richards AM, 729, 2280
Richter T, 2266
Rickli H, 2004
Rigoni A, 499
Rincon G, 1739
Rindermann M, 2237
RITZ-4 Investigators, 1452
RITZ-5 Investigators, 204
Rizzon B, 1167
Rizzon P, 1167
Robb SD, 113
Robbins DC, 2022
Robbins IM, 2119
Roberts R, 1783
Robertson AD, 771
Robinson ML, 771
Rocchi G, 1380
Rodeheffer RJ, 1036
Roe MT, 1251
Rogers M, 20
Rogers WJ, 413
Roman MJ, 2022
Romeo F, 1048
Roniker B, 1148
Rosanio S, 239
Rosei EA, 2275
Roskamm H, 969
Ross DL, 1421
Rossi A, 1420
Rossi E, 2245
Rossi EG, 1316
Rossi GP, 666, 930, 938
Rossiello R, 753
Rote WE, 2147
Rott D, 1812
Roudaut M-F, 653
Roudaut R, 653
Roumanis SA, 307
Rüb N, 858
Rubartelli P, 1488, 1672
Rubin L, 1380
Rubinstein M, 1159
Rubio M, 1611
Ruggeri G, 1805
Ruiz-Granell R, 787
Rumsfeld JS, 1732
Rupprecht HJ, 1983
Ruskin JN, 2228
Russo PE, 1438
Ryan TJ Jr, 20
Ryden L, 565

Sabatine MS, 1264
Saccà L, 2154
Sack MN, 1404
Sackner-Bernstein J, 1414
Sacks J, 1732
Saffitz JE, 681
Saia F, 2093
Sakamoto H, 1056
Sakata K, 781
Saku K, 2197
Salem DN, 47, 1293
Salemme L, 1672
Salo T, 460
Salvetti A, 938
Salvetti M, 2275
Samady H, 827
Sampaio RO, 1316
Samuel J-L, 2164
Sanchez-Recalde A, 152
Sanders GT, 596
Sanders P, 2212
Sanderson JE, 820
Sanjuan-Mañez R, 787
Santinelli V, 239
Santorelli FM, 1786
Sarateanu S, 1078
Sarich TC, 557
Saririan KAHM, 2298
Saririan M, 173
Sarnak MJ, 47
Sasayama S, 340
Satler LF, 551, 1721
Sato E, 1056
Sato H, 743
Satomi K, 633
Sattelberger U, 1283
Saunders E, 1148
Savolainen MJ, 2288
Sawamura T, 499, 1048
Scarabelli T, 1065
Schad LR, 834
Schaefer WM, 1523
Schaper A, 1475
Scharf C, 446
Scheerder ID, 810
Scheinin M, 190
Schelbert HR, 618
Scherer CR, 858
Scheubel RJ, 2299
Schick EC, 1325
Schieffer B, 1962
Schiller NB, 1021, 1421
Schleithoff SS, 105
Schmeitz-Mulkens JM, 981
Schmidt A, 557
Schmieder S, 2054
Schmitt C, 1283, 2054
Schnall RP, 1761
Schneider E, 409
Schnell TI, 1761
Schnohr P, 1972
Schoenfeld P, 1475
Schoenhagen P, 1739
Schömig A, 925, 1283, 1957
Schott J-J, 643
Schuger CD, 1707
Schühlen H, 1283
Schuler G, 170
Schultheiss H-P, 169
Schumacher K, 2266
Schwaiger M, 925
Schwammenthal E, 443, 765
Schwartz A, 1611
Schwartz K, 1078
Schwartzman D, 170, 1349
Sciacqua A, 1753
Sciammarella MG, 1547
Scorsin M, 1078
Sdringola S, 263
Seccia TM, 666
Segatto J-M, 409
Seghaye M-C, 2266
Seipel L, 858
Semb AG, 275, 1460
Sendi P, 1850
Serpico R, 2154
Serruys PW, 184, 2093
Sesti G, 1753
Sethi G, 1732
Sevrukov A, 1008
Seward JB, 129
Shabetai R, 572
Shah AM, 2164
Shah C, 1697
Shah MR, 1452, 2029
Shalman E, 1554
Shapiro S, 2119
Sharaf BL, 413
Sharma A, 1115
Sharma S, 582
Sharma SK, 33, 394
Shaw LJ, 1125, 1329
Shaw R, 1414
Shekelle PG, 1529
Shen W-K, 2185
Shepard RK, 73
Sherrid MV, 974
Shimatani Y, 743
Shimizu M, 781
Shimizu W, 633
Shimokawa H, 15
Shimonagata T, 231
Shinmura K, 1183
Shinozaki Y, 1056
Shioi T, 340
Shirai K, 1725
Shiraishi J, 870
Shlipak MG, 1364
Short L, 611
Shrivastava V, 1421
Sianos G, 2093
Sicari R, 589
Sidi D, 1399
Siegbahn A, 916
Siegel RJ, 1623
Sigman J, 2119
Silverman B, 518
Silverman R, 1926
Silvestri F, 753
Simon RS, 152
Simonneau G, 1380
Simoons ML, 916
Sinagra G, 771
Singh TP, 661
Sinha AM, 765, 1523
Siu SC, 285
Skalidis EI, 674, 1068
Skanes AC, 245
Sklar MA, 20
Slack S, 1725
Slavens CA, 1408
Sleeper LA, 1273
Smallhorn JF, 2068
Smedira NG, 381
Smeets HJ, 981
Smilde T, 275
Smith G, 217
Smith GC, 1561
Smith GL, 1510
Smith TF, 1482
Smits PC, 184, 2093
Snapir A, 190
Sobrino JA, 152
Soejima K, 802, 2044
Søgaard P, 843
Solano A, 93
Sonino N, 2275
Sopko G, 413
Soto P, 293
Sousa E, 81
Sparks PB, 2212
Spedicato L, 1672
Spencer FA, 2143
Sperling LS, 521
Spertus JA, 1653
Spina GS, 1316
SPORTIF II Investigators, 1445
Srinivasan M, 293
Stabile G, 1232
STAF Investigators, 1690
Stafford RS, 56
Stalenhoef AFH, 275
Staman KL, 1940
Starling RC, 381
Steckelberg JM, 1482
Stefanadis C, 403
Steffensen R, 1972
Steg G, 2010
Stehle P, 105
Steimle A, 1529
Steinberg JS, 1414
Steiner JF, 217
Steinhaus D, 565
Steinmeyer K, 858
Stellbrink C, 765, 1523
Stetler GL, 771

Stevenson LW, 1529, 1797, 2029
Stevenson WG, 795, 802, 2044
Stewart RAH, 2280
Stolen KQ, 460
Stolinski J, 1087
Stone G, 1725
Stone GW, 749, 1940
Storrow AB, 2010
Stratton JR, 2077
Strickberger SA, 446, 1707
Strony J, 1251
Styles P, 1776
Sudano I, 938
Sugi K, 2207
Sugiyama S, 539
Sulke N, 1067
Sun X-G, 1028
Sunagawa K, 633
Sutherland GR, 810
Sutton R, 1004
Sutton T, 2280
Suyama K, 633
Suzuki J, 482
Suzuki M, 2207
Suzuki T, 574
Swistel DG, 1414
Szili-Torok T, 1697

Tabata T, 1243
Tabata Y, 1056
Taborsky M, 2228
Taddei S, 938
Tajik AJ, 1482, 1848
Takagi T, 1554
Takagi Y, 2060
Takaki A, 1109
Takaki H, 633
Takami M, 2207
Takashima H, 1373
Takayama Y, 574
Takeshita A, 15
Takeuchi H, 2060
Takle T, 565
Tanabe K, 184, 2093
Tanaka E, 1056
Tanaka K, 1
Tanaka T, 1109
Tang WHW, 215, 1394
Tang X-L, 1183
Tanio H, 737
Tapson V, 2119
Tarasoutchi F, 1316
Tardif J-C, 351
Tarutani Y, 1373
Tatsumi T, 870
Taylor AJ, 39, 1855
Taylor MRG, 771
Taylor P, 2072
Taylor RW, 1786
Tazelaar HD, 322
Tcheng JE, 386
Tebbe U, 1690
Teerlink J, 1452
Teiger E, 1841
Teirstein PS, 1725
Ten Cate FJ, 987
TenBrook JA Jr, 1293
Tenderich G, 105
Terai H, 781
Terashima M, 1134
Terra-Filho M, 2175
Tessler S, 709
Therrien J, 2252
Thomas D, 8
Thomas JD, 1243
Thomas L, 1421
Thompson CA, 1964
Thuesen L, 843
Tighiouart H, 47
Tijssen JGP, 596
Tiret L, 1983
TOAST-GISE Investigators, 1672
Todd DM, 245
Tolat AV, 2225
Tolleson TR, 386
Topol EJ, 371, 916, 961
Torbicki A, 1380, 2245
Torsvik H, 1460
Tortoriello V, 239
Touboul P, 255
Toutouzas K, 403
Toutouzas P, 403
Towbin JA, 633, 1665
Toyama T, 574
Tripp MD, 275
Trochu J-N, 643
Tsang SW, 1797
Tsao PS, 1044
Tschannen-Moran BM, 1096
Tse MK, 820
Tsiamis E, 403
Tsimikas S, 360
Tsioufis C, 403
Tsutsui JM, 1583
Tu JV, 1573
Tu W, 1529
Tuncel M, 1358
Turco P, 1232
Turi ZG, 1312
Turnbull DM, 1786
Tutar A, 62
Tutta P, 409
Tuzcu EM, 1739
Tuzi J, 1926
Tybjærg-Hansen A, 1972

Uber PA, 1606
Udelson JE, 1855
Ueland T, 275
Ukkonen H, 460
Umans VAWM, 596
Umemura T, 743
Unterseeh T, 1841
Urata H, 2197
Urban PM, 1940

Vacanti JP, 1964
Vaccarino V, 307, 1510
Van de Werf F, 371, 1251
van der Giessen WJ, 184, 2093
van der Horst ICC, 2300
van der Lee C, 987
van der Weerdt AP, 1341
Van Dockum WG, 981
van Domburg RT, 987, 2093
van Duuren M, 2093
van Eickels M, 2084
van Rossum AC, 1341
van Straalen JP, 596
van Veldhuisen DJ, 2105
van Wissen S, 275
VanderBrink BA, 99
van't Hof WWJ, 2300
Varadi G, 1611
Vardakis KE, 674
Vardas PE, 674, 1068
Vargiu D, 315
Varma C, 582, 2252
Vassanelli C, 1488
Vaughn T, 73
Vazquez-Jimenez JF, 2266
Venge P, 905, 916
Venneri L, 136, 589
Ventura G, 1753
Verbeken E, 1087
Vered Z, 204
Verna E, 1488
Verness D, 73
Verrier RL, 1831, 2225
Versari D, 938
Vicedomini G, 239
Vignolles N, 8
Villacastín J, 81
Vilquin J-T, 1078
Virdis A, 938
Visser CA, 596, 1341
Visser FC, 1341
Vita JA, 1769
Vlach SA, 1598
Vlasuk GP, 2147
Vloka M, 1414
Vogel RA, 479, 1744
Vohra JK, 2212
von Beckerath N, 1957
von Bernuth G, 2266
von Hippel A, 2237
Vongpatanasin W, 1358
Vos J, 184

Wacker CM, 834
Wade M, 1679
Waehre T, 275
Wagner G, 905
Wakeyama T, 1109
Waksman R, 551, 1721, 1725
Walker F, 285
Wallace S, 2259
Wallentin L, 905, 916
Wallerath T, 471
Walter S, 1690
Wang AYM, 820
Wang M, 820
Wang PJ, 99
Wang S-S, 197
Wang W, 1926
Wang Z, 1358
Ward MR, 1539
Warnholtz A, 2172
Warr MR, 2252
Wasserman K, 1028
Watanabe N, 1554
Waters D, 452
Watkins H, 1776
Watkins MT, 1769
Waxman S, 1831
Wayar L, 2036
Weachter R, 1926
Weaver WD, 1955
Webb GD, 2252
Weber T, 1848
Weerasooriya R, 1697
Wei K, 827
Weidemann P, 603
Weintraub WS, 521
Weis M, 489
Weiss G, 1849
Weissman NJ, 1721
Weisz G, 1721
Wellenius GA, 1831
Welsh PA, 961
Welty TK, 2022
West TM, 2280
Westheim A, 2010
Wetzel K, 879
Whalley D, 1697
Whitcomb B, 1547
White H, 1273
White J, 961
Wiebers DO, 1482
Wiggers H, 843
Wigginton WG, 1349
Wijesekera N, 1004
Wijeysundera DN, 1496
Wilcox CS, 426
Wilcox I, 1429
Williams KA, 386
Williams V, 1048
Windeler J, 1690
Winkler J, 2237
Wise JA, 1744
WISE Study Group, 413
Wittrup HH, 1972
Witztum JL, 360
Wæhre T, 1460
Wöhrl S, 858
Wolf MP, 1293
Wollbratt M, 557
Wöltje M, 2266
Wolzt M, 557
Wong JB, 1293
Wong ND, 1547
Wong Y-k, 2130
Wood CE, 426
Wood MA, 73
Woodlief LH, 1251
Workman D, 1148
Wożakowska-Kapłon B, 1716
Wragg A, 2114
Wright S, 879
Wu AHB, 2010
Wu I-H, 197
Wyse DG, 420, 1703

Xuan Y-T, 1183

Yamada KA, 681
Yamada T, 231
Yamaguchi M, 781
Yamamuro A, 1554
Yamanaka S, 870
Yamani MH, 381
Yandle TG, 729, 2280
Yang PC, 1134
Yang Y, 1148
Yasuda Y, 1373
Ye S, 2130
Yeager M, 381
Yee R, 245
Yee RR, 1422
Yellon DM, 508, 1404
Yeoh T, 2072
Yetman AT, 329
Yeung AC, 1539
Yip GWK, 820
Yock PG, 1539
Yoshida K, 1554
Yoshida M, 743
Yoshimura M, 539
Young JB, 381, 1394
Yousef Z, 1067
Yu H-Y, 197
Yu Y, 2060
Yuda S, 611
Yukiiri K, 2060
Yusuf SW, 263

Zadinello M, 2259
Zafeiridis A, 300
Zalles-Ganley A, 1812
Zanchetta M, 930
Zawadzka A, 879
Zenati MA, 170
Zeymer U, 1251
Zhang S, 2130
Zhang Y, 820
Zhao SX, 1831
Zhou YF, 1812
Zhu J, 1812
Zhu W, 99
Ziada KM, 1739
Zijlstra F, 2138, 2300
Zile MR, 1519
Zimarino M, 1067, 1488
Zimlichman R, 204
Zipes DP, 1713
Zittermann A, 105
Zrenner B, 2054
Zwinderman AH, 2105
Zwolle Myocardial Infarction Study Group, 2138

Journal of the American College of Cardiology
© 2003 by the American College of Cardiology Foundation
Published by Elsevier Inc.

Vol. 41, No. 12, 2003
ISSN 0735-1097/03/$30.00
doi:10.1016/S0735-1097(03)00570-9

Subject Index: Volume 41

Ablation
See also Surgery
Atrial fibrillation ablation: role of patient enrollment and follow-up in clinical results (letter), 1232
Nonsurgical transthoracic epicardial radiofrequency ablation, 2036
Short-term results of substrate mapping and radiofrequency ablation of ischemic ventricular tachycardia using a saline-irrigated catheter, 2228
Time course for resolution of left atrial appendage stunning after catheter ablation of chronic atrial flutter, 2207

ACC
ACC/AHA 2002 guideline update for the management of patients with chronic stable angina—summary article, 159
ACC/AHA clinical competence statement on echocardiography, 687
American Heart Association/American College of Cardiology Foundation Guide to Warfarin Therapy, 1633
Challenges and opportunities in quantifying the quality of care for acute myocardial infarction, 1653
Newly elected members of the college, 1063
President's page: convocation speech: some thoughts on the future of the cardiovascular specialist and the ACC, 1229
34th Bethesda Conference: can atherosclerosis imaging techniques improve the detection of patients at risk for ischemic heart disease?, 1855

ACC News
President's page: convocation speech: some thoughts on the future of the cardiovascular specialist and the ACC, 1229
President's page: medical history: a valuable tool to help us frame the present and predict the future, 346

Acquired immunodeficiency syndrome
See AIDS

Activated clotting time
Activated clotting time can be used to monitor the low molecular weight heparin dalteparin after intravenous administration, 394

Acute coronary syndromes
Association between hyperglycemia and the no-reflow phenomenon in patients with acute myocardial infarction, 1
Combination reperfusion therapy with eptifibatide and reduced-dose tenecteplase for ST-elevation myocardial infarction, 1251
C-reactive protein and other inflammatory risk markers in acute coronary syndromes, 37S
Early outcome after sirolimus-eluting stent implantation in patients with acute coronary syndromes, 2093
Emerging importance of alpha-adrenergic coronary vasoconstriction in acute coronary syndromes and its genetic background (editorial), 195
Evolving role of direct thrombin inhibitors in acute coronary syndromes, 70S
Glycoprotein IIb/IIIa inhibition in early intent-to-stent treatment of acute coronary syndromes: EPISTENT, ADMIRAL, CADILLAC, and TARGET, 49S
Guide to therapeutic decision-making in patients with non–ST-segment elevation acute coronary syndromes, 123S
Influence of concurrent renal dysfunction on outcomes of patients with acute coronary syndromes and implications of the use of glycoprotein IIb/IIIa inhibitors, 718
Introduction to "optimizing management of non–ST-segment elevation acute coronary syndromes," 1S
"Ischemia-guided" versus "early invasive" strategies in the management of acute coronary syndrome/non–ST-segment elevation myocardial infarction, 96S
Pathobiology, not angiography, should guide management in acute coronary syndrome/non–ST-segment elevation myocardial infarction, 103S
Pathogenetic concepts of acute coronary syndromes, 7S
Pharmacologic plaque passivation for the reduction of recurrent cardiac events in acute coronary syndromes, 23S
Poverty, process of care, and outcome in acute coronary syndromes, 1948
Quantitative analysis of the admission electrocardiogram identifies patients with unstable coronary artery disease who benefit the most from early invasive treatment, 905
Role of low-molecular-weight heparin in the management of acute coronary syndromes, 55S
"Routine invasive" versus "selective invasive" approaches to non–ST-segment elevative acute coronary syndromes management in the post-stent/platelet inhibition era, 113S
Short- and long-term oral antiplatelet therapy in acute coronary syndromes and percutaneous coronary intervention, 79S
Small molecule glycoprotein IIb/IIIa receptor inhibitors as upstream therapy in acute coronary syndromes, 43S
Statistical versus clinical significance of the CURE study in acute coronary syndromes (letter), 1233
Temporal increases in plasma markers of oxidized low-density lipoprotein strongly reflect the presence of acute coronary syndromes, 360
Tezosentan in patients with acute heart failure and acute coronary syndromes, 1452
Troponin: an important prognostic marker and risk-stratification tool in non–ST-segment elevation acute coronary syndromes, 31S
Troponin and C-reactive protein have different relations to subsequent mortality and myocardial infarction after acute coronary syndrome, 916
Troponin as a risk factor for mortality in critically ill patients without acute coronary syndromes, 2004
Troponin T and quantitative ST-segment depression offer complementary prognostic information in the risk stratification of acute coronary syndrome patients, 371

Acute myocardial infarction
See Myocardial infarction

Adenosine myocardial perfusion single-photon emission computed tomography
Adenosine myocardial perfusion single-photon emission computed tomography in women compared with men, 1125

Adenosine triphosphate
Mechanisms of syncope in patients with positive adenosine triphosphate tests, 93

African-Americans
Cardiac Access Longitudinal Study, 1159
Efficacy and tolerability of eplerenone and losartan in hypertensive black and white patients, 1148
Influence of systolic blood pressure and body mass index on left ventricular structure in healthy African-American and white young adults: the CARDIA study, 955
Prevalence and severity of coronary artery calcification on coronary artery computed tomography in black and white subjects, 39

Aging
See also Elderly
Age and hemodynamic response to tilt testing in those with syncope of unknown origin, 1004
Effects of aging on cardiovascular responses to parasympathetic withdrawal, 2077
Haploinsufficiency in combination with aging causes *SCN5A*-linked hereditary Lenègre disease, 643
Impact of aging on substrate metabolism by the human heart, 293

AHA
American Heart Association/American College of Cardiology Foundation Guide to Warfarin Therapy, 1633
Challenges and opportunities in quantifying the quality of care for acute myocardial infarction, 1653

AIDS
Predictors of cardiac morbidity and related mortality in children with acquired immunodeficiency syndrome, 1598

Airport metal detectors
Do airport metal detectors interfere with implantable pacemakers or cardioverter-defibrillators?, 2054

Albuminuria
Association of albuminuria with systolic and diastolic left ventricular dysfunction in type 2 diabetes, 2022

Alcohol
Red wine increases the expression of human endothelial nitric oxide synthase, 471
Vintners and vasodilators (editorial), 479

Aldosterone
Hypertension, angiotensin II, aldosterone, and race (editorial), 1156

Allografts
Beneficial effects of simvastatin and pravastatin on cardiac allograft rejection and survival (letter), 2104

Alpha$_{2B}$-adrenoceptor gene
Emerging importance of alpha-adrenergic coronary vasoconstriction in acute coronary syndromes and its genetic background (editorial), 195
Variation in the alpha$_{2B}$-adrenoceptor gene as a risk factor for prehospital fatal myocardial infarction and sudden cardiac death, 190

Alpha-tropomyosin gene
Variable clinical manifestation of a novel missense mutation in the alpha-tropomyosin (TPM1) gene in familial hypertrophic cardiomyopathy, 981

American College of Cardiology
See ACC

Amiodarone
Amiodarone and the risk of bradyarrhythmia requiring permanent pacemaker in elderly patients with atrial fibrillation and prior myocardial infarction, 249
Amiodarone versus placebo and class Ic drugs for cardioversion of recent-onset atrial fibrillation: a meta-analysis, 255
Amiodarone versus the implantable cardioverter-defibrillator: randomized trial in patients with nonischemic dilated cardiomyopathy and asymptomatic nonsustained ventricular tachycardia—AMIOVIRT, 1707
Amlodipine
Amlodipine inhibits doxorubicin-induced apoptosis in neonatal rat cardiac myocytes, 870
Anemia predicts mortality in severe heart failure, 1933
Anemia
Anemia predicts mortality in severe heart failure, 1933
Angina pectoris
See also Chest pain
ACC/AHA 2002 guideline update for the management of patients with chronic stable angina—summary article, 159
Combined role of the Lewis antigenic system, *Chlamydia pneumoniae*, and C-reactive protein in unstable angina, 546
Enoxaparin in unstable angina in patients who would have been excluded from randomized pivotal trials, 8
Evaluation of B-type natriuretic peptide for risk assessment in unstable angina/non–ST-elevation myocardial infarction, 1264
Thrombolysis In Myocardial Infarction risk score in unstable angina/non–ST-segment elevation myocardial infarction, 89S
Use of fractional flow reserve versus stress perfusion scintigraphy after unstable angina, 1115
Angiography
Cardiac Access Longitudinal Study, 1159
C-reactive protein, clinical presentation, and ischemic activity in patients with chest pain and normal coronary angiograms, 1468
Intracoronary Stenting and Angiographic Results: Strut Thickness Effect on Restenosis Outcome (ISAR-STEREO-2) Trial, 1283
Spiral magnetic resonance coronary angiography with rapid real-time localization, 1134
Thrombolysis In Myocardial Infarction myocardial perfusion grade in angiography correlates with myocardial salvage in patients with acute myocardial infarction treated with stenting or thrombolysis, 925
Angioplasty
See also Percutaneous transluminal coronary angioplasty
Outcome of primary angioplasty for acute myocardial infarction during routine duty hours versus during off-hours, 2138
Angiotensin II
Cardiac fibrosis occurs early and involves endothelin and AT-1 receptors in hypertension due to endogenous angiotensin II, 666
Hypertension, angiotensin II, aldosterone, and race (editorial), 1156
Angiotensin II type 1 receptors
Angiotensin-converting enzyme inhibition but not angiotensin II type 1 receptor antagonism augments coronary release of tissue plasminogen activator in hypertensive patients, 1373
Blockade of angiotensin II type 1 receptors: a novel antiarrhythmic strategy to prevent atrial fibrillation? (editorial), 2205
Effects of angiotensin II type 1 receptor antagonist on electrical and structural remodeling in atrial fibrillation, 2197
Angiotensin-converting enzyme
Angiotensin I-converting enzyme (ACE) inhibitors and restenosis after coronary artery stenting in patients with the DD genotype of the ACE gene, 1957
Angiotensin-converting enzyme gene polymorphism interacts with left ventricular ejection fraction and brain natriuretic peptide levels to predict mortality after myocardial infarction, 729
Race for angiotensin-converting enzyme (ACE) (editorial), 1962
Angiotensin-converting enzyme inhibitors
See also specific agent
Angiotensin I-converting enzyme (ACE) inhibitors and restenosis after coronary artery stenting in patients with the DD genotype of the ACE gene, 1957
Angiotensin-converting enzyme inhibition but not angiotensin II type 1 receptor antagonism augments coronary release of tissue plasminogen activator in hypertensive patients, 1373
Development of circulatory-renal limitations to angiotensin converting enzyme inhibitors identifies patients with severe heart failure and early mortality, 2029
Efficacy of angiotensin-converting enzyme inhibitors and beta-blockers in the management of left ventricular systolic dysfunction according to race, gender, and diabetic status, 1529
High-dose angiotensin-converting enzyme inhibition restores body fluid homeostasis in heart-transplant recipients, 426
Use of spironolactone in heart failure patients receiving angiotensin-converting enzyme inhibitors and beta-blockers (letter), 1851
Antiarrhythmic drugs
Amiodarone versus placebo and class Ic drugs for cardioversion of recent-onset atrial fibrillation: a meta-analysis, 255
Anticoagulants
See also Aspirin; Heparin; Warfarin
Oral anticoagulants in patients with coronary artery disease, 62S
Anticoagulation
Relationship between heparin anticoagulation and clinical outcomes in coronary stent intervention, 386
Antioxidants
Antioxidants, statins, and atherosclerosis, 1205
Antiplatelet therapy
Aspirin resistance: a new independent predictor of vascular events?, 966
Prospective, blinded determination of the natural history of aspirin resistance among stable patients with cardiovascular disease, 961
Randomized comparison of clopidogrel and aspirin versus ticlopidine and aspirin after the placement of coronary artery stents, 969
Short- and long-term oral antiplatelet therapy in acute coronary syndromes and percutaneous coronary intervention, 79S
Aortic dissection
Long-term outcome in patients with Marfan syndrome: is aortic dissection the only cause of sudden death?, 329
Aortic regurgitation
Symptoms and left ventricular size and function in patients with chronic aortic regurgitation (editorial), 1325
Ten-year clinical laboratory follow-up after application of a symptom-based therapeutic strategy to patients with severe chronic aortic regurgitation of predominant rheumatic etiology, 1316
Aortic stenosis
Aortic valve stenosis is associated with systemic endothelial dysfunction, 136
Clinical efficacy of Doppler-echocardiographic indices of aortic valve stenosis: a comparative test-based analysis of outcome, 142
Discrepancies between catheter and Doppler estimates of valve effective orifice area can be predicted from the pressure recovery phenomenon, 435
Experimental aortic valve stenosis in rabbits, 1211
Questions remain regarding patients with aortic stenosis and severe pulmonary hypertension (letter), 1847
Stenosis is in the eye of the observer: impact of pressure recovery on assessing aortic valve area (editorial), 443
Aortic valve
Stenosis is in the eye of the observer: impact of pressure recovery on assessing aortic valve area (editorial), 443
Aortic valve replacement
Choice of prosthetic heart valve for adult patients, 893
Ten-year clinical laboratory follow-up after application of a symptom-based therapeutic strategy to patients with severe chronic aortic regurgitation of predominant rheumatic etiology, 1316
Aortitis
Aspergillus aortitis after cardiac surgery, 152
Aortopulmonary collaterals
Echocardiographic predictors of aortopulmonary collaterals in infants with tetralogy of Fallot and pulmonary atresia, 852
Apical ballooning
Assessment of clinical features in transient left ventricular apical ballooning, 737
Apolipoprotein E
Effects of MF-Tricyclic, a selective cyclooxygenase-2 inhibitor, on atherosclerosis progression and susceptibility to cytomegalovirus replication in apolipoprotein-E knockout mice, 1812
Apoptosis
Amlodipine inhibits doxorubicin-induced apoptosis in neonatal rat cardiac myocytes, 870
Expression of lectin-like oxidized low-density lipoprotein receptors during ischemia-reperfusion and its role in determination of apoptosis and left ventricular dysfunction, 1048
Increased myocardial apoptosis in patients with unfavorable left ventricular remodeling and early symptomatic post-infarction heart failure, 753
Myocyte apoptosis: programming ventricular remodeling? (editorial), 761
Nicotine induces cardiac apoptosis induced by lipopolysaccharide in rats, 482
Appendectomy
Left atrial appendectomy and Maze (letter), 170
Arrhythmias
See also Atrial fibrillation; Atrial flutter; Ventricular tachycardia
Blockade of angiotensin II type 1 receptors: a novel antiarrhythmic strategy to prevent atrial fibrillation? (editorial), 2205

Detection and management of an implantable cardioverter defibrillation lead failure, 73
Effectiveness of implantable defibrillators for preventing arrhythmic events and death, 1573
Long-term outcome in patients with Marfan syndrome: is aortic dissection the only cause of sudden death?, 329
Rate-dependent effects of verapamil on atrial refractoriness, 446
T-wave alternans for arrhythmia risk stratification in patients with idiopathic dilated cardiomyopathy (editorial), 2225
Upper and lower limits of vulnerability to sudden arrhythmic death with chest-wall impact (commotio cordis), 99
Usefulness of invasive electrophysiologic testing to stratify the risk of arrhythmic events in asymptomatic patients with Wolff-Parkinson-White pattern, 239

Arteries
See also Brachial artery; Coronary arteries
Detrimental effects of late artery opening (letter), 1067

Arteriogenesis
Nicotine promotes arteriogenesis, 489

***Aspergillus* aortitis**
Aspergillus aortitis after cardiac surgery, 152

Aspirin
Aspirin resistance: a new independent predictor of vascular events? (editorial), 966
Coronary artery bypass graft surgery in patients with recent exposure to clopidogrel and aspirin therapy (letter), 1421
Effect of aspirin on late preconditioning against myocardial stunning in conscious rabbits, 1183
Improved endothelial function by the thromboxane A_2 receptor antagonist S 18886 in patients with coronary artery disease treated with aspirin, 1198
Prospective, blinded determination of the natural history of aspirin resistance among stable patients with cardiovascular disease, 961
Randomized comparison of clopidogrel and aspirin versus ticlopidine and aspirin after the placement of coronary artery stents, 969
Short- and long-term oral antiplatelet therapy in acute coronary syndromes and percutaneous coronary intervention, 79S
Underutilization of cardiac medications of proven benefits, 1990 to 2002, 56

Atherosclerosis
See also Coronary artery disease
Antioxidants, statins, and atherosclerosis, 1205
Coronary atherosclerosis and body iron stores (letter), 1848
Cyclooxygenase-2 inhibitors and atherosclerosis (editorial), 1820
Effects of MF-Tricyclic, a selective cyclooxygenase-2 inhibitor, on atherosclerosis progression and susceptibility to cytomegalovirus replication in apolipoprotein-E knockout mice, 1812
Experimental aortic valve stenosis in rabbits, 1211
Hypoestrogenemia of hypothalamic origin and coronary artery disease in premenopausal women: a report from the NHLBI-sponsored WISE study, 413
Influences of matrix metalloproteinase-3 gene variation on extent of coronary atherosclerosis and risk of myocardial infarction, 2130
Lack of association between *Chlamydia pneumoniae* seropositivity and aortic atherosclerotic plaques, 1482
Level of kidney function as a risk factor for atherosclerotic cardiovascular outcomes in the community, 47
Metabolic syndrome, diabetes, and subclinical atherosclerosis assessed by coronary calcium, 1547
Pathogenetic concepts of acute coronary syndromes, 7S
Prevalence and severity of coronary artery calcification on coronary artery computed tomography in black and white subjects, 39
Thermal heterogeneity in stable human coronary atherosclerotic plaques is underestimated in vivo: the "cooling effect" of blood flow, 403
34th Bethesda Conference: can atherosclerosis imaging techniques improve the detection of patients at risk for ischemic heart disease?, 1855

Atherothrombosis
Atherothrombosis, inflammation, and diabetes, 1071
Functional polymorphisms in a candidate gene for atherothrombosis (editorial), 946

Athletes
Echocardiographic characteristics of professional football players, 280
Relationship of race to sudden cardiac death in competitive athletes with hypertrophic cardiomyopathy, 974

Atorvastatin
Atorvastatin, administered at the onset of reperfusion, and independent of lipid lowering, protects the myocardium by up-regulating a pro-survival pathway, 508

Atrial effective refractory period
Rate-dependent effects of verapamil on atrial refractoriness, 446

Atrial fibrillation
Amiodarone and the risk of bradyarrhythmia requiring permanent pacemaker in elderly patients with atrial fibrillation and prior myocardial infarction, 249
Amiodarone versus placebo and class Ic drugs for cardioversion of recent-onset atrial fibrillation: a meta-analysis, 255
Atrial fibrillation ablation: role of patient enrollment and follow-up in clinical results (letter), 1232
Australian Intervention Randomized Control of Rate in Atrial Fibrillation Trial (AIRCRAFT), 1697
Blockade of angiotensin II type 1 receptors: a novel antiarrhythmic strategy to prevent atrial fibrillation? (editorial), 2205
Concomitant recovery of atrial mechanical and endocrine function after cardioversion in patients with persistent atrial fibrillation, 1716
Effect of atrial pacing therapies on atrial tachyarrhythmia burden and frequency, 1926
Effects of angiotensin II type 1 receptor antagonist on electrical and structural remodeling in atrial fibrillation, 2197
Familial atrial fibrillation is a genetically heterogeneous disorder, 2185
Genomic medicine and atrial fibrillation (editorial), 2193
Randomized trial of rate-control versus rhythm-control in persistent atrial fibrillation, 1690
Rhythm management in atrial fibrillation: less is more (editorial), 1703
Ximelagatran versus warfarin for stroke prevention in patients with nonvalvular atrial fibrillation, 1445

Atrial flutter
Time course for resolution of left atrial appendage stunning after catheter ablation of chronic atrial flutter, 2207

Atrial natriuretic peptide
Concomitant recovery of atrial mechanical and endocrine function after cardioversion in patients with persistent atrial fibrillation, 1716
Plasma natriuretic peptide levels increase with symptoms and severity of mitral regurgitation, 2280

Atrial pacing
Molecular mechanisms of early electrical remodeling: transcriptional downregulation overview of ion channel subunits reduces $I_{Ca,L}$ and I_{to} in rapid atrial pacing in rabbits, 858

Atrial septal defects
Cardiac homeobox gene *NKX2-5* mutations and congenital heart disease, 2072
Intracardiac echocardiography guided device closure of atrial septal defects, 285

Atrial stunning
Time course for resolution of left atrial appendage stunning after catheter ablation of chronic atrial flutter, 2207

Atrial tachycardia
Effect of atrial pacing therapies on atrial tachyarrhythmia burden and frequency, 1926
Focal atrial tachycardia arising from the mitral annulus, 2212

Automatic external cardioverter-defibrillator
Advances for treating in-hospital cardiac arrest: safety and effectiveness of a new automatic external cardioverter-defibrillator, 627

Balloon angioplasty
Coronary stent implantation is superior to balloon angioplasty for chronic coronary occlusions, 1488

Baroreceptors
Enhanced reflex response to baroreceptor deactivation in subjects with tilt-induced syncope, 1167

Baroreflex
Enhanced reflex response to baroreceptor deactivation in subjects with tilt-induced syncope, 1167

Basic fibroblast growth factor
Nicotine promotes arteriogenesis, 489

Beraprost
Beraprost for the treatment of intermittent claudication (editorial), 1687
Treatment of intermittent claudication with beraprost sodium, an orally active prostaglandin I_2 analogue, 1679

17-Beta estradiol
17-Beta estradiol increases cardiac remodeling and mortality in mice with myocardial infarction, 2084

Beta-blockers
See also specific drug
Efficacy of angiotensin-converting enzyme inhibitors and beta-blockers in the management of left ventricular systolic dysfunction according to race, gender, and diabetic status, 1529
Underutilization of cardiac medications of proven benefits, 1990 to 2002, 56
Use of spironolactone in heart failure patients receiving angiotensin-converting enzyme inhibitors and beta-blockers (letter), 1851
Value of rapid beta-blocker injection at peak dobutamine-atropine stress echocardiography for detection of coronary artery disease, 1583

Biomarkers
Troponin as a risk factor for mortality in critically

ill patients without acute coronary syndromes, 2004

Biventricular pacing
Atriobiventricular pacing improves exercise capacity in patients with heart failure and intraventricular conduction delay, 582
Efficacy of biventricular pacing in congestive heart failure (letter), 709
Robotically assisted left ventricular epicardial lead implantation for biventricular pacing, 1414

Blacks
See African-Americans

Blood flow
Phasic coronary blood flow velocity pattern and flow reserve in the atrium: regulation of left atrial myocardial perfusion, 674
$T^{-786}C$ and Glu298Asp polymorphisms of the endothelial nitric oxide gene affect the forearm blood flow responses of Caucasian hypertensive patients, 938
Thermal heterogeneity in stable human coronary atherosclerotic plaques is underestimated in vivo: the "cooling effect" of blood flow, 403

Blood oxygenation level-dependent effect
Susceptibility-sensitive magnetic resonance imaging detects human myocardium supplied by a stenotic coronary artery without a contrast agent, 834
Testing coronary flow reserve without a provocative stress (editorial), 841

Blood pressure
See also Hypertension
Ambulatory blood pressure, left ventricular mass and conduit artery function late after successful repair of coarctation of the aorta, 2259
Influence of systolic blood pressure and body mass index on left ventricular structure in healthy African-American and white young adults: the CARDIA study, 955
What is the mechanism of abnormal blood pressure on exercise in hypertrophic cardiomyopathy? (letter), 2102

Body mass index
Influence of systolic blood pressure and body mass index on left ventricular structure in healthy African-American and white young adults: the CARDIA study, 955
Obesity is associated with increased levels of circulating hepatocyte growth factor, 1408

Bone marrow transplantation
Catheter-based autologous bone marrow myocardial injection in no-option patients with advanced coronary artery disease, 1721

Bosentan
Effects of the oral endothelin-receptor antagonist bosentan on echocardiographic and Doppler measures in patients with pulmonary arterial hypertension, 1380

Brachial artery
Predictive value of noninvasively determined endothelial dysfunction for long-term cardiovascular events in patients with peripheral vascular disease, 1769

Brachytherapy
Intravascular brachytherapy for native coronary ostial in-stent restenotic lesions, 1725
Late acute thrombotic occlusion after endovascular brachytherapy and stenting of femoropopliteal arteries, 409

Bradyarrhythmia
Amiodarone and the risk of bradyarrhythmia requiring permanent pacemaker in elderly patients with atrial fibrillation and prior myocardial infarction, 249

Brain natriuretic peptide
Angiotensin-converting enzyme gene polymorphism interacts with left ventricular ejection fraction and brain natriuretic peptide levels to predict mortality after myocardial infarction, 729
Bedside B-type natriuretic peptide in the emergency diagnosis of heart failure with reduced or preserved ejection fraction, 2010
Evaluation of B-type natriuretic peptide for risk assessment in unstable angina/non–ST-elevation myocardial infarction, 1264
Natriuretic peptide measurements for the diagnosis of "nonsystolic" heart failure (editorial), 2018
Plasma natriuretic peptide levels increase with symptoms and severity of mitral regurgitation, 2280
Retrospective analysis of the cost-effectiveness of using plasma brain natriuretic peptide in screening for left ventricular systolic dysfunction in the general population, 113

Breathing
Periodic breathing during incremental exercise predicts mortality in patients with chronic heart failure awaiting cardiac transplantation, 2175
Ups and downs of periodic breathing: implications for mortality in heart failure (editorial), 2182

Brugada syndrome
Brugada syndrome 1992–2002, 1665

Bypass graft surgery
See Coronary artery bypass graft

Calcium
Metabolic syndrome, diabetes, and subclinical atherosclerosis assessed by coronary calcium, 1547
Prevalence and severity of coronary artery calcification on coronary artery computed tomography in black and white subjects, 39
Prevalence of coronary artery calcium among diabetic individuals without known coronary artery disease, 1008

Calcium channel blockers
Anti-ischemic properties of calcium-channel blockers (editorial), 1506
Calcium antagonists reduce cardiovascular complications after cardiac surgery, 1496

Calcium channels
Electrical remodeling in hearts from a calcium-dependent mouse model of hypertrophy and failure, 1611

Candesartan
Effects of angiotensin II type 1 receptor antagonist on electrical and structural remodeling in atrial fibrillation, 2197

Carbohydrate antigen 125
Serum levels of carbohydrate antigen 125 in patients with chronic heart failure, 1805

Cardiac arrest
Advances for treating in-hospital cardiac arrest: safety and effectiveness of a new automatic external cardioverter-defibrillator, 627
Analysis and results of prolonged resuscitation in cardiac arrest patients rescued by extracorporeal membrane oxygenation, 197

Cardiac fibrosis
Cardiac fibrosis occurs early and involves endothelin and AT-1 receptors in hypertension due to endogenous angiotensin II, 666

Cardiac muscle
Skeletal muscle meets cardiac muscle (editorial), 1084

Cardiac output
Limitation of cardiac output by total isovolumic time during pharmacologic stress in patients with dilated cardiomyopathy, 121

Cardiac resynchronization therapy
Acute effects of cardiac resynchronization therapy on functional mitral regurgitation in advanced systolic heart failure, 765
Cardiac resynchronization therapy homogenizes myocardial glucose metabolism and perfusion in dilated cardiomyopathy and left bundle branch block, 1523

Cardiac rhythm
Rhythm management in atrial fibrillation: less is more, 1703

Cardiac sarcoidosis
Clinical and histopathologic comparison of cardiac sarcoidosis and idiopathic giant cell myocarditis, 322

Cardiac surgery
Aspergillus aortitis after cardiac surgery, 152

Cardiac sympathetic nerve activity
Effect of spironolactone on cardiac sympathetic nerve activity and left ventricular remodeling in patients with dilated cardiomyopathy, 574

Cardiac transplantation
See Heart transplantation

Cardiogenic shock
Cardiogenic shock caused by right ventricular infarction, 1273
Severe renal dysfunction complicating cardiogenic shock is not a contraindication to mechanical support as a bridge to cardiac transplantation, 381

Cardiologists
President's page: convocation speech: some thoughts on the future of the cardiovascular specialist and the ACC, 1229
Will the nation need more cardiologists in the future than are being trained now?, 1838

Cardiomegaly
Avoidance of the left lateral decubitus position during sleep in patients with heart failure: relationships to cardiac size and function, 227

Cardiomyocytes
Amlodipine inhibits doxorubicin-induced apoptosis in neonatal rat cardiac myocytes, 870
Increased myocardial apoptosis in patients with unfavorable left ventricular remodeling and early symptomatic post-infarction heart failure, 753
Myocyte apoptosis: programming ventricular remodeling? (editorial), 761
Transplantation of cells for cardiac repair, 711

Cardiomyopathy
See Dilated cardiomyopathy; Hypertrophic cardiomyopathy

Cardiomyoplasty
Percutaneous transvenous cellular cardiomyoplasty, 1964

Cardiopulmonary resuscitation
Analysis and results of prolonged resuscitation in cardiac arrest patients rescued by extracorporeal membrane oxygenation, 197

Cardiovascular disease
High-fat diets and cardiovascular disease (editorial), 1750
Obstructive sleep apnea and cardiovascular disease, 1429
Prospective, blinded determination of the natural history of aspirin resistance among stable patients with cardiovascular disease, 961

Cardioversion
Amiodarone versus placebo and class Ic drugs for

cardioversion of recent-onset atrial fibrillation: a meta-analysis, 255
Concomitant recovery of atrial mechanical and endocrine function after cardioversion in patients with persistent atrial fibrillation, 1716

Cardioverter-defibrillator
See also Implantable cardioverter-defibrillators
Advances for treating in-hospital cardiac arrest: safety and effectiveness of a new automatic external cardioverter-defibrillator, 627

Carotid intimal-medial thickness
Vascular function and carotid intimal-medial thickness in children with insulin-dependent diabetes mellitus, 661

Carvedilol
Carvedilol increases the production of interleukin-12 and interferon-γ and improves the survival of mice infected with the encephalomyocarditis virus, 340
Carvedilol increases two-year survival in dialysis patients with dilated cardiomyopathy, 1438

Catheter
Discrepancies between catheter and Doppler estimates of valve effective orifice area can be predicted from the pressure recovery phenomenon, 435
Magnetic resonance imaging of targeted catheter-based implantation of myogenic precursor cells into infarcted left ventricular myocardium, 1841
Short-term results of substrate mapping and radiofrequency ablation of ischemic ventricular tachycardia using a saline-irrigated catheter, 2228
Time course for resolution of left atrial appendage stunning after catheter ablation of chronic atrial flutter, 2207

Caucasians
Cardiac Access Longitudinal Study, 1159
Efficacy and tolerability of eplerenone and losartan in hypertensive black and white patients, 1148
Influence of systolic blood pressure and body mass index on left ventricular structure in healthy African-American and white young adults: the CARDIA study, 955
Prevalence and severity of coronary artery calcification on coronary artery computed tomography in black and white subjects, 39
$T^{-786}C$ and Glu298Asp polymorphisms of the endothelial nitric oxide gene affect the forearm blood flow responses of Caucasian hypertensive patients, 938
$T^{-786}C$ endothelial nitric oxide synthase genotype is a novel risk factor for coronary artery disease in Caucasian patients of the GENICA study, 930

CD40 ligand
Raised serum levels of soluble CD40 ligand in patients with familial hypercholesterolemia: downregulatory effect of statin therapy, 275

Cell transplantation
Autologous skeletal myoblast transplantation for severe postinfarction left ventricular dysfunction, 1078
Autologous skeletal myoblasts transplanted to ischemia-damaged myocardium in humans, 879
Catheter-based autologous bone marrow myocardial injection in no-option patients with advanced coronary artery disease, 1721
Magnetic resonance imaging of targeted catheter-based implantation of myogenic precursor cells into infarcted left ventricular myocardium, 1841
Percutaneous transvenous cellular cardiomyoplasty, 1964
Transplantation of cells for cardiac repair, 711

Chelation therapy
Effect of chelation therapy on endothelial function in patients with coronary artery disease: PATCH substudy, 420

Chemokines
Hydroxymethylglutaryl coenzyme A reductase inhibitors down-regulate chemokines and chemokine receptors in patients with coronary artery disease, 1460

Chest pain
See also Angina pectoris
C-reactive protein, clinical presentation, and ischemic activity in patients with chest pain and normal coronary angiograms, 1468
Postprocedure chest pain after coronary stenting: implications on clinical restenosis, 33
Prognostic value of predischarge dobutamine stress echocardiography in chest pain patients with a negative cardiac troponin T, 596

Chest wall
Upper and lower limits of vulnerability to sudden arrhythmic death with chest-wall impact (commotio cordis), 99

Children
See also Infants
Cardiac homeobox gene *NKX2-5* mutations and congenital heart disease, 2072
Myocardial perfusion and viability by positron emission tomography in infants and children with coronary abnormalities, 618
Predictors of cardiac morbidity and related mortality in children with acquired immunodeficiency syndrome, 1598
Relative roles of transthoracic compared with transesophageal echocardiography in children with suspected infective endocarditis, 2068
Vascular function and carotid intimal-medial thickness in children with insulin-dependent diabetes mellitus, 661

Chlamydia pneumoniae
Combined role of the Lewis antigenic system, *Chlamydia pneumoniae,* and C-reactive protein in unstable angina, 546
Lack of association between *Chlamydia pneumoniae* seropositivity and aortic atherosclerotic plaques, 1482

Cholesterol
See also Hypercholesterolemia
Hepatic lipase mutations, elevated high-density lipoprotein cholesterol, and increased risk of ischemic heart disease, 1972
Preventing myocardial infarction in the young adult in the first place: how do the National Cholesterol Education Panel III guidelines perform?, 1475

Cholesteryl ester transfer protein
Common genetic variation of the cholesteryl ester transfer protein gene strongly predicts future cardiovascular death in patients with coronary artery disease, 1983
Genetic polymorphisms of hepatic lipase and cholesteryl ester transfer protein, intermediate phenotypes, and coronary risk: do they add up yet? (editorial), 1990

Chromosome 2q31
Primary pulmonary hypertension may be a heterogeneous disease with a second locus on chromosome 2q31, 2237

Chronic heart failure
See Heart failure

Chronic kidney disease
Why is chronic kidney disease the "spoiler" for cardiovascular outcomes?, 725

Cigarette smoking
Insulin resistance and compensatory hyperinsulinemia, 1044

Circadian rhythms
Circadian variations in acute myocardial infarction (editorial), 2143

Circulatory-renal limitations
Development of circulatory-renal limitations to angiotensin converting enzyme inhibitors identifies patients with severe heart failure and early mortality, 2029

Claudication
Beraprost for the treatment of intermittent claudication (editorial), 1687
Treatment of intermittent claudication with beraprost sodium, an orally active prostaglandin I_2 analogue, 1679

Clinical studies
Association between hyperglycemia and the no-reflow phenomenon in patients with acute myocardial infarction, 1
Cardiac Access Longitudinal Study, 1159
Cardiology participation improves outcomes in patients with new-onset heart failure in the outpatient setting, 62
Enoxaparin in unstable angina in patients who would have been excluded from randomized pivotal trials, 8
Glycoprotein IIb/IIIa inhibition in early intent-to-stent treatment of acute coronary syndromes: EPISTENT, ADMIRAL, CADILLAC, and TARGET, 49S
Hypoestrogenemia of hypothalamic origin and coronary artery disease in premenopausal women: a report from the NHLBI-sponsored WISE study, 413
Influence of systolic blood pressure and body mass index on left ventricular structure in healthy African-American and white young adults: the CARDIA study, 955
Rapid protocol for the prevention of contrast-induced renal dysfunction. The RAPPID study, 2114
RITZ-5: randomized intravenous tezosentan (an endothelin-a/b antagonist) for the treatment of pulmonary edema, 204
Sirolimus-eluting stent for treatment of complex in-stent restenosis, 184
Statistical versus clinical significance of the CURE study in acute coronary syndromes (letter), 1233
Stress echo results predict mortality: a large-scale multicenter prospective international study, 589
$T^{-786}C$ endothelial nitric oxide synthase genotype is a novel risk factor for coronary artery disease in Caucasian patients of the GENICA study, 930
Tezosentan in patients with acute heart failure and acute coronary syndromes, 1452

Clinical trials
Amiodarone versus the implantable cardioverter-defibrillator: randomized trial in patients with nonischemic dilated cardiomyopathy and asymptomatic nonsustained ventricular tachycardia—AMIOVIRT, 1707
Anemia predicts mortality in severe heart failure, 1933
Australian Intervention Randomized Control of Rate in Atrial Fibrillation Trial (AIRCRAFT), 1697

Can euphoria be bad?, 1289
Effect of atrial pacing therapies on atrial tachyarrhythmia burden and frequency, 1926
Enoxaparin in unstable angina in patients who would have been excluded from randomized pivotal trials, 8
Intracoronary Stenting and Angiographic Results: Strut Thickness Effect on Restenosis Outcome (ISAR-STEREO-2) Trial, 1283
Meta-analysis of randomized clinical trials comparing coronary artery bypass graft with percutaneous transluminal coronary angioplasty: one- to eight-year outcomes, 1293
Power of clinical trials and guidelines, and the challenge of conflicts of interest, 1237
Randomized trial of rate-control versus rhythm-control in persistent atrial fibrillation, 1690

Clopidogrel
Coronary artery bypass graft surgery in patients with recent exposure to clopidogrel and aspirin therapy (letter), 1421
Randomized comparison of clopidogrel and aspirin versus ticlopidine and aspirin after the placement of coronary artery stents, 969
Short- and long-term oral antiplatelet therapy in acute coronary syndromes and percutaneous coronary intervention, 79S

Coarctation of the aorta
Ambulatory blood pressure, left ventricular mass and conduit artery function late after successful repair of coarctation of the aorta, 2259
Hypothermic circulatory arrest for the surgical treatment of complicated adult coarctation of the aorta, 849

Color-flow duplex imaging
Complementary roles of color-flow duplex imaging and intravascular ultrasound in the diagnosis of renal artery fibromuscular dysplasia, 1305

Commotio cordis
Upper and lower limits of vulnerability to sudden arrhythmic death with chest-wall impact (commotio cordis), 99

Computed tomography
See also Single-photon emission computed tomography
Characterization of left atrium and distal pulmonary vein morphology using multidimensional computed tomography, 1349
Prevalence and severity of coronary artery calcification on coronary artery computed tomography in black and white subjects, 39

Conduction
Relationship of slow conduction detected by pace-mapping to ventricular tachycardia re-entry circuit sites after infarction, 802

Conduction delay
Atriobiventricular pacing improves exercise capacity in patients with heart failure and intraventricular conduction delay, 582

Congenital heart disease
Cardiac homeobox gene *NKX2-5* mutations and congenital heart disease, 2072
Echocardiographic predictors of aortopulmonary collaterals in infants with tetralogy of Fallot and pulmonary atresia, 852
Hypothermic circulatory arrest for the surgical treatment of complicated adult coarctation of the aorta, 849
Intramyocardial synthesis of pro- and anti-inflammatory cytokines in infants with congenital cardiac defects, 2266
Perforation of the atretic pulmonary valve, 1399

Congestive heart failure
See Heart failure

Connexin43
Connexin43 as a determinant of myocardial infarct size following coronary occlusion in mice, 681

Contractile reserve
Detection of myocardial viability by contrast echocardiography in acute infarction predicts recovery of resting function and contractile reserve, 827

Contrast agents
Rapid protocol for the prevention of contrast-induced renal dysfunction. The RAPPID study, 2114
Susceptibility-sensitive magnetic resonance imaging detects human myocardium supplied by a stenotic coronary artery without a contrast agent, 834
Toward clinical risk assessment in hypertrophic cardiomyopathy with gadolinium cardiovascular magnetic resonance, 1561

Contrast imaging
Assessment of right ventricular perfusion after right coronary artery occlusion by myocardial contrast echocardiography, 1823
Detection of myocardial viability by contrast echocardiography in acute infarction predicts recovery of resting function and contractile reserve, 827
Myocardial viability in chronic ischemic heart disease, 1341
Toward clinical risk assessment in hypertrophic cardiomyopathy with gadolinium cardiovascular magnetic resonance, 1561

Coronary arteries
Assessment of right ventricular perfusion after right coronary artery occlusion by myocardial contrast echocardiography, 1823
Effect of a change in gender on coronary arterial size, 1539
Susceptibility-sensitive magnetic resonance imaging detects human myocardium supplied by a stenotic coronary artery without a contrast agent, 834

Coronary artery bypass grafting
Coronary artery bypass graft surgery in patients with recent exposure to clopidogrel and aspirin therapy (letter), 1421
Gender differences in recovery after coronary artery bypass surgery, 307
Health-related quality of life after percutaneous coronary intervention versus coronary bypass surgery in high-risk patients with medically refractory ischemia, 1732
Meta-analysis of randomized clinical trials comparing coronary artery bypass graft with percutaneous transluminal coronary angioplasty: one- to eight-year outcomes, 1293

Coronary artery calcium
Metabolic syndrome, diabetes, and subclinical atherosclerosis assessed by coronary calcium, 1547
Prevalence and severity of coronary artery calcification on coronary artery computed tomography in black and white subjects, 39
Prevalence of coronary artery calcium among diabetic individuals without known coronary artery disease, 1008

Coronary artery disease
See also Atherosclerosis; Coronary heart disease
Catheter-based autologous bone marrow myocardial injection in no-option patients with advanced coronary artery disease, 1721
Combined intense lifestyle and pharmacologic lipid treatment further reduce coronary events and myocardial perfusion abnormalities compared with usual-care cholesterol-lowering drugs in coronary artery disease, 263
Common genetic variation of the cholesteryl ester transfer protein gene strongly predicts future cardiovascular death in patients with coronary artery disease, 1983
Coronary artery disease in young adults (editorial), 529
Effect of chelation therapy on endothelial function in patients with coronary artery disease: PATCH substudy, 420
Enhanced external counterpulsation improves endothelial function in patients with symptomatic coronary artery disease, 1761
Hydroxymethylglutaryl coenzyme A reductase inhibitors down-regulate chemokines and chemokine receptors in patients with coronary artery disease, 1460
Hypoestrogenemia of hypothalamic origin and coronary artery disease in premenopausal women: a report from the NHLBI-sponsored WISE study, 413
Improved endothelial function by the thromboxane A_2 receptor antagonist S 18886 in patients with coronary artery disease treated with aspirin, 1198
Influence of left ventricular hypertrophy on survival in patients with coronary artery disease: do race and gender matter?, 949
Limitation of cardiac output by total isovolumic time during pharmacologic stress in patients with dilated cardiomyopathy, 121
Long-term follow-up of coronary artery disease presenting in young adults, 521
Meta-analysis of randomized clinical trials comparing coronary artery bypass graft with percutaneous transluminal coronary angioplasty: one- to eight-year outcomes, 1293
Myocardial laser revascularization for the treatment of end-stage coronary artery disease, 173
Oral anticoagulants in patients with coronary artery disease, 62S
Prevalence of coronary artery calcium among diabetic individuals without known coronary artery disease, 1008
Quantitative analysis of the admission electrocardiogram identifies patients with unstable coronary artery disease who benefit the most from early invasive treatment, 905
Repeated intravascular ultrasound imaging in cardiac transplant recipients does not accelerate transplant coronary artery disease, 1739
Secondary prevention with folic acid: effects on clinical outcomes, 2105
Specificity of noninvasive pacemaker stress echocardiography in diagnosis of coronary artery disease (letter), 1068
Spiral magnetic resonance coronary angiography with rapid real-time localization, 1134
Stress echo results predict mortality: a large-scale multicenter prospective international study, 589
$T^{-786}C$ endothelial nitric oxide synthase genotype is a novel risk factor for coronary artery disease in Caucasian patients of the GENICA study, 930
Value of rapid beta-blocker injection at peak

dobutamine-atropine stress echocardiography for detection of coronary artery disease, 1583

Coronary artery occlusions
Coronary stent implantation is superior to balloon angioplasty for chronic coronary occlusions, 1488
Stenting chronic coronary artery occlusions (editorial), 1493

Coronary blood flow
Phasic coronary blood flow velocity pattern and flow reserve in the atrium: regulation of left atrial myocardial perfusion, 674

Coronary flow reserve
Assessment of coronary flow reserve by coronary pressure measurement, 1554
Testing coronary flow reserve without a provocative stress (editorial), 841

Coronary heart disease
See also Coronary artery disease
Ethnic-specific nature of mechanisms for coronary heart disease (editorial), 45
Prudent person's paradox (editorial), 1480

Coronary microvascular spasm
Rho-kinase inhibition with intracoronary fasudil prevents myocardial ischemia in patients with coronary microvascular spasm, 15

Coronary ostia
Intravascular brachytherapy for native coronary ostial in-stent restenotic lesions, 1725

Coronary revascularization
See Revascularization

Coronary vasomotor dysfunction
Association of polymorphism in glutamate-cysteine ligase catalytic subunit gene with coronary vasomotor dysfunction and myocardial infarction, 539

Counterpulsation
Contemporary utilization and outcomes of intra-aortic balloon counterpulsation in acute myocardial infarction, 1940
Enhanced external counterpulsation for ischemic heart disease, 1918
Enhanced external counterpulsation improves endothelial function in patients with symptomatic coronary artery disease, 1761
Intra-aortic balloon counterpulsation in acute myocardial infarction: too few or too many? (editorial), 1946

COX-2 inhibitors
See Cyclooxygenase-2 inhibitors

C-reactive protein
Combined role of the Lewis antigenic system, *Chlamydia pneumoniae,* and C-reactive protein in unstable angina, 546
C-reactive protein, clinical presentation, and ischemic activity in patients with chest pain and normal coronary angiograms, 1468
C-reactive protein and other inflammatory risk markers in acute coronary syndromes, 37S
Differential effects of oral versus transdermal estrogen replacement therapy on C-reactive protein in postmenopausal women, 1358
Troponin and C-reactive protein have different relations to subsequent mortality and myocardial infarction after acute coronary syndrome, 916

Creatine kinase-MB
Comparison of troponin T and creatine kinase-MB fraction in evaluating cardiac patients postoperatively (letter), 1065

Cushing's syndrome
Left ventricular structural and function characteristics in Cushing's syndrome, 2275

Cyclooxygenase-2 inhibitors
Cyclooxygenase-2 inhibitors and atherosclerosis (editorial), 1820
Effects of MF-Tricyclic, a selective cyclooxygenase-2 inhibitor, on atherosclerosis progression and susceptibility to cytomegalovirus replication in apolipoprotein-E knockout mice, 1812

Cyclosporine
Hypertension in heart transplant recipients: more than just cyclosporine (editorial), 433

CYP3A4 inhibitors
Possible risks to patients receiving statins combined with other medications (letter), 519

Cytokines
Intramyocardial synthesis of pro- and anti-inflammatory cytokines in infants with congenital cardiac defects, 2266

Cytomegalovirus
Effects of MF-Tricyclic, a selective cyclooxygenase-2 inhibitor, on atherosclerosis progression and susceptibility to cytomegalovirus replication in apolipoprotein-E knockout mice, 1812

Dalteparin
Activated clotting time can be used to monitor the low molecular weight heparin dalteparin after intravenous administration, 394

DD genotype
Angiotensin I-converting enzyme (ACE) inhibitors and restenosis after coronary artery stenting in patients with the DD genotype of the ACE gene, 1957

Defibrillation
Advances for treating in-hospital cardiac arrest: safety and effectiveness of a new automatic external cardioverter-defibrillator, 627
Detection and management of an implantable cardioverter defibrillation lead failure, 73

Diabetes mellitus
Acute, short-term hyperglycemia enhances shear stress-induced platelet activation in patients with type II diabetes mellitus, 1013
Adenosine myocardial perfusion single-photon emission computed tomography in women compared with men, 1125
Association of albuminuria with systolic and diastolic left ventricular dysfunction in type 2 diabetes, 2022
Atherothrombosis, inflammation, and diabetes, 1071
Echocardiographic detection of early diabetic myocardial disease, 611
Efficacy of angiotensin-converting enzyme inhibitors and beta-blockers in the management of left ventricular systolic dysfunction according to race, gender, and diabetic status, 1529
Fluid retention after initiation of thiazolidinedione therapy in diabetic patients with established chronic heart failure, 1394
Metabolic syndrome, diabetes, and subclinical atherosclerosis assessed by coronary calcium, 1547
Prevalence of coronary artery calcium among diabetic individuals without known coronary artery disease, 1008
Role of chronic hyperglycemia in the pathogenesis of coronary microvascular dysfunction in diabetes, 1387
Vascular function and carotid intimal-medial thickness in children with insulin-dependent diabetes mellitus, 661

Dialysis
Carvedilol increases two-year survival in dialysis patients with dilated cardiomyopathy, 1438

Diastole
Peak early diastolic mitral annulus velocity by tissue Doppler imaging adds independent and incremental prognostic value, 820

Diet
Effect of supplemental phytonutrients on impairment of the flow-mediated brachial artery vasoactivity after a single high-fat meal, 1744
High-fat diets and cardiovascular disease (editorial), 1750
Of fast food and franchises (editorial), 1227

Dilated cardiomyopathy
Abnormal cellularity in asymptomatic relatives of patients with idiopathic dilated cardiomyopathy (letter), 709
Amiodarone versus the implantable cardioverter-defibrillator: randomized trial in patients with nonischemic dilated cardiomyopathy and asymptomatic nonsustained ventricular tachycardia—AMIOVIRT, 1707
Cardiac resynchronization therapy homogenizes myocardial glucose metabolism and perfusion in dilated cardiomyopathy and left bundle branch block, 1523
Carvedilol increases two-year survival in dialysis patients with dilated cardiomyopathy, 1438
Effect of spironolactone on cardiac sympathetic nerve activity and left ventricular remodeling in patients with dilated cardiomyopathy, 574
Exercise training improves biventricular oxidative metabolism and left ventricular efficiency in patients with dilated cardiomyopathy, 460
Immunosuppressive treatment in familial dilated cardiomyopathy with biopsy-proven intramyocardial inflammation? (letter), 167
Limitation of cardiac output by total isovolumic time during pharmacologic stress in patients with dilated cardiomyopathy, 121
Natural history of dilated cardiomyopathy due to lamin A/C gene mutations, 771
Say no to primary prophylaxis with implantable cardioverter-defibrillators in asymptomatic nonischemic dilated cardiomyopathy? (editorial), 1713
T-wave alternans for arrhythmia risk stratification in patients with idiopathic dilated cardiomyopathy (editorial), 2225
Usefulness of microvolt T wave alternans for prediction of ventricular tachyarrhythmic events in patients with dilated cardiomyopathy: results from a prospective observational study, 2220

Dipyridamole
Stress echo results predict mortality: a large-scale multicenter prospective international study, 589

Direct thrombin inhibitors
Effects of ximelagatran, an oral direct thrombin inhibitor, r-hirudin and enoxaparin on thrombin generation and platelet activation in healthy male subjects, 557
Evolving role of direct thrombin inhibitors in acute coronary syndromes, 70S

Dobutamine stress echocardiography
Prognostic value of predischarge dobutamine stress echocardiography in chest pain patients with a negative cardiac troponin T, 596
Stress echo results predict mortality: a large-scale multicenter prospective international study, 589

Dobutamine-atropine stress echocardiography
Value of rapid beta-blocker injection at peak

dobutamine-atropine stress echocardiography for detection of coronary artery disease, 1583

Doppler echocardiography
See also Echocardiography
Clinical efficacy of Doppler-echocardiographic indices of aortic valve stenosis: a comparative test-based analysis of outcome, 142
Effects of the oral endothelin-receptor antagonist bosentan on echocardiographic and Doppler measures in patients with pulmonary arterial hypertension, 1380
Peak early diastolic mitral annulus velocity by tissue Doppler imaging adds independent and incremental prognostic value, 820
Pulmonary venous flow by Doppler echocardiography: revisited 12 years later, 1243
Quantitative assessment of coronary stenosis by harmonic power Doppler with a simple pulsing sequence and vasodilator stress in patients, 2060
Simple method for noninvasive estimation of pulmonary vascular resistance, 1021

Doxorubicin
Amlodipine inhibits doxorubicin-induced apoptosis in neonatal rat cardiac myocytes, 870

Duplicate publication
Duplicate publication: insights into the essence of a medical journal (editorial), 516

Echocardiography
See also Doppler echocardiography; Dobutamine
ACC/AHA clinical competence statement on echocardiography, 687
Clinical efficacy of Doppler-echocardiographic indices of aortic valve stenosis: a comparative test-based analysis of outcome, 142
Detection and clinical usefulness of a biphasic response during exercise echocardiography early after myocardial infarction, 1142
Detection of myocardial viability by contrast echocardiography in acute infarction predicts recovery of resting function and contractile reserve, 827
Echocardiographic characteristics of professional football players, 280
Echocardiographic detection of early diabetic myocardial disease, 611
Echocardiographic predictors of aortopulmonary collaterals in infants with tetralogy of Fallot and pulmonary atresia, 852
Effects of the oral endothelin-receptor antagonist bosentan on echocardiographic and Doppler measures in patients with pulmonary arterial hypertension, 1380
Intracardiac echocardiography guided device closure of atrial septal defects, 285
Prediction of mortality in patients with left ventricular hypertrophy by clinical, exercise stress, and echocardiographic data, 129
Prognostic value of predischarge dobutamine stress echocardiography in chest pain patients with a negative cardiac troponin T, 596
Pulmonary venous flow by Doppler echocardiography: revisited 12 years later, 1243
Quantitative assessment of coronary stenosis by harmonic power Doppler with a simple pulsing sequence and vasodilator stress in patients, 2060
Relative roles of transthoracic compared with transesophageal echocardiography in children with suspected infective endocarditis, 2068
Specificity of noninvasive pacemaker stress echocardiography in diagnosis of coronary artery disease (letter), 1068
Spontaneous echo contrast videodensity is flow-related and is dependent on the relative concentrations of fibrinogen and red blood cells, 603
Stress echo results predict mortality: a large-scale multicenter prospective international study, 589

Editorials
Amelioration of nitrate tolerance: matching strategies with mechanisms, 1994
Anti-ischemic properties of calcium-channel blockers, 1506
Aspirin resistance: a new independent predictor of vascular events?, 966
Asymptomatic Wolff-Parkinson-White syndrome: is it time to revisit guidelines?, 245
Basic cardiovascular research and its implications for the medicinal use of nicotine, 497
Beraprost for the treatment of intermittent claudication, 1687
Blockade of angiotensin II type 1 receptors: a novel antiarrhythmic strategy to prevent atrial fibrillation?, 2205
Can euphoria be bad?, 1289
Circadian variations in acute myocardial infarction, 2143
Clinical investigation . . . an impending crisis?, 2100
Combination therapy for acute myocardial infarction, 1261
Coronary artery disease in young adults, 529
Cyclooxygenase-2 inhibitors and atherosclerosis, 1820
Duplicate publication: insights into the essence of a medical journal, 516
Elite reviewer, 157
Emerging importance of alpha-adrenergic coronary vasoconstriction in acute coronary syndromes and its genetic background, 195
Emerging therapies for pulmonary hypertension: striving for efficacy and safety, 2126
Endothelial function under pressure, 1759
Ethnic-specific nature of mechanisms for coronary heart disease, 45
Failing human heart: another battlefield for the NAD(P)H-oxidase?, 2172
Functional polymorphisms in a candidate gene for atherothrombosis, 946
Gadolinium-enhanced magnetic resonance imaging in hypertrophic cardiomyopathy, 1568
Genetic polymorphisms of hepatic lipase and cholesteryl ester transfer protein, intermediate phenotypes, and coronary risk: do they add up yet? (editorial), 1990
Genomic medicine and atrial fibrillation, 2193
Heart failure with preserved ejection fraction: is this diastolic heart failure?, 1519
High-fat diets and cardiovascular disease, 1750
Hypertension, angiotensin II, aldosterone, and race, 1156
Hypertension in heart transplant recipients: more than just cyclosporine, 433
Inside or out? Another option for incessant ventricular tachycardia, 2044
Intra-aortic balloon counterpulsation in acute myocardial infarction: too few or too many?, 1946
Is it time to measure fractional flow reserve in all patients?, 1122
Late preconditioning against myocardial stunning, 1195
Less familiar face of heart failure, 224
Measuring quality of outpatient cardiovascular care, 69
Microarray measurements of gene expression before and after left ventricular assist device placement, 1107
Monitoring heart failure hemodynamics with an implanted device: its potential to improve outcome, 572
Myocyte apoptosis: programming ventricular remodeling?, 761
Natriuretic peptide measurements for the diagnosis of "nonsystolic" heart failure, 2018
Neurohormonal paradigm: have we gone too far?, 1458
Noninvasive measurements of myocardial oxygen consumption—can we do better?, 468
Of fast food and franchises, 1227
Physician and war, 889
Poverty and mortality in patients with acute coronary syndromes, 1955
On predictors of sudden cardiac death in hypertrophic cardiomyopathy, 994
Presidential candidates and cardiovascular risk, 1631
Prudent person's paradox, 1480
Race for angiotensin-converting enzyme (ACE), 1962
Renal artery stenosis: searching for the algorithms for diagnosis and treatment (editorial), 1312
Rhythm management in atrial fibrillation: less is more, 1703
Right versus left ventricular shock, 1280
Say no to primary prophylaxis with implantable cardioverter-defibrillators in asymptomatic nonischemic dilated cardiomyopathy?, 1713
Seizing the science of ultrasound, 1628
Skeletal muscle meets cardiac muscle, 1084
Spironolactone in chronic heart failure: all's well that ends well, 215
In the statin era, how importance are intense lifestyle changes?, 273
Stenosis is in the eye of the observer: impact of pressure recovery on assessing aortic valve area, 443
Stenting chronic coronary artery occlusions, 1493
Symptoms and left ventricular size and function in patients with chronic aortic regurgitation, 1325
Syncope: is a diagnosis a diagnosis?, 791
Testing coronary flow reserve without a provocative stress, 841
Thrombosed prosthetic valve, 659
T-wave alternans for arrhythmia risk stratification in patients with idiopathic dilated cardiomyopathy, 2225
Ups and downs of periodic breathing: implications for mortality in heart failure, 2182
Vintners and vasodilators, 479
Why is chronic kidney disease the "spoiler" for cardiovascular outcomes?, 725

Effective orifice area
Discrepancies between catheter and Doppler estimates of valve effective orifice area can be predicted from the pressure recovery phenomenon, 435

Ejection fraction
Bedside B-type natriuretic peptide in the emergency diagnosis of heart failure with reduced or preserved ejection fraction, 2010
Heart failure with preserved ejection fraction: is this diastolic heart failure? (editorial), 1519
Outcomes in heart failure patients with preserved ejection fraction, 1510

Elderly
Amiodarone and the risk of bradyarrhythmia

requiring permanent pacemaker in elderly patients with atrial fibrillation and prior myocardial infarction, 249
Gender, age, and heart failure with preserved left ventricular systolic function, 217
Impact of aging on substrate metabolism by the human heart, 293
Less familiar face of heart failure (editorial), 224
Novel missense mutation in the myosin binding protein-C gene is responsible for hypertrophic cardiomyopathy with left ventricular dysfunction and dilation in elderly patients, 781
Renal insufficiency as a predictor of cardiovascular outcomes and mortality in elderly individuals, 1364

Electrocardiography
Focal atrial tachycardia arising from the mitral annulus, 2212
Quantitative analysis of the admission electrocardiogram identifies patients with unstable coronary artery disease who benefit the most from early invasive treatment, 905
Quantitative comparison of spontaneous and paced 12-lead electrocardiogram during right ventricular outflow tract ventricular tachycardia, 2046

Electrograms
Ablation of electrograms with an isolated, delayed component as treatment of unmappable monomorphic ventricular tachycardias in patients with structural heart disease, 81

Electromechanical mapping
Electromechanical mapping versus positron emission tomography and single photon emission computed tomography for the detection of myocardial viability in patients with ischemic cardiomyopathy, 843

Electrophysiology
Advances for treating in-hospital cardiac arrest: safety and effectiveness of a new automatic external cardioverter-defibrillator, 627
Nonsurgical transthoracic epicardial radiofrequency ablation, 2036
Selective use of diagnostic tests in patients with syncope of unknown cause, 787
Usefulness of invasive electrophysiologic testing to stratify the risk of arrhythmic events in asymptomatic patients with Wolff-Parkinson-White pattern, 239

Embolism
See also Thrombosis
Effect of percutaneous coronary interventions for in-stent restenosis in degenerated saphenous vein grafts without distal embolic protection, 749
Right heart thrombi in pulmonary embolism: results from the International Cooperative Pulmonary Embolism Registry, 2245

Encephalomyocarditis virus
Carvedilol increases the production of interleukin-12 and interferon-γ and improves the survival of mice infected with the encephalomyocarditis virus, 340

Endothelial cells
High-density lipoprotein increases the abundance of eNOS protein in human vascular endothelial cells by increasing its half-life, 2288
Platelet-endothelium interaction mediated by lectin-like oxidized low-density lipoprotein receptor-1 reduces the intracellular concentration of nitric oxide in endothelial cells, 499

Endothelial function/dysfunction
Acute systemic inflammation enhances endothelium-dependent tissue plasminogen activator release in men, 333
Aortic valve stenosis is associated with systemic endothelial dysfunction, 136
Association of polymorphism in glutamate-cysteine ligase catalytic subunit gene with coronary vasomotor dysfunction and myocardial infarction, 539
Effect of chelation therapy on endothelial function in patients with coronary artery disease: PATCH substudy, 420
Effect of supplemental phytonutrients on impairment of the flow-mediated brachial artery vasoactivity after a single high-fat meal, 1744
Endothelial function under pressure (editorial), 1759
Enhanced external counterpulsation improves endothelial function in patients with symptomatic coronary artery disease, 1761
Improved endothelial function by the thromboxane A_2 receptor antagonist S 18886 in patients with coronary artery disease treated with aspirin, 1198
Predictive value of noninvasively determined endothelial dysfunction for long-term cardiovascular events in patients with peripheral vascular disease, 1769
Preserved endothelial function after long-term eccentric isosorbide mononitrate despite moderate nitrate tolerance, 1994
Pulse pressure and endothelial dysfunction in never-treated hypertensive patients, 1753

Endothelial nitric oxide synthase
High-density lipoprotein increases the abundance of eNOS protein in human vascular endothelial cells by increasing its half-life, 2288
Red wine increases the expression of human endothelial nitric oxide synthase, 471
$T^{-786}C$ and Glu298Asp polymorphisms of the endothelial nitric oxide gene affect the forearm blood flow responses of Caucasian hypertensive patients, 938
$T^{-786}C$ endothelial nitric oxide synthase genotype is a novel risk factor for coronary artery disease in Caucasian patients of the GENICA study, 930

Endothelin
Cardiac fibrosis occurs early and involves endothelin and AT-1 receptors in hypertension due to endogenous angiotensin II, 666

Endothelin-1 antagonists
RITZ-5: randomized intravenous tezosentan (an endothelin-a/b antagonist) for the treatment of pulmonary edema, 204

Endothelium
Acute systemic inflammation enhances endothelium-dependent tissue plasminogen activator release in men, 333
Pathogenetic concepts of acute coronary syndromes, 7S
Platelet-endothelium interaction mediated by lectin-like oxidized low-density lipoprotein receptor-1 reduces the intracellular concentration of nitric oxide in endothelial cells, 499

Endovascular brachytherapy
Late acute thrombotic occlusion after endovascular brachytherapy and stenting of femoropopliteal arteries, 409

Enhanced external counterpulsation
Enhanced external counterpulsation for ischemic heart disease, 1918
Enhanced external counterpulsation improves endothelial function in patients with symptomatic coronary artery disease, 1761

Enoxaparin
Enoxaparin in unstable angina in patients who would have been excluded from randomized pivotal trials, 8
Safety of concomitant therapy with eptifibatide and enoxaparin in patients undergoing percutaneous coronary intervention, 20

Epicardial ablation
Nonsurgical transthoracic epicardial radiofrequency ablation, 2036

Epinephrine
Epinephrine unmasks latent mutation carriers with LQT1 form of congenital long-QT syndrome, 633

Eplerenone
Efficacy and tolerability of eplerenone and losartan in hypertensive black and white patients, 1148

Eptifibatide
Combination reperfusion therapy with eptifibatide and reduced-dose tenecteplase for ST-elevation myocardial infarction, 1251
Safety of concomitant therapy with eptifibatide and enoxaparin in patients undergoing percutaneous coronary intervention, 20

Estrogen replacement therapy
Differential effects of oral versus transdermal estrogen replacement therapy on C-reactive protein in postmenopausal women, 1358

Ethnicity
See also Race
Ethnic-specific nature of mechanisms for coronary heart disease (editorial), 45

Ethylenediamine tetraacetic acid
Effect of chelation therapy on endothelial function in patients with coronary artery disease: PATCH substudy, 420

Exercise
Exercise-induced ischemia initiates the second window of protection in humans independent of collateral recruitment, 1174
Periodic breathing during incremental exercise predicts mortality in patients with chronic heart failure awaiting cardiac transplantation, 2175
What is the mechanism of abnormal blood pressure on exercise in hypertrophic cardiomyopathy? (letter), 2102

Exercise echocardiography
Detection and clinical usefulness of a biphasic response during exercise echocardiography early after myocardial infarction, 1142

Exercise testing
Prediction of mortality in patients with left ventricular hypertrophy by clinical, exercise stress, and echocardiographic data, 129

Exercise training
Atriobiventricular pacing improves exercise capacity in patients with heart failure and intraventricular conduction delay, 582
Exercise training improves biventricular oxidative metabolism and left ventricular efficiency in patients with dilated cardiomyopathy, 460

Experimental studies
Amlodipine inhibits doxorubicin-induced apoptosis in neonatal rat cardiac myocytes, 870
17-Beta estradiol increases cardiac remodeling and mortality in mice with myocardial infarction, 2084

Biodegradable gelatin hydrogel potentiates the angiogenic effect of fibroblast growth factor 4 plasmid in rabbit hindlimb ischemia, 1056
Carvedilol increases the production of interleukin-12 and interferon-γ and improves the survival of mice infected with the encephalomyocarditis virus, 340
Connexin43 as a determinant of myocardial infarct size following coronary occlusion in mice, 681
Coronary vasodilation by noninvasive transcutaneous ultrasound, 1623
Effect of aspirin on late preconditioning against myocardial stunning in conscious rabbits, 1183
Effects of MF-Tricyclic, a selective cyclooxygenase-2 inhibitor, on atherosclerosis progression and susceptibility to cytomegalovirus replication in apolipoprotein-E knockout mice, 1812
Electrical remodeling in hearts from a calcium-dependent mouse model of hypertrophy and failure, 1611
Experimental aortic valve stenosis in rabbits, 1211
Growth hormone prolongs survival in experimental postinfarction heart failure (editorial), 2154
Left ventricular septal and apex pacing for optimal pump function in canine hearts, 1218
Molecular mechanisms of early electrical remodeling: transcriptional downregulation overview of ion channel subunits reduces $I_{Ca,L}$ and I_{to} in rapid atrial pacing in rabbits, 858
Nicotine induces cardiac apoptosis induced by lipopolysaccharide in rats, 482
Percutaneous transvenous cellular cardiomyoplasty, 1964
Platelet-endothelium interaction mediated by lectin-like oxidized low-density lipoprotein receptor-1 reduces the intracellular concentration of nitric oxide in endothelial cells, 499
Potent antifibrillatory effects of intrapericardial nitroglycerin in the ischemic porcine model, 1831

Extracorporeal membrane oxygenation
Analysis and results of prolonged resuscitation in cardiac arrest patients rescued by extracorporeal membrane oxygenation, 197

Familial hypercholesterolemia
Raised serum levels of soluble CD40 ligand in patients with familial hypercholesterolemia: downregulatory effect of statin therapy, 275

Familial hypertrophic cardiomyopathy
Homoplasmic mitochondrial transfer ribonucleic acid mutations as a cause of maternally inherited hypertrophic cardiomyopathy, 1786
Hypertrophic cardiomyopathy due to sarcomeric gene mutations is characterized by impaired energy metabolism irrespective of the degree of hypertrophy, 1776
Variable clinical manifestation of a novel missense mutation in the alpha-tropomyosin (TPM1) gene in familial hypertrophic cardiomyopathy, 981

Fasudil
Rho-kinase inhibition with intracoronary fasudil prevents myocardial ischemia in patients with coronary microvascular spasm, 15

Fatty acid metabolism
Myocardial perfusion and fatty acid metabolism in patients with tako-tsubo-like left ventricular dysfunction, 743

Femoropopliteal arteries
Late acute thrombotic occlusion after endovascular brachytherapy and stenting of femoropopliteal arteries, 409

^{18}-F-fluorodeoxyglucose positron emission tomography
Myocardial viability in chronic ischemic heart disease, 1341

Fibrillation
See Atrial fibrillation

Fibrinogen
Spontaneous echo contrast videodensity is flow-related and is dependent on the relative concentrations of fibrinogen and red blood cells, 603

Fibrinolysis
Fibrinolysis of mechanical prosthetic valve thrombosis, 653

Fibroblast growth factor 4
Biodegradable gelatin hydrogel potentiates the angiogenic effect of fibroblast growth factor 4 plasmid in rabbit hindlimb ischemia, 1056

Fibromuscular dysplasia
Complementary roles of color-flow duplex imaging and intravascular ultrasound in the diagnosis of renal artery fibromuscular dysplasia, 1305

Fluid retention
Fluid retention after initiation of thiazolidinedione therapy in diabetic patients with established chronic heart failure, 1394

Folic acid
Secondary prevention with folic acid: effects on clinical outcomes, 2105

Fontan operation
Prevalence of "silent" pulmonary emboli in adults after the Fontan operation, 2252

Fractional flow reserve
Is it time to measure fractional flow reserve in all patients? (editorial), 1122
Use of fractional flow reserve versus stress perfusion scintigraphy after unstable angina, 1115

Gadolinium-enhanced imaging
Gadolinium-enhanced magnetic resonance imaging in hypertrophic cardiomyopathy (editorial), 1568
Toward clinical risk assessment in hypertrophic cardiomyopathy with gadolinium cardiovascular magnetic resonance, 1561

Gelatin hydrogel
Biodegradable gelatin hydrogel potentiates the angiogenic effect of fibroblast growth factor 4 plasmid in rabbit hindlimb ischemia, 1056

Gender
See also Men; Women
Effect of a change in gender on coronary arterial size, 1539
Efficacy of angiotensin-converting enzyme inhibitors and beta-blockers in the management of left ventricular systolic dysfunction according to race, gender, and diabetic status, 1529
Gender, age, and heart failure with preserved left ventricular systolic function, 217
Gender differences in post-infarction hypertrophy in end-stage failing hearts, 300
Gender differences in recovery after coronary artery bypass surgery, 307
Influence of left ventricular hypertrophy on survival in patients with coronary artery disease: do race and gender matter?, 949

Gene expression
Differential gene expression and genomic patient stratification following left ventricular assist device support, 1096
Microarray measurements of gene expression before and after left ventricular assist device placement (editorial), 1107

Genomic medicine
Genomic medicine and atrial fibrillation (editorial), 2193

Glomerular filtration rate
Level of kidney function as a risk factor for atherosclerotic cardiovascular outcomes in the community, 47

Glucose
Cardiac resynchronization therapy homogenizes myocardial glucose metabolism and perfusion in dilated cardiomyopathy and left bundle branch block, 1523

Glutamate-cysteine ligase catalytic subunit gene
Association of polymorphism in glutamate-cysteine ligase catalytic subunit gene with coronary vasomotor dysfunction and myocardial infarction, 539

Glycoprotein IIb/IIIa
Glycoprotein IIb/IIIa inhibition in early intent-to-stent treatment of acute coronary syndromes: EPISTENT, ADMIRAL, CADILLAC, and TARGET, 49S
Influence of concurrent renal dysfunction on outcomes of patients with acute coronary syndromes and implications of the use of glycoprotein IIb/IIIa inhibitors, 718
Intravenous glycoprotein IIb/IIIa receptor antagonists reduce mortality after percutaneous coronary interventions, 26
Small molecule glycoprotein IIb/IIIa receptor inhibitors as upstream therapy in acute coronary syndromes, 43S

Growth hormone
Growth hormone prolongs survival in experimental postinfarction heart failure (editorial), 2154

Haploinsufficiency
Haploinsufficiency in combination with aging causes *SCN5A*-linked hereditary Lenègre disease, 643

Harmonic power Doppler
Quantitative assessment of coronary stenosis by harmonic power Doppler with a simple pulsing sequence and vasodilator stress in patients, 2060

Health-related quality of life
Health-related quality of life after percutaneous coronary intervention versus coronary bypass surgery in high-risk patients with medically refractory ischemia, 1732

Heart
See also Myocardium
Impact of aging on substrate metabolism by the human heart, 293

Heart disease
See Congenital heart disease; Coronary heart disease

Heart failure
Acute effects of cardiac resynchronization therapy on functional mitral regurgitation in advanced systolic heart failure, 765
Anemia predicts mortality in severe heart failure, 1933
Atriobiventricular pacing improves exercise capacity in patients with heart failure and intraventricular conduction delay, 582
Avoidance of the left lateral decubitus position during sleep in patients with heart failure: relationships to cardiac size and function, 227
Bedside B-type natriuretic peptide in the emergency diagnosis of heart failure with reduced or preserved ejection fraction, 2010
Cardiology participation improves outcomes in patients with new-onset heart failure in the outpatient setting, 62

Carvedilol increases two-year survival in dialysis patients with dilated cardiomyopathy, 1438
Clinical assessment identifies hemodynamic profiles that predict outcomes in patients admitted with heart failure, 1797
Comparison of the prognostic value of cardiac iodine-123 metaiodobenzylguanidine imaging and heart rate variability in patients with chronic heart failure, 231
Complications of inappropriate use of spironolactone in heart failure: when an old medicine spirals out of new guidelines, 211
Cost-effectiveness of a heart failure management program from the societal perspective? (letter), 1850
Development of circulatory-renal limitations to angiotensin converting enzyme inhibitors identifies patients with severe heart failure and early mortality, 2029
Diastolic mitral annular velocity during the development of heart failure, 1590
Differential gene expression and genomic patient stratification following left ventricular assist device support, 1096
Efficacy of biventricular pacing in congestive heart failure (letter), 709
Electrical remodeling in hearts from a calcium-dependent mouse model of hypertrophy and failure, 1611
Exercise training improves biventricular oxidative metabolism and left ventricular efficiency in patients with dilated cardiomyopathy, 460
Fluid retention after initiation of thiazolidinedione therapy in diabetic patients with established chronic heart failure, 1394
Gender, age, and heart failure with preserved left ventricular systolic function, 217
Gender differences in post-infarction hypertrophy in end-stage failing hearts, 300
Growth hormone prolongs survival in experimental postinfarction heart failure (editorial), 2154
Heart failure etiology and response to milrinone in decompensated heart failure, 997
Heart failure therapy at a crossroad: are there limits to the neurohormonal model?, 1606
Heart failure with preserved ejection fraction: is this diastolic heart failure? (editorial), 1519
Increased myocardial apoptosis in patients with unfavorable left ventricular remodeling and early symptomatic post-infarction heart failure, 753
Increased myocardial NADPH oxidase activity in human heart failure, 2164
Less familiar face of heart failure (editorial), 224
Low vitamin D status: a contributing factor in the pathogenesis of congestive heart failure?, 105
Mitochondrial dysfunction in heart failure (letter), 2299
Monitoring heart failure hemodynamics with an implanted device: its potential to improve outcome (editorial), 572
Natriuretic peptide measurements for the diagnosis of "nonsystolic" heart failure (editorial), 2018
Neurohormonal paradigm: have we gone too far? (editorial), 1458
Ongoing right ventricular hemodynamics in heart failure, 565
Outcomes in heart failure patients with preserved ejection fraction, 1510
Periodic breathing during incremental exercise predicts mortality in patients with chronic heart failure awaiting cardiac transplantation, 2175
Retrospective analysis of the cost-effectiveness of using plasma brain natriuretic peptide in screening for left ventricular systolic dysfunction in the general population, 113
Serum levels of carbohydrate antigen 125 in patients with chronic heart failure, 1805
Spironolactone in chronic heart failure: all's well that ends well (editorial), 215
Tezosentan in patients with acute heart failure and acute coronary syndromes, 1452
Ups and downs of periodic breathing: implications for mortality in heart failure (editorial), 2182
Use of spironolactone in heart failure patients receiving angiotensin-converting enzyme inhibitors and beta-blockers (letter), 1851

Heart rate
Comparison of the prognostic value of cardiac iodine-123 metaiodobenzylguanidine imaging and heart rate variability in patients with chronic heart failure, 231

Heart transplantation
See also Transplantation
Effect of a change in gender on coronary arterial size, 1539
High-dose angiotensin-converting enzyme inhibition restores body fluid homeostasis in heart-transplant recipients, 426
Hypertension in heart transplant recipients: more than just cyclosporine (editorial), 433
Periodic breathing during incremental exercise predicts mortality in patients with chronic heart failure awaiting cardiac transplantation, 2175
Repeated intravascular ultrasound imaging in cardiac transplant recipients does not accelerate transplant coronary artery disease, 1739
Severe renal dysfunction complicating cardiogenic shock is not a contraindication to mechanical support as a bridge to cardiac transplantation, 381

Hemodynamics
Age and hemodynamic response to tilt testing in those with syncope of unknown origin, 1004
Clinical assessment identifies hemodynamic profiles that predict outcomes in patients admitted with heart failure, 1797
Monitoring heart failure hemodynamics with an implanted device: its potential to improve outcome (editorial), 572
Ongoing right ventricular hemodynamics in heart failure, 565

Heparin
Activated clotting time can be used to monitor the low molecular weight heparin dalteparin after intravenous administration, 394
Relationship between heparin anticoagulation and clinical outcomes in coronary stent intervention, 386
Role of low-molecular-weight heparin in the management of acute coronary syndromes, 55S

Hepatic lipase
Genetic polymorphisms of hepatic lipase and cholesteryl ester transfer protein, intermediate phenotypes, and coronary risk: do they add up yet? (editorial), 1990
Hepatic lipase mutations, elevated high-density lipoprotein cholesterol, and increased risk of ischemic heart disease, 1972

Hepatocyte growth factor
Obesity is associated with increased levels of circulating hepatocyte growth factor, 1408

Hereditary Lenègre disease
Haploinsufficiency in combination with aging causes *SCN5A*-linked hereditary Lenègre disease, 643

High-density lipoprotein
Hepatic lipase mutations, elevated high-density lipoprotein cholesterol, and increased risk of ischemic heart disease, 1972
High-density lipoprotein increases the abundance of eNOS protein in human vascular endothelial cells by increasing its half-life, 2288

Hirudin
Effects of ximelagatran, an oral direct thrombin inhibitor, r-hirudin and enoxaparin on thrombin generation and platelet activation in healthy male subjects, 557

HMG-CoA reductase inhibitors
See also Statins
Atorvastatin, administered at the onset of reperfusion, and independent of lipid lowering, protects the myocardium by up-regulating a pro-survival pathway, 508
Hydroxymethylglutaryl coenzyme A reductase inhibitors down-regulate chemokines and chemokine receptors in patients with coronary artery disease, 1460

Hydrogels
Biodegradable gelatin hydrogel potentiates the angiogenic effect of fibroblast growth factor 4 plasmid in rabbit hindlimb ischemia, 1056

Hypercholesterolemia
See also Lipoproteins
Combined intense lifestyle and pharmacologic lipid treatment further reduce coronary events and myocardial perfusion abnormalities compared with usual-care cholesterol-lowering drugs in coronary artery disease, 263
Raised serum levels of soluble CD40 ligand in patients with familial hypercholesterolemia: downregulatory effect of statin therapy, 275

Hyperglycemia
Acute, short-term hyperglycemia enhances shear stress-induced platelet activation in patients with type II diabetes mellitus, 1013
Association between hyperglycemia and the no-reflow phenomenon in patients with acute myocardial infarction, 1
Hyperglycemia and no-reflow phenomenon in acute myocardial infarction (letter), 2300
Role of chronic hyperglycemia in the pathogenesis of coronary microvascular dysfunction in diabetes, 1387

Hyperinsulinemia
Insulin resistance and compensatory hyperinsulinemia, 1044

Hypertension
See also Pulmonary hypertension
Ambulatory blood pressure, left ventricular mass and conduit artery function late after successful repair of coarctation of the aorta, 2259
Angiotensin-converting enzyme inhibition but not angiotensin II type 1 receptor antagonism augments coronary release of tissue plasminogen activator in hypertensive patients, 1373
Cardiac fibrosis occurs early and involves endothelin and AT-1 receptors in hypertension due to endogenous angiotensin II, 666
Efficacy and tolerability of eplerenone and losartan in hypertensive black and white patients, 1148
Hypertension, angiotensin II, aldosterone, and race (editorial), 1156
Hypertension and the prothrombotic state (letter), 1847

JACC Vol. 41, No. 12, 2003
June 18, 2003;2307–28

Hypertension in heart transplant recipients: more than just cyclosporine (editorial), 433
Pulse pressure and endothelial dysfunction in never-treated hypertensive patients, 1753
$T^{-786}C$ and Glu298Asp polymorphisms of the endothelial nitric oxide gene affect the forearm blood flow responses of Caucasian hypertensive patients, 938

Hypertrophic cardiomyopathy
Gadolinium-enhanced magnetic resonance imaging in hypertrophic cardiomyopathy (editorial), 1568
Homoplasmic mitochondrial transfer ribonucleic acid mutations as a cause of maternally inherited hypertrophic cardiomyopathy, 1786
Hypertrophic cardiomyopathy due to sarcomeric gene mutations is characterized by impaired energy metabolism irrespective of the degree of hypertrophy, 1776
Hypertrophic cardiomyopathy in a large community-based population: clinical outcome and identification of risk factors for sudden cardiac death and clinical deterioration, 987
Maximum left ventricular thickness and risk of sudden death in patients with hypertrophic cardiomyopathy, 315
Novel missense mutation in the myosin binding protein-C gene is responsible for hypertrophic cardiomyopathy with left ventricular dysfunction and dilation in elderly patients, 781
On predictors of sudden cardiac death in hypertrophic cardiomyopathy (editorial), 994
Relationship of race to sudden cardiac death in competitive athletes with hypertrophic cardiomyopathy, 974
Toward clinical risk assessment in hypertrophic cardiomyopathy with gadolinium cardiovascular magnetic resonance, 1561
Variable clinical manifestation of a novel missense mutation in the alpha-tropomyosin (TPM1) gene in familial hypertrophic cardiomyopathy, 981
What is the mechanism of abnormal blood pressure on exercise in hypertrophic cardiomyopathy? (letter), 2102

Hypertrophy
See also Left ventricular hypertrophy
Electrical remodeling in hearts from a calcium-dependent mouse model of hypertrophy and failure, 1611

Hypoestrogenemia
Hypoestrogenemia of hypothalamic origin and coronary artery disease in premenopausal women: a report from the NHLBI-sponsored WISE study, 413

Hypoplastic left heart syndrome
Cardiac homeobox gene *NKX2-5* mutations and congenital heart disease, 2072

Hypothalamus
Hypoestrogenemia of hypothalamic origin and coronary artery disease in premenopausal women: a report from the NHLBI-sponsored WISE study, 413

Hypothermic circulatory arrest
Hypothermic circulatory arrest for the surgical treatment of complicated adult coarctation of the aorta, 849

Idiopathic giant cell myocarditis
Clinical and histopathologic comparison of cardiac sarcoidosis and idiopathic giant cell myocarditis, 322

Immunosuppressive treatment
Immunosuppressive treatment in familial dilated cardiomyopathy with biopsy-proven intramyocardial inflammation? (letter), 167

Implantable cardioverter-defibrillators
Amiodarone versus the implantable cardioverter-defibrillator: randomized trial in patients with nonischemic dilated cardiomyopathy and asymptomatic nonsustained ventricular tachycardia—AMIOVIRT, 1707
Detection and management of an implantable cardioverter defibrillation lead failure, 73
Do airport metal detectors interfere with implantable pacemakers or cardioverter-defibrillators?, 2054
Effectiveness of implantable defibrillators for preventing arrhythmic events and death, 1573
Say no to primary prophylaxis with implantable cardioverter-defibrillators in asymptomatic nonischemic dilated cardiomyopathy? (editorial), 1713

Infants
See also Children
Echocardiographic predictors of aortopulmonary collaterals in infants with tetralogy of Fallot and pulmonary atresia, 852
Intramyocardial synthesis of pro- and anti-inflammatory cytokines in infants with congenital cardiac defects, 2266
Myocardial perfusion and viability by positron emission tomography in infants and children with coronary abnormalities, 618

Infarct
Connexin43 as a determinant of myocardial infarct size following coronary occlusion in mice, 681

Infarction
See Myocardial infarction

Infective endocarditis
Relative roles of transthoracic compared with transesophageal echocardiography in children with suspected infective endocarditis, 2068

Inflammation
Acute systemic inflammation enhances endothelium-dependent tissue plasminogen activator release in men, 333
Atherothrombosis, inflammation, and diabetes, 1071
C-reactive protein and other inflammatory risk markers in acute coronary syndromes, 37S
Differential effects of oral versus transdermal estrogen replacement therapy on C-reactive protein in postmenopausal women, 1358
Immunosuppressive treatment in familial dilated cardiomyopathy with biopsy-proven intramyocardial inflammation? (letter), 167

Insulin
Insulin resistance and compensatory hyperinsulinemia, 1044
Insulin therapy as an adjunct to reperfusion after acute coronary ischemia, 1404

Interferon-γ
Carvedilol increases the production of interleukin-12 and interferon-γ and improves the survival of mice infected with the encephalomyocarditis virus, 340

Interleukin-12
Carvedilol increases the production of interleukin-12 and interferon-γ and improves the survival of mice infected with the encephalomyocarditis virus, 340

Intermittent claudication
Beraprost for the treatment of intermittent claudication (editorial), 1687
Treatment of intermittent claudication with beraprost sodium, an orally active prostaglandin I_2 analogue, 1679

Interventional cardiology
Angiotensin I-converting enzyme (ACE) inhibitors and restenosis after coronary artery stenting in patients with the DD genotype of the ACE gene, 1957
Effect of percutaneous coronary interventions for in-stent restenosis in degenerated saphenous vein grafts without distal embolic protection, 749
Outcome of percutaneous coronary intervention in patients with in-stent restenosis who failed intracoronary radiation therapy, 551
Relationship between heparin anticoagulation and clinical outcomes in coronary stent intervention, 386
Safety of concomitant therapy with eptifibatide and enoxaparin in patients undergoing percutaneous coronary intervention, 20
Sirolimus-eluting stent for treatment of complex in-stent restenosis, 184

Intima-media thickness
Intima-media thickening of the radial artery after transradial intervention, 1109
Vascular function and carotid intimal-medial thickness in children with insulin-dependent diabetes mellitus, 661

Intra-aortic balloon pump
Contemporary utilization and outcomes of intra-aortic balloon counterpulsation in acute myocardial infarction, 1940
Intra-aortic balloon counterpulsation in acute myocardial infarction: too few or too many? (editorial), 1946

Intracardiac echocardiography
Intracardiac echocardiography guided device closure of atrial septal defects, 285

Intracoronary radiation therapy
Outcome of percutaneous coronary intervention in patients with in-stent restenosis who failed intracoronary radiation therapy, 551

Intramyocardial inflammation
Immunosuppressive treatment in familial dilated cardiomyopathy with biopsy-proven intramyocardial inflammation? (letter), 167

Intravascular ultrasound
See also Ultrasound
Complementary roles of color-flow duplex imaging and intravascular ultrasound in the diagnosis of renal artery fibromuscular dysplasia, 1305
Intima-media thickening of the radial artery after transradial intervention, 1109
Repeated intravascular ultrasound imaging in cardiac transplant recipients does not accelerate transplant coronary artery disease, 1739
Symptomatic myocardial bridges: overview of ischemic mechanisms and current diagnostic and treatment strategies, 351

Intraventricular conduction delay
Atriobiventricular pacing improves exercise capacity in patients with heart failure and intraventricular conduction delay, 582

Iodine-123 metaiodobenzylguanidine
Comparison of the prognostic value of cardiac iodine-123 metaiodobenzylguanidine imaging and heart rate variability in patients with chronic heart failure, 231

Iron
Coronary atherosclerosis and body iron stores (letter), 1848

Ischemia
See Myocardial ischemia

Ischemia-reperfusion
Expression of lectin-like oxidized low-density

lipoprotein receptors during ischemia-reperfusion and its role in determination of apoptosis and left ventricular dysfunction, 1048

Ischemic cardiomyopathy
Electromechanical mapping versus positron emission tomography and single photon emission computed tomography for the detection of myocardial viability in patients with ischemic cardiomyopathy, 843

Ischemic heart disease
See also Myocardial ischemia
Enhanced external counterpulsation for ischemic heart disease, 1918
Hepatic lipase mutations, elevated high-density lipoprotein cholesterol, and increased risk of ischemic heart disease, 1972
Myocardial viability in chronic ischemic heart disease, 1341
34th Bethesda Conference: can atherosclerosis imaging techniques improve the detection of patients at risk for ischemic heart disease?, 1855

Isosorbide mononitrate
Preserved endothelial function after long-term eccentric isosorbide mononitrate despite moderate nitrate tolerance, 1994

Kidneys
Development of circulatory-renal limitations to angiotensin converting enzyme inhibitors identifies patients with severe heart failure and early mortality, 2029
Influence of concurrent renal dysfunction on outcomes of patients with acute coronary syndromes and implications of the use of glycoprotein IIb/IIIa inhibitors, 718
Level of kidney function as a risk factor for atherosclerotic cardiovascular outcomes in the community, 47
Rapid protocol for the prevention of contrast-induced renal dysfunction. The RAPPID study, 2114
Renal insufficiency as a predictor of cardiovascular outcomes and mortality in elderly individuals, 1364
Severe renal dysfunction complicating cardiogenic shock is not a contraindication to mechanical support as a bridge to cardiac transplantation, 381
Why is chronic kidney disease the "spoiler" for cardiovascular outcomes? (editorial), 725

Lamin A/C gene
Natural history of dilated cardiomyopathy due to lamin A/C gene mutations, 771

Laser revascularization
Art and science of transmyocardial laser revascularization (letter), 2298
Myocardial laser revascularization for the treatment of end-stage coronary artery disease, 173

Late acute thrombotic occlusion
Late acute thrombotic occlusion after endovascular brachytherapy and stenting of femoropopliteal arteries, 409

Lectin-like oxidized low-density lipoprotein receptor-1
Expression of lectin-like oxidized low-density lipoprotein receptors during ischemia-reperfusion and its role in determination of apoptosis and left ventricular dysfunction, 1048
Platelet-endothelium interaction mediated by lectin-like oxidized low-density lipoprotein receptor-1 reduces the intracellular concentration of nitric oxide in endothelial cells, 499

Left atrial appendage
Time course for resolution of left atrial appendage stunning after catheter ablation of chronic atrial flutter, 2207

Left atrial appendectomy
Left atrial appendectomay and Maze (letter), 170

Left atrial volume
Calculating the absolute value of the mean left atrial maximal and minimal volume (letter), 1420
Left atrial volume as an index of left atrial size: a population-based study, 1036

Left atrium
Characterization of left atrium and distal pulmonary vein morphology using multidimensional computed tomography, 1349

Left bundle branch block
Acute effects of cardiac resynchronization therapy on functional mitral regurgitation in advanced systolic heart failure, 765
Cardiac resynchronization therapy homogenizes myocardial glucose metabolism and perfusion in dilated cardiomyopathy and left bundle branch block, 1523
Limitation of cardiac output by total isovolumic time during pharmacologic stress in patients with dilated cardiomyopathy, 121

Left lateral decubitus position
Avoidance of the left lateral decubitus position during sleep in patients with heart failure: relationships to cardiac size and function, 227

Left ventricle
Diastolic mitral annular velocity during the development of heart failure, 1590
Echocardiographic characteristics of professional football players, 280
Exercise training improves biventricular oxidative metabolism and left ventricular efficiency in patients with dilated cardiomyopathy, 460
Influence of systolic blood pressure and body mass index on left ventricular structure in healthy African-American and white young adults: the CARDIA study, 955
Left ventricular septal and apex pacing for optimal pump function in canine hearts, 1218
Left ventricular structural and function characteristics in Cushing's syndrome, 2275
Magnetic resonance imaging of targeted catheter-based implantation of myogenic precursor cells into infarcted left ventricular myocardium, 1841
Right versus left ventricular shock (editorial), 1280
Robotically assisted left ventricular epicardial lead implantation for biventricular pacing, 1414
Symptoms and left ventricular size and function in patients with chronic aortic regurgitation (editorial), 1325

Left ventricular apical ballooning
Assessment of clinical features in transient left ventricular apical ballooning, 737

Left ventricular assist devices
Differential gene expression and genomic patient stratification following left ventricular assist device support, 1096
Left ventricular support by catheter-mounted axial flow pump reduces infarct size, 1087
Microarray measurements of gene expression before and after left ventricular assist device placement (editorial), 1107

Left ventricular diastolic function
Quantitative relationship between severity of pulmonary hypertension and LV diastolic function has been established (letter), 1066

Left ventricular dysfunction
Association of albuminuria with systolic and diastolic left ventricular dysfunction in type 2 diabetes, 2022
Autologous skeletal myoblast transplantation for severe postinfarction left ventricular dysfunction, 1078
Expression of lectin-like oxidized low-density lipoprotein receptors during ischemia-reperfusion and its role in determination of apoptosis and left ventricular dysfunction, 1048
Myocardial perfusion and fatty acid metabolism in patients with tako-tsubo-like left ventricular dysfunction, 743
Novel missense mutation in the myosin binding protein-C gene is responsible for hypertrophic cardiomyopathy with left ventricular dysfunction and dilation in elderly patients, 781

Left ventricular ejection fraction
Angiotensin-converting enzyme gene polymorphism interacts with left ventricular ejection fraction and brain natriuretic peptide levels to predict mortality after myocardial infarction, 729

Left ventricular hypertrophy
Ambulatory blood pressure, left ventricular mass and conduit artery function late after successful repair of coarctation of the aorta, 2259
Echocardiographic detection of early diabetic myocardial disease, 611
Influence of left ventricular hypertrophy on survival in patients with coronary artery disease: do race and gender matter?, 949
Prediction of mortality in patients with left ventricular hypertrophy by clinical, exercise stress, and echocardiographic data, 129

Left ventricular remodeling
Effect of spironolactone on cardiac sympathetic nerve activity and left ventricular remodeling in patients with dilated cardiomyopathy, 574
Increased myocardial apoptosis in patients with unfavorable left ventricular remodeling and early symptomatic post-infarction heart failure, 753

Left ventricular systolic function/dysfunction
Association of albuminuria with systolic and diastolic left ventricular dysfunction in type 2 diabetes, 2022
Efficacy of angiotensin-converting enzyme inhibitors and beta-blockers in the management of left ventricular systolic dysfunction according to race, gender, and diabetic status, 1529
Gender, age, and heart failure with preserved left ventricular systolic function, 217
Retrospective analysis of the cost-effectiveness of using plasma brain natriuretic peptide in screening for left ventricular systolic dysfunction in the general population, 113

Left ventricular thickness
Maximum left ventricular thickness and risk of sudden death in patients with hypertrophic cardiomyopathy, 315

Lenègre disease
Haploinsufficiency in combination with aging causes *SCN5A*-linked hereditary Lenègre disease, 643

Letters to the editor
Abnormal cellularity in asymptomatic relatives of

patients with idiopathic dilated cardiomyopathy, 709
Art and science of transmyocardial laser revascularization, 2298
Atrial fibrillation ablation: role of patient enrollment and follow-up in clinical results, 1232
Beneficial effects of simvastatin and pravastatin on cardiac allograft rejection and survival, 2104
Calculating the absolute value of the mean left atrial maximal and minimal volume, 1420
Comparison of troponin T and creatine kinase-MB fraction in evaluating cardiac patients postoperatively, 1065
Coronary artery bypass graft surgery in patients with recent exposure to clopidogrel and aspirin therapy, 1421
Coronary atherosclerosis and body iron stores, 1848
Cost-effectiveness of a heart failure management program from the societal perspective?, 1850
Defining stent thrombosis: whose definition to use?, 1420
Detrimental effects of late artery opening, 1067
Efficacy of biventricular pacing in congestive heart failure, 709
Hyperglycemia and no-reflow phenomenon in acute myocardial infarction, 2300
Hypertension and the prothrombotic state, 1847
Immunosuppressive treatment in familial dilated cardiomyopathy with biopsy-proven intramyocardial inflammation?, 167
Left atrial appendectomy and Maze, 170
Mitochondrial dysfunction in heart failure, 2299
Patients with high-risk acute myocardial infarction randomized to one of two treatment strategies: delay and eligibility questions, 518
Possible risks to patients receiving statins combined with other medications, 519
Prehospital thrombolytic therapy for ST-segment elevation myocardial infarction, 891
Quantitative relationship between severity of pulmonary hypertension and LV diastolic function has been established, 1066
Questions remain regarding patients with aortic stenosis and severe pulmonary hypertension, 1847
Safety and benefits of transferring patients with acute myocardial infarction to interventional center for immediate angioplasty, 518
Statistical versus clinical significance of the CURE study in acute coronary syndromes, 1233
Use of spironolactone in heart failure patients receiving angiotensin-converting enzyme inhibitors and beta-blockers, 1851
What is the mechanism of abnormal blood pressure on exercise in hypertrophic cardiomyopathy?, 2102

Lewis antigenic system
Combined role of the Lewis antigenic system, *Chlamydia pneumoniae,* and C-reactive protein in unstable angina, 546

Lifestyle
Combined intense lifestyle and pharmacologic lipid treatment further reduce coronary events and myocardial perfusion abnormalities compared with usual-care cholesterol-lowering drugs in coronary artery disease, 263
In the statin era, how important are intense lifestyle changes? (editorial), 273

Lipids
See also Lipoproteins
Combined intense lifestyle and pharmacologic lipid treatment further reduce coronary events and myocardial perfusion abnormalities compared with usual-care cholesterol-lowering drugs in coronary artery disease, 263

Lipopolysaccharide
Nicotine induces cardiac apoptosis induced by lipopolysaccharide in rats, 482

Lipoproteins
See also Lipids
Expression of lectin-like oxidized low-density lipoprotein receptors during ischemia-reperfusion and its role in determination of apoptosis and left ventricular dysfunction, 1048
Hepatic lipase mutations, elevated high-density lipoprotein cholesterol, and increased risk of ischemic heart disease, 1972
High-density lipoprotein increases the abundance of eNOS protein in human vascular endothelial cells by increasing its half-life, 2288
Temporal increases in plasma markers of oxidized low-density lipoprotein strongly reflect the presence of acute coronary syndromes, 360

Long QT syndrome
Epinephrine unmasks latent mutation carriers with LQT1 form of congenital long-QT syndrome, 633

Losartan
Angiotensin-converting enzyme inhibition but not angiotensin II type 1 receptor antagonism augments coronary release of tissue plasminogen activator in hypertensive patients, 1373
Efficacy and tolerability of eplerenone and losartan in hypertensive black and white patients, 1148

Low molecular weight heparin
See also Heparin
Activated clotting time can be used to monitor the low molecular weight heparin dalteparin after intravenous administration, 394
Role of low-molecular-weight heparin in the management of acute coronary syndromes, 55S

Low-density lipoprotein
Expression of lectin-like oxidized low-density lipoprotein receptors during ischemia-reperfusion and its role in determination of apoptosis and left ventricular dysfunction, 1048
Platelet-endothelium interaction mediated by lectin-like oxidized low-density lipoprotein receptor-1 reduces the intracellular concentration of nitric oxide in endothelial cells, 499
Temporal increases in plasma markers of oxidized low-density lipoprotein strongly reflect the presence of acute coronary syndromes, 360

LQT1 syndrome
Epinephrine unmasks latent mutation carriers with LQT1 form of congenital long-QT syndrome, 633

Lung(s)
Pulmonary function in primary pulmonary hypertension, 1028

Magnetic resonance coronary angiography
See also Angiography
Spiral magnetic resonance coronary angiography with rapid real-time localization, 1134

Magnetic resonance imaging
Gadolinium-enhanced magnetic resonance imaging in hypertrophic cardiomyopathy (editorial), 1568
Magnetic resonance imaging of targeted catheter-based implantation of myogenic precursor cells into infarcted left ventricular myocardium, 1841
Myocardial viability in chronic ischemic heart disease, 1341
Susceptibility-sensitive magnetic resonance imaging detects human myocardium supplied by a stenotic coronary artery without a contrast agent, 834
Toward clinical risk assessment in hypertrophic cardiomyopathy with gadolinium cardiovascular magnetic resonance, 1561

Marfan syndrome
Long-term outcome in patients with Marfan syndrome: is aortic dissection the only cause of sudden death?, 329

Matrix metalloproteinase-3 gene
Influences of matrix metalloproteinase-3 gene variation on extent of coronary atherosclerosis and risk of myocardial infarction, 2130

Maze procedure
Left atrial appendectomy and Maze (letter), 170

Medical history
President's page: medical history: a valuable tool to help us frame the present and predict the future, 346

Men
See also Gender
Adenosine myocardial perfusion single-photon emission computed tomography in women compared with men, 1125

Metabolic syndrome
Metabolic syndrome, diabetes, and subclinical atherosclerosis assessed by coronary calcium, 1547

Metaiodobenzylguanidine
Comparison of the prognostic value of cardiac iodine-123 metaiodobenzylguanidine imaging and heart rate variability in patients with chronic heart failure, 231

Metal detectors
Do airport metal detectors interfere with implantable pacemakers or cardioverter-defibrillators?, 2054

Metoprolol
Value of rapid beta-blocker injection at peak dobutamine-atropine stress echocardiography for detection of coronary artery disease, 1583

MF-Tricyclic
Effects of MF-Tricyclic, a selective cyclooxygenase-2 inhibitor, on atherosclerosis progression and susceptibility to cytomegalovirus replication in apolipoprotein-E knockout mice, 1812

Microvolt T wave alternans
Usefulness of microvolt T wave alternans for prediction of ventricular tachyarrhythmic events in patients with dilated cardiomyopathy: results from a prospective observational study, 2220

Milrinone
Heart failure etiology and response to milrinone in decompensated heart failure, 997

Mitochondrial DNA
Mitochondrial dysfunction in heart failure (letter), 2299

Mitochondrial transfer ribonucleic acid mutations
Homoplasmic mitochondrial transfer ribonucleic acid mutations as a cause of maternally inherited hypertrophic cardiomyopathy, 1786

Mitral annulus
Diastolic mitral annular velocity during the development of heart failure, 1590
Focal atrial tachycardia arising from the mitral annulus, 2212
Peak early diastolic mitral annulus velocity by tissue Doppler imaging adds independent and incremental prognostic value, 820

Mitral regurgitation
Acute effects of cardiac resynchronization therapy on functional mitral regurgitation in advanced systolic heart failure, 765
Plasma natriuretic peptide levels increase with symptoms and severity of mitral regurgitation, 2280
Mortality
Anemia predicts mortality in severe heart failure, 1933
Angiotensin-converting enzyme gene polymorphism interacts with left ventricular ejection fraction and brain natriuretic peptide levels to predict mortality after myocardial infarction, 729
17-Beta estradiol increases cardiac remodeling and mortality in mice with myocardial infarction, 2084
Common genetic variation of the cholesteryl ester transfer protein gene strongly predicts future cardiovascular death in patients with coronary artery disease, 1983
Development of circulatory-renal limitations to angiotensin converting enzyme inhibitors identifies patients with severe heart failure and early mortality, 2029
Effectiveness of implantable defibrillators for preventing arrhythmic events and death, 1573
Intravenous glycoprotein IIb/IIIa receptor antagonists reduce mortality after percutaneous coronary interventions, 26
Periodic breathing during incremental exercise predicts mortality in patients with chronic heart failure awaiting cardiac transplantation, 2175
Poverty and mortality in patients with acute coronary syndromes (editorial), 1955
Prediction of mortality in patients with left ventricular hypertrophy by clinical, exercise stress, and echocardiographic data, 129
Predictors of cardiac morbidity and related mortality in children with acquired immunodeficiency syndrome, 1598
Renal insufficiency as a predictor of cardiovascular outcomes and mortality in elderly individuals, 1364
Stress echo results predict mortality: a large-scale multicenter prospective international study, 589
Troponin and C-reactive protein have different relations to subsequent mortality and myocardial infarction after acute coronary syndrome, 916
Troponin as a risk factor for mortality in critically ill patients without acute coronary syndromes, 2004
Ups and downs of periodic breathing: implications for mortality in heart failure (editorial), 2182
Myoblasts
Autologous skeletal myoblast transplantation for severe postinfarction left ventricular dysfunction, 1078
Autologous skeletal myoblasts transplanted to ischemia-damaged myocardium in humans, 879
Skeletal muscle meets cardiac muscle (editorial), 1084
Transplantation of cells for cardiac repair, 711
Myocardial apoptosis
Increased myocardial apoptosis in patients with unfavorable left ventricular remodeling and early symptomatic post-infarction heart failure, 753
Myocardial bridges
Symptomatic myocardial bridges: overview of ischemic mechanisms and current diagnostic and treatment strategies, 351
Myocardial fatty acid metabolism
Impact of aging on substrate metabolism by the human heart, 293
Myocardial glucose metabolism
Cardiac resynchronization therapy homogenizes myocardial glucose metabolism and perfusion in dilated cardiomyopathy and left bundle branch block, 1523
Myocardial infarction
See also Non–ST-segment elevation myocardial infarction
Amiodarone and the risk of bradyarrhythmia requiring permanent pacemaker in elderly patients with atrial fibrillation and prior myocardial infarction, 249
Angiotensin-converting enzyme gene polymorphism interacts with left ventricular ejection fraction and brain natriuretic peptide levels to predict mortality after myocardial infarction, 729
Association between hyperglycemia and the no-reflow phenomenon in patients with acute myocardial infarction, 1
Association of polymorphism in glutamate-cysteine ligase catalytic subunit gene with coronary vasomotor dysfunction and myocardial infarction, 539
17-Beta estradiol increases cardiac remodeling and mortality in mice with myocardial infarction, 2084
Calcium antagonists reduce cardiovascular complications after cardiac surgery, 1496
Cardiogenic shock caused by right ventricular infarction, 1273
Challenges and opportunities in quantifying the quality of care for acute myocardial infarction, 1653
Circadian variations in acute myocardial infarction (editorial), 2143
Combination reperfusion therapy with eptifibatide and reduced-dose tenecteplase for ST-elevation myocardial infarction, 1251
Combination therapy for acute myocardial infarction (editorial), 1261
Connexin43 as a determinant of myocardial infarct size following coronary occlusion in mice, 681
Contemporary utilization and outcomes of intra-aortic balloon counterpulsation in acute myocardial infarction, 1940
Detection and clinical usefulness of a biphasic response during exercise echocardiography early after myocardial infarction, 1142
Detection of myocardial viability by contrast echocardiography in acute infarction predicts recovery of resting function and contractile reserve, 827
Evaluation of B-type natriuretic peptide for risk assessment in unstable angina/non–ST-elevation myocardial infarction, 1264
Gender differences in post-infarction hypertrophy in end-stage failing hearts, 300
Growth hormone prolongs survival in experimental postinfarction heart failure (editorial), 2154
Hyperglycemia and no-reflow phenomenon in acute myocardial infarction (letter), 2300
Influences of matrix metalloproteinase-3 gene variation on extent of coronary atherosclerosis and risk of myocardial infarction, 2130
Intra-aortic balloon counterpulsation in acute myocardial infarction: too few or too many? (editorial), 1946
"Ischemia-guided" versus "early invasive" strategies in the management of acute coronary syndrome/non–ST-segment elevation myocardial infarction, 96S
Left ventricular support by catheter-mounted axial flow pump reduces infarct size, 1087
Magnetic resonance imaging of targeted catheter-based implantation of myogenic precursor cells into infarcted left ventricular myocardium, 1841
Myocyte apoptosis: programming ventricular remodeling? (editorial), 761
Outcome of primary angioplasty for acute myocardial infarction during routine duty hours versus during off-hours, 2138
Pathobiology, not angiography, should guide management in acute coronary syndrome/non–ST-segment elevation myocardial infarction, 103S
Patients with high-risk acute myocardial infarction randomized to one of two treatment strategies: delay and eligibility questions (letter), 518
Prediction of clinical outcome after mechanical revascularization in acute myocardial infarction by markers of myocardial reperfusion, 532
Prehospital thrombolytic therapy for ST-segment elevation myocardial infarction (letter), 891
Preventing myocardial infarction in the young adult in the first place: how do the National Cholesterol Education Panel III guidelines perform?, 1475
Safety and benefits of transferring patients with acute myocardial infarction to interventional center for immediate angioplasty (letter), 518
Thrombolysis In Myocardial Infarction myocardial perfusion grade in angiography correlates with myocardial salvage in patients with acute myocardial infarction treated with stenting or thrombolysis, 925
Thrombolysis In Myocardial Infarction risk score in unstable angina/non–ST-segment elevation myocardial infarction, 89S
Troponin and C-reactive protein have different relations to subsequent mortality and myocardial infarction after acute coronary syndrome, 916
Variation in the $alpha_{2B}$-adrenoceptor gene as a risk factor for prehospital fatal myocardial infarction and sudden cardiac death, 190
Myocardial ischemia
Anti-ischemic properties of calcium-channel blockers (editorial), 1506
Autologous skeletal myoblasts transplanted to ischemia-damaged myocardium in humans, 879
Calcium antagonists reduce cardiovascular complications after cardiac surgery, 1496
C-reactive protein, clinical presentation, and ischemic activity in patients with chest pain and normal coronary angiograms, 1468
Duration of abnormal SPECT myocardial perfusion imaging following resolution of acute ischemia: an angioplasty model, 452
Exercise-induced ischemia initiates the second window of protection in humans independent of collateral recruitment, 1174
Identification of acutely ischemic myocardium using ultrasonic strain measurements, 810
Insulin therapy as an adjunct to reperfusion after acute coronary ischemia, 1404
Potent antifibrillatory effects of intrapericardial nitroglycerin in the ischemic porcine model, 1831
Rho-kinase inhibition with intracoronary fasudil

prevents myocardial ischemia in patients with coronary microvascular spasm, 15
Myocardial laser revascularization
Myocardial laser revascularization for the treatment of end-stage coronary artery disease, 173
Myocardial oxidative metabolism
Exercise training improves biventricular oxidative metabolism and left ventricular efficiency in patients with dilated cardiomyopathy, 460
Myocardial oxygen consumption
Noninvasive measurements of myocardial oxygen consumption—can we do better? (editorial), 468
Myocardial perfusion
Combined intense lifestyle and pharmacologic lipid treatment further reduce coronary events and myocardial perfusion abnormalities compared with usual-care cholesterol-lowering drugs in coronary artery disease, 263
Myocardial perfusion and fatty acid metabolism in patients with tako-tsubo-like left ventricular dysfunction, 743
Myocardial perfusion and viability by positron emission tomography in infants and children with coronary abnormalities, 618
Phasic coronary blood flow velocity pattern and flow reserve in the atrium: regulation of left atrial myocardial perfusion, 674
Thrombolysis In Myocardial Infarction myocardial perfusion grade in angiography correlates with myocardial salvage in patients with acute myocardial infarction treated with stenting or thrombolysis, 925
Myocardial perfusion imaging
Adenosine myocardial perfusion single-photon emission computed tomography in women compared with men, 1125
Determinants of risk and its temporal variation in patients with normal stress myocardial perfusion scans, 1329
Duration of abnormal SPECT myocardial perfusion imaging following resolution of acute ischemia: an angioplasty model, 452
Myocardial stunning
Effect of aspirin on late preconditioning against myocardial stunning in conscious rabbits, 1183
Late preconditioning against myocardial stunning (editorial), 1195
Myocardial viability
Detection of myocardial viability by contrast echocardiography in acute infarction predicts recovery of resting function and contractile reserve, 827
Electromechanical mapping versus positron emission tomography and single photon emission computed tomography for the detection of myocardial viability in patients with ischemic cardiomyopathy, 843
Myocardial perfusion and viability by positron emission tomography in infants and children with coronary abnormalities, 618
Myocardial viability in chronic ischemic heart disease, 1341
Myocarditis
Clinical and histopathologic comparison of cardiac sarcoidosis and idiopathic giant cell myocarditis, 322
Myocardium
Atorvastatin, administered at the onset of reperfusion, and independent of lipid lowering, protects the myocardium by up-regulating a pro-survival pathway, 508
Impact of aging on substrate metabolism by the human heart, 293
Susceptibility-sensitive magnetic resonance imaging detects human myocardium supplied by a stenotic coronary artery without a contrast agent, 834
Myogenic precursor cells
Magnetic resonance imaging of targeted catheter-based implantation of myogenic precursor cells into infarcted left ventricular myocardium, 1841
Myosin binding protein-C gene
Novel missense mutation in the myosin binding protein-C gene is responsible for hypertrophic cardiomyopathy with left ventricular dysfunction and dilation in elderly patients, 781
NADPH-oxidase
Failing human heart: another battlefield for the NAD(P)H-oxidase? (editorial), 2172
Increased myocardial NADPH oxidase activity in human heart failure, 2164
National Cholesterol Education Panel
Preventing myocardial infarction in the young adult in the first place: how do the National Cholesterol Education Panel III guidelines perform?, 1475
Neurohormonal model
Heart failure therapy at a crossroad: are there limits to the neurohormonal model?, 1606
Nicotine
Basic cardiovascular research and its implications for the medicinal use of nicotine (editorial), 497
Nicotine induces cardiac apoptosis induced by lipopolysaccharide in rats, 482
Nicotine promotes arteriogenesis, 489
Nitrate tolerance
Amelioration of nitrate tolerance: matching strategies with mechanisms (editorial), 1994
Preserved endothelial function after long-term eccentric isosorbide mononitrate despite moderate nitrate tolerance, 1994
Nitric oxide
Effect of supplemental phytonutrients on impairment of the flow-mediated brachial artery vasoactivity after a single high-fat meal, 1744
Platelet-endothelium interaction mediated by lectin-like oxidized low-density lipoprotein receptor-1 reduces the intracellular concentration of nitric oxide in endothelial cells, 499
Nitric oxide synthase
High-density lipoprotein increases the abundance of eNOS protein in human vascular endothelial cells by increasing its half-life, 2288
Red wine increases the expression of human endothelial nitric oxide synthase, 471
$T^{-786}C$ and Glu298Asp polymorphisms of the endothelial nitric oxide gene affect the forearm blood flow responses of Caucasian hypertensive patients, 938
$T^{-786}C$ endothelial nitric oxide synthase genotype is a novel risk factor for coronary artery disease in Caucasian patients of the GENICA study, 930
Nitroglycerin
Potent antifibrillatory effects of intrapericardial nitroglycerin in the ischemic porcine model, 1831
NKX2-5
Cardiac homeobox gene *NKX2-5* mutations and congenital heart disease, 2072
Non–ST-segment elevation acute coronary syndromes
Guide to therapeutic decision-making in patients with non–ST-segment elevation acute coronary syndromes, 123S
Introduction to "optimizing management of non–ST-segment elevation acute coronary syndromes," 1S
"Routine invasive" versus "selective invasive" approaches to non–ST-segment elevative acute coronary syndromes management in the post-stent/platelet inhibition era, 113S
Small molecule glycoprotein IIb/IIIa receptor inhibitors as upstream therapy in acute coronary syndromes, 43S
Troponin: an important prognostic marker and risk-stratification tool in non–ST-segment elevation acute coronary syndromes, 31S
Non–ST-segment elevation myocardial infarction
See also Myocardial infarction
Evaluation of B-type natriuretic peptide for risk assessment in unstable angina/non–ST-elevation myocardial infarction, 1264
"Ischemia-guided" versus "early invasive" strategies in the management of acute coronary syndrome/non–ST-segment elevation myocardial infarction, 96S
Pathobiology, not angiography, should guide management in acute coronary syndrome/non–ST-segment elevation myocardial infarction, 103S
Thrombolysis In Myocardial Infarction risk score in unstable angina/non–ST-segment elevation myocardial infarction, 89S
No-reflow phenomenon
Association between hyperglycemia and the no-reflow phenomenon in patients with acute myocardial infarction, 1
Hyperglycemia and no-reflow phenomenon in acute myocardial infarction (letter), 2300
Obesity
Obesity is associated with increased levels of circulating hepatocyte growth factor, 1408
Obstructive sleep apnea
Obstructive sleep apnea and cardiovascular disease, 1429
Occlusions
Assessment of right ventricular perfusion after right coronary artery occlusion by myocardial contrast echocardiography, 1823
Coronary stent implantation is superior to balloon angioplasty for chronic coronary occlusions, 1488
Detrimental effects of late artery opening (letter), 1067
Immediate results and one-year clinical outcome after percutaneous coronary interventions in chronic total occlusions, 1672
Late acute thrombotic occlusion after endovascular brachytherapy and stenting of femoropopliteal arteries, 409
Stenting chronic coronary artery occlusions (editorial), 1493
Outcomes
Cardiology participation improves outcomes in patients with new-onset heart failure in the outpatient setting, 62
Clinical assessment identifies hemodynamic profiles that predict outcomes in patients admitted with heart failure, 1797
Clinical efficacy of Doppler-echocardiographic indices of aortic valve stenosis: a comparative test-based analysis of outcome, 142
Contemporary utilization and outcomes of intra-

aortic balloon counterpulsation in acute myocardial infarction, 1940
Early outcome after sirolimus-eluting stent implantation in patients with acute coronary syndromes, 2093
Hypertrophic cardiomyopathy in a large community-based population: clinical outcome and identification of risk factors for sudden cardiac death and clinical deterioration, 987
Immediate results and one-year clinical outcome after percutaneous coronary interventions in chronic total occlusions, 1672
Influence of concurrent renal dysfunction on outcomes of patients with acute coronary syndromes and implications of the use of glycoprotein IIb/IIIa inhibitors, 718
Level of kidney function as a risk factor for atherosclerotic cardiovascular outcomes in the community, 47
Long-term outcome in patients with Marfan syndrome: is aortic dissection the only cause of sudden death?, 329
Meta-analysis of randomized clinical trials comparing coronary artery bypass graft with percutaneous transluminal coronary angioplasty: one- to eight-year outcomes, 1293
Monitoring heart failure hemodynamics with an implanted device: its potential to improve outcome (editorial), 572
Outcome of percutaneous coronary intervention in patients with in-stent restenosis who failed intracoronary radiation therapy, 551
Outcome of primary angioplasty for acute myocardial infarction during routine duty hours versus during off-hours, 2138
Outcomes in heart failure patients with preserved ejection fraction, 1510
Prediction of clinical outcome after mechanical revascularization in acute myocardial infarction by markers of myocardial reperfusion, 532
Relationship between heparin anticoagulation and clinical outcomes in coronary stent intervention, 386
Renal insufficiency as a predictor of cardiovascular outcomes and mortality in elderly individuals, 1364
Secondary prevention with folic acid: effects on clinical outcomes, 2105

Oxidized low-density lipoprotein
Temporal increases in plasma markers of oxidized low-density lipoprotein strongly reflect the presence of acute coronary syndromes, 360

Oxygen consumption
Noninvasive measurements of myocardial oxygen consumption—can we do better? (editorial), 468

Pacemakers
Amiodarone and the risk of bradyarrhythmia requiring permanent pacemaker in elderly patients with atrial fibrillation and prior myocardial infarction, 249
Do airport metal detectors interfere with implantable pacemakers or cardioverter-defibrillators?, 2054
Effect of atrial pacing therapies on atrial tachyarrhythmia burden and frequency, 1926
Specificity of noninvasive pacemaker stress echocardiography in diagnosis of coronary artery disease (letter), 1068

Pace-mapping
Relationship of slow conduction detected by pace-mapping to ventricular tachycardia re-entry circuit sites after infarction, 802

Pacing
Atriobiventricular pacing improves exercise capacity in patients with heart failure and intraventricular conduction delay, 582
Development and validation of a simple risk score to predict the need for permanent pacing after cardiac valve surgery, 795
Effect of atrial pacing therapies on atrial tachyarrhythmia burden and frequency, 1926
Efficacy of biventricular pacing in congestive heart failure (letter), 709
Molecular mechanisms of early electrical remodeling: transcriptional downregulation overview of ion channel subunits reduces $I_{Ca,L}$ and I_{to} in rapid atrial pacing in rabbits, 858

Parasympathetic withdrawal
Effects of aging on cardiovascular responses to parasympathetic withdrawal, 2077

Pediatric cardiology
See Children; Congenital heart disease; Infants

Percutaneous coronary interventions
Detrimental effects of late artery opening (letter), 1067
Effect of percutaneous coronary interventions for in-stent restenosis in degenerated saphenous vein grafts without distal embolic protection, 749
Health-related quality of life after percutaneous coronary intervention versus coronary bypass surgery in high-risk patients with medically refractory ischemia, 1732
Immediate results and one-year clinical outcome after percutaneous coronary interventions in chronic total occlusions, 1672
Intravenous glycoprotein IIb/IIIa receptor antagonists reduce mortality after percutaneous coronary interventions, 26
Outcome of percutaneous coronary intervention in patients with in-stent restenosis who failed intracoronary radiation therapy, 551
Relationship between heparin anticoagulation and clinical outcomes in coronary stent intervention, 386
"Routine invasive" versus "selective invasive" approaches to non–ST-segment elevative acute coronary syndromes management in the post-stent/platelet inhibition era, 113S
Safety of concomitant therapy with eptifibatide and enoxaparin in patients undergoing percutaneous coronary intervention, 20
Short- and long-term oral antiplatelet therapy in acute coronary syndromes and percutaneous coronary intervention, 79S

Percutaneous myocardial laser revascularization
Myocardial laser revascularization for the treatment of end-stage coronary artery disease, 173

Percutaneous transluminal coronary angioplasty
Coronary stent implantation is superior to balloon angioplasty for chronic coronary occlusions, 1488
Meta-analysis of randomized clinical trials comparing coronary artery bypass graft with percutaneous transluminal coronary angioplasty: one- to eight-year outcomes, 1293
Patients with high-risk acute myocardial infarction randomized to one of two treatment strategies: delay and eligibility questions (letter), 518
Recombinant nematode anticoagulation protein c2, an inhibitor of the tissue factor/factor VIIa complex, in patients undergoing elective coronary angioplasty, 2147
Safety and benefits of transferring patients with acute myocardial infarction to interventional center for immediate angioplasty (letter), 518

Percutaneous transvenous cellular cardiomyoplasty
Percutaneous transvenous cellular cardiomyoplasty, 1964

Perfusion
See Myocardial perfusion

Perindopril
Angiotensin-converting enzyme inhibition but not angiotensin II type 1 receptor antagonism augments coronary release of tissue plasminogen activator in hypertensive patients, 1373

Periodic breathing
Periodic breathing during incremental exercise predicts mortality in patients with chronic heart failure awaiting cardiac transplantation, 2175
Ups and downs of periodic breathing: implications for mortality in heart failure (editorial), 2182

Peripheral arterial disease
Predictive value of noninvasively determined endothelial dysfunction for long-term cardiovascular events in patients with peripheral vascular disease, 1769
Treatment of intermittent claudication with beraprost sodium, an orally active prostaglandin I_2 analogue, 1679

Phytonutrients
Effect of supplemental phytonutrients on impairment of the flow-mediated brachial artery vasoactivity after a single high-fat meal, 1744

Plaque
Lack of association between *Chlamydia pneumoniae* seropositivity and aortic atherosclerotic plaques, 1482
Mechanisms of plaque vulnerability and rupture, 15S
Pharmacologic plaque passivation for the reduction of recurrent cardiac events in acute coronary syndromes, 23S
Thermal heterogeneity in stable human coronary atherosclerotic plaques is underestimated in vivo: the "cooling effect" of blood flow, 403

Platelets
Acute, short-term hyperglycemia enhances shear stress-induced platelet activation in patients with type II diabetes mellitus, 1013
Effects of ximelagatran, an oral direct thrombin inhibitor, r-hirudin and enoxaparin on thrombin generation and platelet activation in healthy male subjects, 557
Platelet-endothelium interaction mediated by lectin-like oxidized low-density lipoprotein receptor-1 reduces the intracellular concentration of nitric oxide in endothelial cells, 499

Polymorphisms
Angiotensin-converting enzyme gene polymorphism interacts with left ventricular ejection fraction and brain natriuretic peptide levels to predict mortality after myocardial infarction, 729
Association of polymorphism in glutamate-cysteine ligase catalytic subunit gene with coronary vasomotor dysfunction and myocardial infarction, 539
Functional polymorphisms in a candidate gene for atherothrombosis (editorial), 946
Genetic polymorphisms of hepatic lipase and cholesteryl ester transfer protein, intermediate

JACC Vol. 41, No. 12, 2003
June 18, 2003;2307–28

phenotypes, and coronary risk: do they add up yet? (editorial), 1990
Hepatic lipase mutations, elevated high-density lipoprotein cholesterol, and increased risk of ischemic heart disease, 1972
$T^{-786}C$ and Glu298Asp polymorphisms of the endothelial nitric oxide gene affect the forearm blood flow responses of Caucasian hypertensive patients, 938
$T^{-786}C$ endothelial nitric oxide synthase genotype is a novel risk factor for coronary artery disease in Caucasian patients of the GENICA study, 930

Positron emission tomography
Electromechanical mapping versus positron emission tomography and single photon emission computed tomography for the detection of myocardial viability in patients with ischemic cardiomyopathy, 843
Myocardial perfusion and viability by positron emission tomography in infants and children with coronary abnormalities, 618
Myocardial viability in chronic ischemic heart disease, 1341

Postmenopausal women
See also Women
Differential effects of oral versus transdermal estrogen replacement therapy on C-reactive protein in postmenopausal women, 1358

Postprocedure chest pain
Postprocedure chest pain after coronary stenting: implications on clinical restenosis, 33

Potassium
Electrical remodeling in hearts from a calcium-dependent mouse model of hypertrophy and failure, 1611

Poverty
Poverty, process of care, and outcome in acute coronary syndromes, 1948
Poverty and mortality in patients with acute coronary syndromes (editorial), 1955

Pravastatin
Beneficial effects of simvastatin and pravastatin on cardiac allograft rejection and survival (letter), 2104

Preconditioning
Effect of aspirin on late preconditioning against myocardial stunning in conscious rabbits, 1183
Exercise-induced ischemia initiates the second window of protection in humans independent of collateral recruitment, 1174
Late preconditioning against myocardial stunning (editorial), 1195

Pressure recovery phenomenon
Discrepancies between catheter and Doppler estimates of valve effective orifice area can be predicted from the pressure recovery phenomenon, 435
Stenosis is in the eye of the observer: impact of pressure recovery on assessing aortic valve area (editorial), 443

Primary pulmonary hypertension
See Pulmonary hypertension

Prosthetic valves
Choice of prosthetic heart valve for adult patients, 893
Fibrinolysis of mechanical prosthetic valve thrombosis, 653
Thrombosed prosthetic valve (editorial), 659

Pulmonary atresia
Echocardiographic predictors of aortopulmonary collaterals in infants with tetralogy of Fallot and pulmonary atresia, 852
Perforation of the atretic pulmonary valve, 1399

Pulmonary edema
RITZ-5: randomized intravenous tezosentan (an endothelin-a/b antagonist) for the treatment of pulmonary edema, 204

Pulmonary embolism
Prevalence of "silent" pulmonary emboli in adults after the Fontan operation, 2252
Right heart thrombi in pulmonary embolism: results from the International Cooperative Pulmonary Embolism Registry, 2245

Pulmonary hypertension
Effects of the oral endothelin-receptor antagonist bosentan on echocardiographic and Doppler measures in patients with pulmonary arterial hypertension, 1380
Emerging therapies for pulmonary hypertension: striving for efficacy and safety (editorial), 2126
Primary pulmonary hypertension may be a heterogeneous disease with a second locus on chromosome 2q31, 2237
Pulmonary function in primary pulmonary hypertension, 1028
Quantitative relationship between severity of pulmonary hypertension and LV diastolic function has been established (letter), 1066
Questions remain regarding patients with aortic stenosis and severe pulmonary hypertension (letter), 1847
Simple method for noninvasive estimation of pulmonary vascular resistance, 1021

Pulmonary valve
Perforation of the atretic pulmonary valve, 1399

Pulmonary vascular resistance
Simple method for noninvasive estimation of pulmonary vascular resistance, 1021

Pulmonary veins
Characterization of left atrium and distal pulmonary vein morphology using multidimensional computed tomography, 1349

Pulmonary venous flow
Pulmonary venous flow by Doppler echocardiography: revisited 12 years later, 1243

Pulse pressure
Pulse pressure and endothelial dysfunction in never-treated hypertensive patients, 1753

QRS interval
Relationship of slow conduction detected by pace-mapping to ventricular tachycardia re-entry circuit sites after infarction, 802

Quality of care
Cardiology participation improves outcomes in patients with new-onset heart failure in the outpatient setting, 62
Challenges and opportunities in quantifying the quality of care for acute myocardial infarction, 1653
Measuring quality of outpatient cardiovascular care (editorial), 69
Underutilization of cardiac medications of proven benefits, 1990 to 2002, 56

Quality of life
Health-related quality of life after percutaneous coronary intervention versus coronary bypass surgery in high-risk patients with medically refractory ischemia, 1732

Race
Cardiac Access Longitudinal Study, 1159
Efficacy and tolerability of eplerenone and losartan in hypertensive black and white patients, 1148
Efficacy of angiotensin-converting enzyme inhibitors and beta-blockers in the management of left ventricular systolic dysfunction according to race, gender, and diabetic status, 1529
Ethnic-specific nature of mechanisms for coronary heart disease (editorial), 45
Hypertension, angiotensin II, aldosterone, and race (editorial), 1156
Influence of left ventricular hypertrophy on survival in patients with coronary artery disease: do race and gender matter?, 949
Prevalence and severity of coronary artery calcification on coronary artery computed tomography in black and white subjects, 39
Relationship of race to sudden cardiac death in competitive athletes with hypertrophic cardiomyopathy, 974
$T^{-786}C$ endothelial nitric oxide synthase genotype is a novel risk factor for coronary artery disease in Caucasian patients of the GENICA study, 930

Radial artery
Intima-media thickening of the radial artery after transradial intervention, 1109

Radiation therapy
Outcome of percutaneous coronary intervention in patients with in-stent restenosis who failed intracoronary radiation therapy, 551

Radiofrequency ablation
See also Ablation
Nonsurgical transthoracic epicardial radiofrequency ablation, 2036
Short-term results of substrate mapping and radiofrequency ablation of ischemic ventricular tachycardia using a saline-irrigated catheter, 2228

Reactive oxygen species
Expression of lectin-like oxidized low-density lipoprotein receptors during ischemia-reperfusion and its role in determination of apoptosis and left ventricular dysfunction, 1048

Recombinant hirudin
Effects of ximelagatran, an oral direct thrombin inhibitor, r-hirudin and enoxaparin on thrombin generation and platelet activation in healthy male subjects, 557

Recombinant nematode anticoagulation protein c2
Recombinant nematode anticoagulation protein c2, an inhibitor of the tissue factor/factor VIIa complex, in patients undergoing elective coronary angioplasty, 2147

Red blood cells
Spontaneous echo contrast videodensity is flow-related and is dependent on the relative concentrations of fibrinogen and red blood cells, 603

Red wine
Red wine increases the expression of human endothelial nitric oxide synthase, 471
Vintners and vasodilators (editorial), 479

Remodeling
17-Beta estradiol increases cardiac remodeling and mortality in mice with myocardial infarction, 2084
Effect of spironolactone on cardiac sympathetic nerve activity and left ventricular remodeling in patients with dilated cardiomyopathy, 574
Effects of angiotensin II type 1 receptor antagonist on electrical and structural remodeling in atrial fibrillation, 2197
Electrical remodeling in hearts from a calcium-dependent mouse model of hypertrophy and failure, 1611

Gender differences in post-infarction hypertrophy in end-stage failing hearts, 300
Increased myocardial apoptosis in patients with unfavorable left ventricular remodeling and early symptomatic post-infarction heart failure, 753
Molecular mechanisms of early electrical remodeling: transcriptional downregulation overview of ion channel subunits reduces $I_{Ca,L}$ and I_{to} in rapid atrial pacing in rabbits, 858
Myocyte apoptosis: programming ventricular remodeling? (editorial), 761

Renal artery fibromuscular dysplasia
Complementary roles of color-flow duplex imaging and intravascular ultrasound in the diagnosis of renal artery fibromuscular dysplasia, 1305

Renal artery stenosis
Renal artery stenosis: searching for the algorithms for diagnosis and treatment (editorial), 1312

Renal insufficiency
Renal insufficiency as a predictor of cardiovascular outcomes and mortality in elderly individuals, 1364

Renin-angiotensin-aldosterone system
Cardiac fibrosis occurs early and involves endothelin and AT-1 receptors in hypertension due to endogenous angiotensin II, 666
High-dose angiotensin-converting enzyme inhibition restores body fluid homeostasis in heart-transplant recipients, 426

Reperfusion
Atorvastatin, administered at the onset of reperfusion, and independent of lipid lowering, protects the myocardium by up-regulating a pro-survival pathway, 508
Combination reperfusion therapy with eptifibatide and reduced-dose tenecteplase for ST-elevation myocardial infarction, 1251
Insulin therapy as an adjunct to reperfusion after acute coronary ischemia, 1404
Prediction of clinical outcome after mechanical revascularization in acute myocardial infarction by markers of myocardial reperfusion, 532

Research
Basic cardiovascular research and its implications for the medicinal use of nicotine (editorial), 497
Clinical investigation...an impending crisis? (editorial), 2100

Restenosis
See also Stenosis
Angiotensin I-converting enzyme (ACE) inhibitors and restenosis after coronary artery stenting in patients with the DD genotype of the ACE gene, 1957
Effect of percutaneous coronary interventions for in-stent restenosis in degenerated saphenous vein grafts without distal embolic protection, 749
Intravascular brachytherapy for native coronary ostial in-stent restenotic lesions, 1725
Outcome of percutaneous coronary intervention in patients with in-stent restenosis who failed intracoronary radiation therapy, 551
Postprocedure chest pain after coronary stenting: implications on clinical restenosis, 33
Sirolimus-eluting stent for treatment of complex in-stent restenosis, 184

Resting systolic function
Detection of myocardial viability by contrast echocardiography in acute infarction predicts recovery of resting function and contractile reserve, 827

Resynchronization
Robotically assisted left ventricular epicardial lead implantation for biventricular pacing, 1414

Revascularization
Art and science of transmyocardial laser revascularization (letter), 2298
Intracoronary Stenting and Angiographic Results: Strut Thickness Effect on Restenosis Outcome (ISAR-STEREO-2) Trial, 1283
Myocardial laser revascularization for the treatment of end-stage coronary artery disease, 173
Prediction of clinical outcome after mechanical revascularization in acute myocardial infarction by markers of myocardial reperfusion, 532

Rheumatic valve disease
Ten-year clinical laboratory follow-up after application of a symptom-based therapeutic strategy to patients with severe chronic aortic regurgitation of predominant rheumatic etiology, 1316

Rho-kinase inhibitors
Rho-kinase inhibition with intracoronary fasudil prevents myocardial ischemia in patients with coronary microvascular spasm, 15

Right coronary artery
Assessment of right ventricular perfusion after right coronary artery occlusion by myocardial contrast echocardiography, 1823

Right heart thrombi
Right heart thrombi in pulmonary embolism: results from the International Cooperative Pulmonary Embolism Registry, 2245

Right ventricle
Assessment of right ventricular perfusion after right coronary artery occlusion by myocardial contrast echocardiography, 1823
Cardiogenic shock caused by right ventricular infarction, 1273
Ongoing right ventricular hemodynamics in heart failure, 565
Right versus left ventricular shock (editorial), 1280

Right ventricular outflow tract ventricular tachycardia
Quantitative comparison of spontaneous and paced 12-lead electrocardiogram during right ventricular outflow tract ventricular tachycardia, 2046

Risk assessment
Determinants of risk and its temporal variation in patients with normal stress myocardial perfusion scans, 1329
Evaluation of B-type natriuretic peptide for risk assessment in unstable angina/non–ST-elevation myocardial infarction, 1264
Genetic polymorphisms of hepatic lipase and cholesteryl ester transfer protein, intermediate phenotypes, and coronary risk: do they add up yet? (editorial), 1990

Risk factors
Coronary artery disease in young adults (editorial), 529
Hypertrophic cardiomyopathy in a large community-based population: clinical outcome and identification of risk factors for sudden cardiac death and clinical deterioration, 987
Level of kidney function as a risk factor for atherosclerotic cardiovascular outcomes in the community, 47
Long-term follow-up of coronary artery disease presenting in young adults, 521
$T^{-786}C$ endothelial nitric oxide synthase genotype is a novel risk factor for coronary artery disease in Caucasian patients of the GENICA study, 930
Troponin as a risk factor for mortality in critically ill patients without acute coronary syndromes, 2004
Variation in the $alpha_{2B}$-adrenoceptor gene as a risk factor for prehospital fatal myocardial infarction and sudden cardiac death, 190

Risk scores
Development and validation of a simple risk score to predict the need for permanent pacing after cardiac valve surgery, 795
Thrombolysis In Myocardial Infarction risk score in unstable angina/non–ST-segment elevation myocardial infarction, 89S

Risk stratification
Prediction of clinical outcome after mechanical revascularization in acute myocardial infarction by markers of myocardial reperfusion, 532
Troponin: an important prognostic marker and risk-stratification tool in non–ST-segment elevation acute coronary syndromes, 31S
Troponin T and quantitative ST-segment depression offer complementary prognostic information in the risk stratification of acute coronary syndrome patients, 371
T-wave alternans for arrhythmia risk stratification in patients with idiopathic dilated cardiomyopathy (editorial), 2225
Usefulness of invasive electrophysiologic testing to stratify the risk of arrhythmic events in asymptomatic patients with Wolff-Parkinson-White pattern, 239

S 18886
Improved endothelial function by the thromboxane A_2 receptor antagonist S 18886 in patients with coronary artery disease treated with aspirin, 1198

Saphenous vein grafts
Effect of percutaneous coronary interventions for in-stent restenosis in degenerated saphenous vein grafts without distal embolic protection, 749

Sarcoidosis
Clinical and histopathologic comparison of cardiac sarcoidosis and idiopathic giant cell myocarditis, 322

Sarcomeric gene mutations
Hypertrophic cardiomyopathy due to sarcomeric gene mutations is characterized by impaired energy metabolism irrespective of the degree of hypertrophy, 1776

***SCN5A* gene**
Haploinsufficiency in combination with aging causes *SCN5A*-linked hereditary Lenègre disease, 643

Shock
Cardiogenic shock caused by right ventricular infarction, 1273
Right versus left ventricular shock (editorial), 1280

Simvastatin
Beneficial effects of simvastatin and pravastatin on cardiac allograft rejection and survival (letter), 2104

Single-photon emission computed tomography
Adenosine myocardial perfusion single-photon emission computed tomography in women compared with men, 1125
Electromechanical mapping versus positron emission tomography and single photon emission computed tomography for the detection of myocardial viability in patients with ischemic cardiomyopathy, 843

Sirolimus
Early outcome after sirolimus-eluting stent implantation in patients with acute coronary syndromes, 2093
Sirolimus-eluting stent for treatment of complex in-stent restenosis, 184
Skeletal myoblasts
Autologous skeletal myoblast transplantation for severe postinfarction left ventricular dysfunction, 1078
Autologous skeletal myoblasts transplanted to ischemia-damaged myocardium in humans, 879
Skeletal muscle meets cardiac muscle (editorial), 1084
Transplantation of cells for cardiac repair, 711
Sleep
Avoidance of the left lateral decubitus position during sleep in patients with heart failure: relationships to cardiac size and function, 227
Circadian variations in acute myocardial infarction (editorial), 2143
Smoking
Insulin resistance and compensatory hyperinsulinemia, 1044
Spironolactone
Complications of inappropriate use of spironolactone in heart failure: when an old medicine spirals out of new guidelines, 211
Effect of spironolactone on cardiac sympathetic nerve activity and left ventricular remodeling in patients with dilated cardiomyopathy, 574
Spironolactone in chronic heart failure: all's well that ends well (editorial), 215
Use of spironolactone in heart failure patients receiving angiotensin-converting enzyme inhibitors and beta-blockers (letter), 1851
Spontaneous echo contrast
Spontaneous echo contrast videodensity is flow-related and is dependent on the relative concentrations of fibrinogen and red blood cells, 603
ST segment
Brugada syndrome 1992–2002, 1665
Combination reperfusion therapy with eptifibatide and reduced-dose tenecteplase for ST-elevation myocardial infarction, 1251
Prehospital thrombolytic therapy for ST-segment elevation myocardial infarction (letter), 891
Troponin T and quantitative ST-segment depression offer complementary prognostic information in the risk stratification of acute coronary syndrome patients, 371
Statins
See also HMG-CoA reductase inhibitors
Antioxidants, statins, and atherosclerosis, 1205
Atorvastatin, administered at the onset of reperfusion, and independent of lipid lowering, protects the myocardium by up-regulating a pro-survival pathway, 508
Beneficial effects of simvastatin and pravastatin on cardiac allograft rejection and survival (letter), 2104
Possible risks to patients receiving statins combined with other medications (letter), 519
Raised serum levels of soluble CD40 ligand in patients with familial hypercholesterolemia: downregulatory effect of statin therapy, 275
In the statin era, how importance are intense lifestyle changes? (editorial), 273
Stenosis
See also Restenosis
Aortic valve stenosis is associated with systemic endothelial dysfunction, 136
Discrepancies between catheter and Doppler estimates of valve effective orifice area can be predicted from the pressure recovery phenomenon, 435
Quantitative assessment of coronary stenosis by harmonic power Doppler with a simple pulsing sequence and vasodilator stress in patients, 2060
Renal artery stenosis: searching for the algorithms for diagnosis and treatment (editorial), 1312
Stenosis is in the eye of the observer: impact of pressure recovery on assessing aortic valve area (editorial), 443
Susceptibility-sensitive magnetic resonance imaging detects human myocardium supplied by a stenotic coronary artery without a contrast agent, 834
Stents and stenting
Angiotensin I-converting enzyme (ACE) inhibitors and restenosis after coronary artery stenting in patients with the DD genotype of the ACE gene, 1957
Can euphoria be bad? (editorial), 1289
Coronary stent implantation is superior to balloon angioplasty for chronic coronary occlusions, 1488
Defining stent thrombosis: whose definition to use? (letter), 1420
Detection of myocardial viability by contrast echocardiography in acute infarction predicts recovery of resting function and contractile reserve, 827
Early outcome after sirolimus-eluting stent implantation in patients with acute coronary syndromes, 2093
Effect of percutaneous coronary interventions for in-stent restenosis in degenerated saphenous vein grafts without distal embolic protection, 749
Glycoprotein IIb/IIIa inhibition in early intent-to-stent treatment of acute coronary syndromes: EPISTENT, ADMIRAL, CADILLAC, and TARGET, 49S
Intracoronary Stenting and Angiographic Results: Strut Thickness Effect on Restenosis Outcome (ISAR-STEREO-2) Trial, 1283
Intravascular brachytherapy for native coronary ostial in-stent restenotic lesions, 1725
Late acute thrombotic occlusion after endovascular brachytherapy and stenting of femoropopliteal arteries, 409
Outcome of percutaneous coronary intervention in patients with in-stent restenosis who failed intracoronary radiation therapy, 551
Postprocedure chest pain after coronary stenting: implications on clinical restenosis, 33
Randomized comparison of clopidogrel and aspirin versus ticlopidine and aspirin after the placement of coronary artery stents, 969
Relationship between heparin anticoagulation and clinical outcomes in coronary stent intervention, 386
Sirolimus-eluting stent for treatment of complex in-stent restenosis, 184
Stenting chronic coronary artery occlusions (editorial), 1493
Thrombolysis In Myocardial Infarction myocardial perfusion grade in angiography correlates with myocardial salvage in patients with acute myocardial infarction treated with stenting or thrombolysis, 925
Stress echocardiography
Prognostic value of predischarge dobutamine stress echocardiography in chest pain patients with a negative cardiac troponin T, 596
Specificity of noninvasive pacemaker stress echocardiography in diagnosis of coronary artery disease (letter), 1068
Stress echo results predict mortality: a large-scale multicenter prospective international study, 589
Value of rapid beta-blocker injection at peak dobutamine-atropine stress echocardiography for detection of coronary artery disease, 1583
Stress perfusion scintigraphy
Use of fractional flow reserve versus stress perfusion scintigraphy after unstable angina, 1115
Stress testing
See Exercise testing
Stroke
Ximelagatran versus warfarin for stroke prevention in patients with nonvalvular atrial fibrillation, 1445
Structural heart disease
Ablation of electrograms with an isolated, delayed component as treatment of unmappable monomorphic ventricular tachycardias in patients with structural heart disease, 81
Substrate mapping
Short-term results of substrate mapping and radiofrequency ablation of ischemic ventricular tachycardia using a saline-irrigated catheter, 2228
Sudden death
Hypertrophic cardiomyopathy in a large community-based population: clinical outcome and identification of risk factors for sudden cardiac death and clinical deterioration, 987
Long-term outcome in patients with Marfan syndrome: is aortic dissection the only cause of sudden death?, 329
Maximum left ventricular thickness and risk of sudden death in patients with hypertrophic cardiomyopathy, 315
On predictors of sudden cardiac death in hypertrophic cardiomyopathy (editorial), 994
Relationship of race to sudden cardiac death in competitive athletes with hypertrophic cardiomyopathy, 974
Upper and lower limits of vulnerability to sudden arrhythmic death with chest-wall impact (commotio cordis), 99
Variation in the alpha$_{2B}$-adrenoceptor gene as a risk factor for prehospital fatal myocardial infarction and sudden cardiac death, 190
Supraventricular tachyarrhythmia
Calcium antagonists reduce cardiovascular complications after cardiac surgery, 1496
Surgery
See also Ablation; Coronary artery bypass grafting; Radiofrequency ablation
Aspergillus aortitis after cardiac surgery, 152
Calcium antagonists reduce cardiovascular complications after cardiac surgery, 1496
Development and validation of a simple risk score to predict the need for permanent pacing after cardiac valve surgery, 795
Sustained monomorphic ventricular tachycardia
Ablation of electrograms with an isolated, delayed component as treatment of unmappable monomorphic ventricular tachycardias in patients with structural heart disease, 81
Syncope
Age and hemodynamic response to tilt testing in those with syncope of unknown origin, 1004
Enhanced reflex response to baroreceptor deactivation in subjects with tilt-induced syncope, 1167

Mechanisms of syncope in patients with positive adenosine triphosphate tests, 93
Selective use of diagnostic tests in patients with syncope of unknown cause, 787
Syncope: is a diagnosis a diagnosis? (editorial), 791

Syndrome X
C-reactive protein, clinical presentation, and ischemic activity in patients with chest pain and normal coronary angiograms, 1468

Systolic blood pressure
Influence of systolic blood pressure and body mass index on left ventricular structure in healthy African-American and white young adults: the CARDIA study, 955

Tachycardia
See Atrial tachycardia; Ventricular tachycardia

Tenecteplase
Combination reperfusion therapy with eptifibatide and reduced-dose tenecteplase for ST-elevation myocardial infarction, 1251

Tetralogy of Fallot
Echocardiographic predictors of aortopulmonary collaterals in infants with tetralogy of Fallot and pulmonary atresia, 852

Tezosentan
Neurohormonal paradigm: have we gone too far? (editorial), 1458
RITZ-5: randomized intravenous tezosentan (an endothelin-a/b antagonist) for the treatment of pulmonary edema, 204
Tezosentan in patients with acute heart failure and acute coronary syndromes, 1452

Thermal heterogeneity
Thermal heterogeneity in stable human coronary atherosclerotic plaques is underestimated in vivo: the "cooling effect" of blood flow, 403

Thiazolidinedione
Fluid retention after initiation of thiazolidinedione therapy in diabetic patients with established chronic heart failure, 1394

Thrombin
Effects of ximelagatran, an oral direct thrombin inhibitor, r-hirudin and enoxaparin on thrombin generation and platelet activation in healthy male subjects, 557

Thrombolysis In Myocardial Infarction
Thrombolysis In Myocardial Infarction myocardial perfusion grade in angiography correlates with myocardial salvage in patients with acute myocardial infarction treated with stenting or thrombolysis, 925
Thrombolysis In Myocardial Infarction risk score in unstable angina/non–ST-segment elevation myocardial infarction, 89S

Thrombolytic therapy
Prehospital thrombolytic therapy for ST-segment elevation myocardial infarction (letter), 891
Thrombolysis In Myocardial Infarction myocardial perfusion grade in angiography correlates with myocardial salvage in patients with acute myocardial infarction treated with stenting or thrombolysis, 925

Thrombosis
Defining stent thrombosis: whose definition to use? (letter), 1420
Fibrinolysis of mechanical prosthetic valve thrombosis, 653
Functional polymorphisms in a candidate gene for atherothrombosis (editorial), 946
Hypertension and the prothrombotic state (letter), 1847
Late acute thrombotic occlusion after endovascular brachytherapy and stenting of femoropopliteal arteries, 409
Thrombosed prosthetic valve (editorial), 659

Thromboxane A_2 receptor antagonists
Improved endothelial function by the thromboxane A_2 receptor antagonist S 18886 in patients with coronary artery disease treated with aspirin, 1198

Ticlopidine
Randomized comparison of clopidogrel and aspirin versus ticlopidine and aspirin after the placement of coronary artery stents, 969

Tilt-table testing
Age and hemodynamic response to tilt testing in those with syncope of unknown origin, 1004
Enhanced reflex response to baroreceptor deactivation in subjects with tilt-induced syncope, 1167
Selective use of diagnostic tests in patients with syncope of unknown cause, 787

TIMI risk score
Thrombolysis In Myocardial Infarction risk score in unstable angina/non–ST-segment elevation myocardial infarction, 89S

Tissue Doppler imaging
Peak early diastolic mitral annulus velocity by tissue Doppler imaging adds independent and incremental prognostic value, 820

Tissue factor/factor VIIa complex
Recombinant nematode anticoagulation protein c2, an inhibitor of the tissue factor/factor VIIa complex, in patients undergoing elective coronary angioplasty, 2147

Tissue plasminogen activator
Acute systemic inflammation enhances endothelium-dependent tissue plasminogen activator release in men, 333
Angiotensin-converting enzyme inhibition but not angiotensin II type 1 receptor antagonism augments coronary release of tissue plasminogen activator in hypertensive patients, 1373

Tobacco
See Smoking

Tomography
See Positron emission tomography; Single-photon emission computed tomography

Total isovolumic time
Limitation of cardiac output by total isovolumic time during pharmacologic stress in patients with dilated cardiomyopathy, 121

Transesophageal echocardiography
See also Echocardiography
Relative roles of transthoracic compared with transesophageal echocardiography in children with suspected infective endocarditis, 2068

Transmyocardial laser revascularization
Art and science of transmyocardial laser revascularization (letter), 2298

Transplantation
See also Cell transplantation; Heart transplantation
Autologous skeletal myoblast transplantation for severe postinfarction left ventricular dysfunction, 1078
Autologous skeletal myoblasts transplanted to ischemia-damaged myocardium in humans, 879
Effect of a change in gender on coronary arterial size, 1539
High-dose angiotensin-converting enzyme inhibition restores body fluid homeostasis in heart-transplant recipients, 426
Hypertension in heart transplant recipients: more than just cyclosporine (editorial), 433
Periodic breathing during incremental exercise predicts mortality in patients with chronic heart failure awaiting cardiac transplantation, 2175
Severe renal dysfunction complicating cardiogenic shock is not a contraindication to mechanical support as a bridge to cardiac transplantation, 381
Transplantation of cells for cardiac repair, 711

Transthoracic echocardiography
Relative roles of transthoracic compared with transesophageal echocardiography in children with suspected infective endocarditis, 2068

Trauma
Upper and lower limits of vulnerability to sudden arrhythmic death with chest-wall impact (commotio cordis), 99

Troponin
Troponin: an important prognostic marker and risk-stratification tool in non–ST-segment elevation acute coronary syndromes, 31S
Troponin as a risk factor for mortality in critically ill patients without acute coronary syndromes, 2004

Troponin T
Comparison of troponin T and creatine kinase-MB fraction in evaluating cardiac patients postoperatively (letter), 1065
Prognostic value of predischarge dobutamine stress echocardiography in chest pain patients with a negative cardiac troponin T, 596
Troponin and C-reactive protein have different relations to subsequent mortality and myocardial infarction after acute coronary syndrome, 916
Troponin T and quantitative ST-segment depression offer complementary prognostic information in the risk stratification of acute coronary syndrome patients, 371

T-wave alternans
T-wave alternans for arrhythmia risk stratification in patients with idiopathic dilated cardiomyopathy (editorial), 2225
Usefulness of microvolt T wave alternans for prediction of ventricular tachyarrhythmic events in patients with dilated cardiomyopathy: results from a prospective observational study, 2220

Ultrasound
See also Intravascular ultrasound
Coronary vasodilation by noninvasive transcutaneous ultrasound, 1623
Identification of acutely ischemic myocardium using ultrasonic strain measurements, 810
Repeated intravascular ultrasound imaging in cardiac transplant recipients does not accelerate transplant coronary artery disease, 1739
Seizing the science of ultrasound (editorial), 1628

Unstable angina pectoris
See Angina pectoris

Vasoconstriction
Emerging importance of alpha-adrenergic coronary vasoconstriction in acute coronary syndromes and its genetic background (editorial), 195

Vasodilation
Coronary vasodilation by noninvasive transcutaneous ultrasound, 1623
Pulse pressure and endothelial dysfunction in never-treated hypertensive patients, 1753
Vascular function and carotid intimal-medial thickness in children with insulin-dependent diabetes mellitus, 661
Vintners and vasodilators (editorial), 479

Vasodilators
Quantitative assessment of coronary stenosis by

harmonic power Doppler with a simple pulsing sequence and vasodilator stress in patients, 2060

Ventricles
See Left ventricle; Right ventricle

Ventricular assist devices
Left ventricular support by catheter-mounted axial flow pump reduces infarct size, 1087
Severe renal dysfunction complicating cardiogenic shock is not a contraindication to mechanical support as a bridge to cardiac transplantation, 381

Ventricular tachyarrhythmia
Usefulness of microvolt T wave alternans for prediction of ventricular tachyarrhythmic events in patients with dilated cardiomyopathy: results from a prospective observational study, 2220

Ventricular tachycardia
Ablation of electrograms with an isolated, delayed component as treatment of unmappable monomorphic ventricular tachycardias in patients with structural heart disease, 81
Amiodarone versus the implantable cardioverter-defibrillator: randomized trial in patients with nonischemic dilated cardiomyopathy and asymptomatic nonsustained ventricular tachycardia—AMIOVIRT, 1707
Inside or out? Another option for incessant ventricular tachycardia (editorial), 2044
Nonsurgical transthoracic epicardial radiofrequency ablation, 2036
Quantitative comparison of spontaneous and paced 12-lead electrocardiogram during right ventricular outflow tract ventricular tachycardia, 2046
Relationship of slow conduction detected by pace-mapping to ventricular tachycardia re-entry circuit sites after infarction, 802
Short-term results of substrate mapping and radiofrequency ablation of ischemic ventricular tachycardia using a saline-irrigated catheter, 2228

Verapamil
Rate-dependent effects of verapamil on atrial refractoriness, 446

Vitamin D
Low vitamin D status: a contributing factor in the pathogenesis of congestive heart failure?, 105

Warfarin
American Heart Association/American College of Cardiology Foundation Guide to Warfarin Therapy, 1633
Underutilization of cardiac medications of proven benefits, 1990 to 2002, 56
Ximelagatran versus warfarin for stroke prevention in patients with nonvalvular atrial fibrillation, 1445

Whites
See Caucasians

Wine
Red wine increases the expression of human endothelial nitric oxide synthase, 471
Vintners and vasodilators (editorial), 479

Wolff-Parkinson-White syndrome
Asymptomatic Wolff-Parkinson-White syndrome: is it time to revisit guidelines? (editorial), 245
Usefulness of invasive electrophysiologic testing to stratify the risk of arrhythmic events in asymptomatic patients with Wolff-Parkinson-White pattern, 239

Women
See also Gender; Postmenopausal women
Adenosine myocardial perfusion single-photon emission computed tomography in women compared with men, 1125
Differential effects of oral versus transdermal estrogen replacement therapy on C-reactive protein in postmenopausal women, 1358
Gender differences in recovery after coronary artery bypass surgery, 307
Hypoestrogenemia of hypothalamic origin and coronary artery disease in premenopausal women: a report from the NHLBI-sponsored WISE study, 413

Ximelagatran
Effects of ximelagatran, an oral direct thrombin inhibitor, r-hirudin and enoxaparin on thrombin generation and platelet activation in healthy male subjects, 557
Ximelagatran versus warfarin for stroke prevention in patients with nonvalvular atrial fibrillation, 1445

VOL. 41

CONTENTS

2003